(51) **International Patent Classification**[7]: **C07H 15/203**, 15/26, 15/10, C07C 229/30, 237/16, C12P 19/44, A61K 31/7032, A61P 31/00

(21) **International Application Number:**
PCT/CA2004/000068

(22) **International Filing Date:** 21 January 2004 (21.01.2004)

(25) **Filing Language:** English

(26) **Publication Language:** English

(30) **Priority Data:**
60/441,123 21 January 2003 (21.01.2003) US
60/469,810 13 May 2003 (13.05.2003) US
60/491,516 1 August 2003 (01.08.2003) US
60/494,568 13 August 2003 (13.08.2003) US

(71) **Applicant** *(for all designated States except US)*: **ECOPIA BIOSCIENCES INC.** [CA/CA]; 7290 Frederick-Banting, Saint-Laurent, Québec H4S 2A1 (CA).

(72) **Inventors; and**
(75) **Inventors/Applicants** *(for US only)*: **BACHMANN, Brian, O.** [US/US]; 2905 Snowden Rd., Nashville, TN 37204 (US). **MCALPINE, James, B.** [US/CA]; 40 Upper Trafalgar Place, Montreal, Québec H3H 1T3 (CA). **ZAZOPOULOS, Emmanuel** [CA/CA]; 455 Saint-Pierre, apt. 410, Montreal, Québec H2Y 2M8 (CA). **FARNET, Chris, M.** [US/CA]; 772 Bloomfield, Outremont, Québec H2V 3S3 (CA).

(74) **Agent: LOOPER, Ywe, J.**; 7290 Frederick-Banting, Saint-Laurent, Québec H4S 2A1 (CA).

(81) **Designated States** *(unless otherwise indicated, for every kind of national protection available)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) **Designated States** *(unless otherwise indicated, for every kind of regional protection available)*: ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:
— *as to the identity of the inventor (Rule 4.17(i)) for all designations*
— *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)*
— *as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations*
— *of inventorship (Rule 4.17(iv)) for US only*

Published:
— *with international search report*
— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*
— *with (an) indication(s) in relation to deposited biological material furnished under Rule 13bis separately from the description*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) **Title:** POLYENE POLYKETIDES, PROCESSES FOR THEIR PRODUCTION AND THEIR USE AS A PHARMACEUTICAL

(57) **Abstract:** This invention relates to a new class of polyene polyketides, their pharmaceutically acceptable salts and derivatives, and to methods for obtaining the compounds. One method of obtaining these compounds is by cultivation of novel strains of *Streptomyces aizunensis*; another method involves expression of biosynthetic pathway genes in transformed host cells. The present invention further relates to the novel strains of *Streptomyces aizunensis* used to produce these compounds, to the use of these compounds and their pharmaceutically acceptable salts and derivatives as pharmaceuticals, in particular to their use as inhibitors of fungal cell growth and cancer cell growth. The invention also relates to pharmaceutical compositions comprising these novel polyketides or a pharmaceutically acceptable salts or derivatives thereof. Finally, the invention relates to novel polynucleotide sequences and their encoded proteins, which are involved in the biosynthesis of these novel polyketides.

TITLE OF INVENTION: POLYENE POLYKETIDES, PROCESSES FOR THEIR PRODUCTION AND THEIR USE AS A PHARMACEUTICAL

RELATED APPLICATIONS:

This application claims priority to U.S. Provisional Application 60/441,123 filed January 21, 2003; U.S. Provisional Application 60/494,568 filed August 13, 2003; U.S. Provisional Application 60/469,810 filed May 13, 2003; and U.S. Provisional 60/491,516 filed August 1, 2003.

FIELD OF INVENTION:

This invention relates to a new class of polyene polyketides, their pharmaceutically acceptable salts and derivatives, and to methods for their production. One method of obtaining these novel polyketides is by cultivation of novel strains of *Streptomyces aizunensis;* another method involves expression of the biosynthetic gene cluster of the invention in transformed host cells. The compounds may also be produced by known strains of certain bacteria. The invention also encompasses the novel strains of *Streptomyces aizunensis* which produce these compounds, as well as the gene cluster which directs the biosynthesis of these compounds. The invention also includes the use of these novel polyketides and their pharmaceutically acceptable salts and derivatives as pharmaceuticals, in particular, to their use as inhibitors of fungal and bacterial cell growth, inhibitors of cancer cell growth and for lowering serum cholesterol and other steroids. The invention also encompasses pharmaceutical compositions comprising these novel polyketides, or pharmaceutically acceptable salts or derivatives thereof.

BACKGROUND:

Actinomycetes comprise a family of bacteria that are abundant in soil and have generated significant commercial and scientific interest as a result of the large number of therapeutically useful antibiotics, antifungals, anticancer and cholesterol-lowering agents, produced as secondary metabolites by these bacteria. Many actinomycetes, particularly those of the Streptomyces genus,

2

have been extensively studied because of their ability to produce a notable diversity of biologically active metabolites. The intensive search for new natural products has led to the identification of new species of bacteria and the creation of improved strains.

Polyene polyketides are a group of natural products produced by actinomycetes that have generated significant commercial interest. For example Sakuda *et al*, 1996 *J. of Chem. Soc., Perkin trans.* 1, 2315-19; and Sakuda *et al.*, *Tetrahedron Letters*, Vol 35, No. 16, 2777-2789 (1995) disclose the linear polyene linearmycin A produced by a Streptomyces sp. Sakuda *et al.* report that linearmycin A has shown both antifungal and antibacterial activity. Pawlak *et al. J of Antibiotics*, Vol. XXXIII No. 9, 989-997 disclose the polyene macrolide lienomycin produced by *Actinomyces diastatochromogenes*. Pawlak *et al.* report that lienomycin has shown antifungal, antibacterial and anti-tumor activity. Antifungal activity of polyene macrolides has also been correlated with hyperchlesterolemic effect (C.P. Schaffner, Polyene Microlides in Clinical Practice, in Macrolide Antibiotics: Chemistry, biology and practice, S. Omura, ed. Academic Press (1984), p. 491; C.P. Schaffner and H.W. Gordon, *Proc Natl. Acad. Sci. U.S.A.* **61**, 36 (1968)).

Polyketides have carbon chain backbones formed of two-carbon units through a series of condensations reactions and subsequent modifications. Type I polyketides are synthesized in nature by modular polyketide synthase (PKS) enzymes having a set of separate catalytic active sites for each cycle of carbon chain elongation and modification. Because of the multimodular nature of PKS proteins, much is known of the specificity and mechanism of the biosynthesis of polyketides.

Although many biologically active compounds have been identified, there remains the need to obtain novel naturally occurring compounds with enhanced properties. Current methods of obtaining such compounds include screening of natural isolates and chemical modification of existing compounds, both of which are costly and time consuming. Current screening methods are based on general biological properties of the compound, which require prior knowledge of the structure of the molecules. Methods for

chemically modifying known active compounds exist, but still suffer from practical limitations as to the type of compounds obtainable.

Thus, there exists a considerable need to obtain pharmaceutically active compounds in a cost-effective manner and with high yield. The present invention solves these problems by providing improved strains of *Streptomyces aizunensis* capable of producing potent new therapeutic compounds, as well as reagents (*e.g.* polynucleotides, vectors comprising the polynucleotides and host cells comprising the vectors) and methods to generate novel compounds by de novo biosynthesis rather than by chemical synthesis.

SUMMARY OF THE INVENTION:

The present invention encompasses compounds of Formula I:



Formula I

and pharmaceutically acceptable salts thereof;
wherein,

A is selected from the group consisting of $-NR^1R^2$, $-N=CR^1R^2$,

R^1, R^2, R^3 and R^4 are each independently selected from the group consisting of H, C$_{1-6}$ alkyl, C$_{2-6}$ alkenyl, C$_{3-6}$ cycloalkyl, C$_{2-6}$ heterocycloalkyl, aryl, heteroaryl and amino acid, wherein said alkyl, alkenyl, aryl and heteroaryl are optionally substituted with a group selected from halogen, OH, NO$_2$, NH$_2$ or aryl, said aryl being optionally further substituted with one or more groups independently selected from halogen, OH, NO$_2$ or NH$_2$;

B is selected from ethene-1,2-diyl or ;

wherein R^{10} is oxo or OR^{11};

wherein R^{11} is H or a heterocycloalkyl, the heterocycloalkyl being optionally substituted with 1-4 substituents selected from OX, C$_{1-3}$ alkyl and -O-C(O)R^1, wherein X is H or, when there are at least two neighboring substituent groups that are OX, then the X can be a bond such that the two neighboring oxygen groups form a five-membered acetal ring of the formula:

 ; wherein R^5 and R^6 are each independently selected from the group consisting of H, C$_{1-6}$ alkyl, and C$_{2-7}$ alkenyl;

D is selected from , -NR^{12a}R^{12a}, and OR^{12}, wherein

R^{12} is selected from H and C_{1-6} alkyl optionally substituted with 1 to 2 phenyl groups, wherein the phenyl group is optionally substituted with C_{1-6} alkyl or halo;

R^{12a} and R^{12a} are each indepedently selected from H, C_{1-6} alkyl, C_{2-6} alkenyl, C_{3-6} cycloalkyl, C_{2-6} heterocycloalkyl, aryl, heteroaryl and amino acid, wherein said alkyl, alkenyl, aryl and heteroaryl are optionally substituted with a group selected from halogen, OH, NO_2, NH_2 or aryl, said aryl being optionally further substituted with one or more groups independently selected from halogen, OH, NO_2 or NH_2;

W^1 is

W^2 is

W^3 is

W^5 is

X^1, X^2, X^3, X^4, X^5, X^6, X^7, X^8, X^9, X^{12} and X^{13} are each independently selected from H, -C(O)-R^7 and a bond such that when any of two neighboring X^1, X^2, X^3, X^4, X^5, X^6, X^7, X^8, X^9, X^{12} and X^{13} is a bond then the two neighboring oxygen atoms and their attached carbon atoms together form a six-membered acetal ring of the formula:

R^5, R^6 and R^7 are each independently selected from H, C_{1-6} alkyl, C_{2-7} alkenyl;

Y^1, Y^2, Y^3, Y^4, Y^5, Y^6, Y^7, Y^9, Y^{10}, Y^{11}, Y^{12}, Y^{13} and Y^{15} are each independently selected from the group consisting of ethene-1,2-diyl,

ethane-1,2-diyl and ; wherein said ethene-1,2-diyl and ethane-1,2-diyl groups are optionally substituted with a methyl group;

Z is selected from OH, NHR^8, and when the dotted line is a bond then Z is oxo, or NR^9;

R^8 is selected from H, C_{1-6} alkyl, C_{2-6} alkenyl;

R^9 is C_{1-6} alkyl optionally substituted with aryl.

The invention is also directed to the Compound 2(a), a linear glycosylated polyketide with an amidohydroxycyclopentenone component, and pharmaceutically acceptable salts thereof:

Compound 2(a)

The systematic name for Compound 2(a) has been determined to be:
56-Amino-15,17,33,35,37,41,43,45,47,51,53-undecahydroxy-14,16,30-trimethyl-31-oxo-29-(3,4,5-trihydroxy-6-methyl-tetrahydro-pyran-2-yloxy)-hexapentaconta-2,4,6,8,12,18,20,22,24,26,38,48-dodecaenoic acid (2-hydroxy-5-oxo-cyclopent-1-enyl)-amide.

The invention encompasses pharmaceutical compositions of compounds of Formula I comprising, a therapeutically effective amount of the

compound of Formula I or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier. In particular, the invention is directed to pharmaceutical compositions of compound 2(a) comprising, a therapeutically effective amount of the compound 2(a) or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

The present invention is also directed to methods for producing the compound 2(a) and related compounds, including compounds of Formula I and Formula II as defined herein. Such methods comprise the steps of cultivating cells derived from a *Streptomyces aizunensis* strain, incubating said cultured cells aerobically in a growth medium for such time as is required for production of the desired compound, extracting said medium with a solvent such as methanol or ethanol and purifying the compound from the crude extract. The *Streptomyces aizunensis* strain which may be used in the methods of the invention may be NRRL B-11277 or a mutant thereof. A preferred strain of *Streptomyces aizunensis* useful in the methods of the invention is a mutant strain identified as [C03]023 (deposit accession number IDAC 070803-1); a most preferred strain of *Streptomyces aizunensis* useful in the methods of the invention is a mutant strain identified as [C03U03]023 (deposit accession number IDAC 231203-02). The invention also encompasses the *Streptomyces aizunensis* strains identified by deposit accession numbers IDAC 070803-1 and IDAC 231203-02.

The invention also includes methods of inhibiting fungal cell growth, which comprise contacting a fungal cell with a compound of Formula I, a compound of Formula II or compound 2(a), or a pharmaceutically acceptable salt thereof. In addition, the invention encompasses methods for treating a fungal infection in a mammal, which comprise administering to a mammal suffering from such an infection, a therapeutically effective amount of a compound of Formula I, a compound of Formula II or compound 2(a), or a pharmaceutically acceptable salt thereof. The methods of the invention are particularly useful for treating fungal infections or inhibiting the growth of fungal cells in mammals caused by *Candida albicans.* The invention also encompasses methods for treating or inhibiting other types of fungal infections in a subject, wherein said fungal infections include those caused by *Candida*

sp. such as *C. glabrata, C. lusitaniae C. parapsilosis, C. krusei, C. tropicalis, S. cerevisiae; Aspergillus sp.* such as *A. fumigatus, A. niger, A. terreus, A. flavus; Fusarium spp.; Scedosporium spp.; Cryptococcus spp.; Mucor ssp.; Histoplasma spp.; Trichosporon spp.; and Blaspomyces spp.* Such methods comprise administering to a subject suffering from the fungal infection, a therapeutically effective amount of a compound of Formula I, Formula II or compound 2(a), or a pharmaceutically acceptable salt thereof.

The invention also provides methods of inhibiting cancer cell growth, which comprise contacting said cancer cell with a compound of Formula I, Formula II or compound 2(a), or a pharmaceutically acceptable salt thereof. The invention further encompasses methods for treating cancer in a subject, comprising administering to said subject suffering from said cancer, a therapeutically effective amount of a compound of Formula I, Formula II or compound 2(a) or a pharmaceutically acceptable salt thereof. Examples of cancers that may be treated or inhibited according to the methods of the invention include leukemia, non-small cell lung cancer, colon cancer, CNS cancer, melanoma, ovarian cancer, renal cancer, prostate cancer and breast cancer.

The present invention also provides the biosynthetic locus from *Streptomyces aizunensis* (NRRL B-11277) which biosynthetic locus is responsible for producing the compound of Formula 2(a). *Streptomyces aizunensis* was not previously reported to produce Compound 2(a). We have now discovered, in the *Streptomyces aizunensis* genome, the gene cluster responsible for the production of the Compound 2(a). Thus the invention provides polynucleotides and polypeptides useful in the production and engineering of compounds of Formula I and Compound 2(a). The invention also provides chemical modifications of compounds of Formula I and Compound 2(a).

In one aspect, the invention relates to the biosynthetic locus for production of a polyketide of Formula I and provides, in one embodiment, an isolated, purified or enriched nucleic acid for production of a polyketide of Formula I comprising a nucleic acid encoding at least one domain of the

polyketide synthase system formed by the polyketide synthases of SEQ ID
NOS: 21, 23, 25, 27, 29, 31, 33, 35 and 37.

In a further embodiment, the nucleic acid encodes one or more
domains of the polyketide synthase of SEQ ID NO: 21 and comprises a
nucleic acid selected from the group consisting of: a) SEQ ID NO: 22; b) the
nucleic acid of residues 169-354 of SEQ ID NO: 22, the nucleic acid of
residues 421-1698 of SEQ ID NO: 22, the nucleic acid of residues 1789-3093
of SEQ ID NO: 22, the nucleic acid of residues 3910-4551 of SEQ ID NO: 22,
the nucleic acid of residues 4807-4992 of SEQ ID NO: 22, the nucleic acid of
residues 5068-6354 of SEQ ID NO: 22, the nucleic acid of residues 6403-
7686 of SEQ ID NO: 22, the nucleic acid of residues 8497-9135 of SEQ ID
NO: 22, the nucleic acid of residues 9388-9573 of SEQ ID NO: 22, the nucleic
acid of residues 9643-10920 of SEQ ID NO: 22, the nucleic acid of residues
10978-12267 of SEQ ID NO: 22, the nucleic acid of residues 12304-12624 of
SEQ ID NO: 22, the nucleic acid of residues 13834-14487 of SEQ ID NO: 22,
the nucleic acid of residues 14731-14916 of SEQ ID NO: 22, the nucleic acid
of residues 15019-16314 of SEQ ID NO: 22, the nucleic acid of residues
16378-17649 of SEQ ID NO: 22, the nucleic acid of residues 18439-19080 of
SEQ ID NO: 22, the nucleic acid of residues 19330-19515 of SEQ ID NO: 22,
the nucleic acid of residues 19585-20862 of SEQ ID NO: 22, the nucleic acid
of residues 20935-22206 of SEQ ID NO: 22, the nucleic acid of residues
23107-23754 of SEQ ID NO: 22, the nucleic acid of residues 24004-24189 of
SEQ ID NO: 22; c) a nucleic acid having at least 80% identity to a nucleic acid
of a) or b); and d) a nucleic acid complementary to a nucleic acid of a), b) or
c).

In another embodiment the nucleic acid encodes one or more domains
of the polyketide synthase of SEQ ID NO: 23 and comprises a nucleic acid
selected from the group consisting of: a) SEQ ID NO: 24; b) the nucleic acid of
residues 109-1386 of SEQ ID NO: 24, the nucleic acid of residues 1477-2757
of SEQ ID NO: 24, the nucleic acid of residues 2794-3114 of SEQ ID NO: 24,
the nucleic acid of residues 4231-4881 of SEQ ID NO: 24, the nucleic acid of
residues 5116-5301 of SEQ ID NO: 24, the nucleic acid of residues 5380-
6645 of SEQ ID NO: 24, the nucleic acid of residues 6694-7977 of SEQ ID

NO: 24, the nucleic acid of residues 8878-9519 of SEQ ID NO: 24, the nucleic acid of residues 9772-9957 of SEQ ID NO: 24; c) a nucleic acid having at least 80% identity to a nucleic acid of a) or b); and d) a nucleic acid complementary to a nucleic acid of a), b) or c).

In another embodiment the nucleic acid encodes one or more domains of the polyketide synthase of SEQ ID NO: 25 and comprises a nucleic acid selected from the group consisting of: a) SEQ ID NO: 26; b) the nucleic acid of residues 106-1383 of SEQ ID NO: 26, the nucleic acid of residues 1447-2721 of SEQ ID NO: 26, the nucleic acid of residues 2755-3081 of SEQ ID NO: 26, the nucleic acid of residues 4315-4965 of SEQ ID NO: 26, the nucleic acid of residues 5206-5391 of SEQ ID NO: 26, the nucleic acid of residues 5491-6768 of SEQ ID NO: 26, the nucleic acid of residues 6841-8142 of SEQ ID NO: 26, the nucleic acid of residues 8941-9582 of SEQ ID NO: 26, the nucleic acid of residues 9832-10017 of SEQ ID NO: 26, the nucleic acid of residues 10081-11358 of SEQ ID NO: 26, the nucleic acid of residues 11407-12675 of SEQ ID NO: 26, the nucleic acid of residues 13480-14118 of SEQ ID NO: 26, the nucleic acid of residues 14383-14568 of SEQ ID NO: 26, the nucleic acid of residues 14638-15912 of SEQ ID NO: 26, the nucleic acid of residues 15967-17244 of SEQ ID NO: 26, the nucleic acid of residues 17278-17598 of SEQ ID NO: 26, the nucleic acid of residues 18880-19530 of SEQ ID NO: 26, the nucleic acid of residues 19795-19980 of SEQ ID NO: 26; c) a nucleic acid having at least 80% identity to a nucleic acid of a) or b); and d) a nucleic acid complementary to a nucleic acid of a), b) or c).

In another embodiment the nucleic acid encodes one or more domains of the polyketide synthase of SEQ ID NO: 27 and comprises a nucleic acid selected from the group consisting of: a) SEQ ID NO: 28; b) the nucleic acid of residues 103-1380 of SEQ ID NO: 28, the nucleic acid of residues 1450-2760 of SEQ ID NO: 28, the nucleic acid of residues 3583-4218 of SEQ ID NO: 28, the nucleic acid of residues 4468-4653 of SEQ ID NO: 28; c) a nucleic acid having at least 80% identity to a nucleic acid of a) or b); and d) a nucleic acid complementary to a nucleic acid of a), b) or c).

In another embodiment the nucleic acid encodes one or more domains of the polyketide synthase of SEQ ID NO: 29 and comprises a nucleic acid

selected from the group consisting of: a) SEQ ID NO: 30; b) the nucleic acid of
residues 103-1380 of SEQ ID NO: 30, the nucleic acid of residues 1459-2754
of SEQ ID NO: 30, the nucleic acid of residues 3655-4293 of SEQ ID NO: 30,
the nucleic acid of residues 4540-4725 of SEQ ID NO: 30, the nucleic acid of
residues 4804-6081 of SEQ ID NO: 30, the nucleic acid of residues 6136-
7419 of SEQ ID NO: 30, the nucleic acid of residues 7456-7776 of SEQ ID
NO: 30, the nucleic acid of residues 8938-9588 of SEQ ID NO: 30, the nucleic
acid of residues 9832-10017 of SEQ ID NO: 30, the nucleic acid of residues
10087-11364 of SEQ ID NO: 30, the nucleic acid of residues 11428-12711 of
SEQ ID NO: 30, the nucleic acid of residues 12745-13065 of SEQ ID NO: 30,
the nucleic acid of residues 14278-14928 of SEQ ID NO: 30, the nucleic acid
of residues 15187-15372 of SEQ ID NO: 30; c) a nucleic acid having at least
80% identity to a nucleic acid of a) or b); and d) a nucleic acid complementary
to a nucleic acid of a), b) or c).

In another embodiment the nucleic acid encodes one or more domains
of the polyketide synthase of SEQ ID NO: 31 and comprises a nucleic acid
selected from the group consisting of: a) SEQ ID NO: 32; b) the nucleic acid of
residues 103-1380 of SEQ ID NO: 32, the nucleic acid of residues 1438-2742
of SEQ ID NO: 32, the nucleic acid of residues 2776-3096 of SEQ ID NO: 32,
the nucleic acid of residues 4267-4917 of SEQ ID NO: 32, the nucleic acid of
residues 5209-5394 of SEQ ID NO: 32, the nucleic acid of residues 5464-
6741 of SEQ ID NO: 32, the nucleic acid of residues 6787-8070 of SEQ ID
NO: 32, the nucleic acid of residues 8107-8427 of SEQ ID NO: 32, the nucleic
acid of residues 9562-10212 of SEQ ID NO: 32, the nucleic acid of residues
10447-10632 of SEQ ID NO: 32, the nucleic acid of residues 10702-11979 of
SEQ ID NO: 32, the nucleic acid of residues 12049-13326 of SEQ ID NO: 32,
the nucleic acid of residues 13366-13686 of SEQ ID NO: 32, the nucleic acid
of residues 14932-15582 of SEQ ID NO: 32, the nucleic acid of residues
15853-16038 of SEQ ID NO: 32; c) a nucleic acid having at least 80% identity
to a nucleic acid of a) or b); and d) a nucleic acid complementary to a nucleic
acid of a), b) or c).

In another embodiment the nucleic acid encodes one or more domains
of the polyketide synthase of SEQ ID NO: 33 and comprises a nucleic acid

selected from the group consisting of: a) SEQ ID NO: 34; b) the nucleic acid of residues 103-1380 of SEQ ID NO: 34, the nucleic acid of residues 1441-2751 of SEQ ID NO: 34, the nucleic acid of residues 3613-4248 of SEQ ID NO: 34, the nucleic acid of residues 4498-4683 of SEQ ID NO: 34, the nucleic acid of residues 4753-6030 of SEQ ID NO: 34, the nucleic acid of residues 6199-7515 of SEQ ID NO: 34, the nucleic acid of residues 8356-8994 of SEQ ID NO: 34, the nucleic acid of residues 9247-9432 of SEQ ID NO: 34; c) a nucleic acid having at least 80% identity to a nucleic acid of a) or b); and d) a nucleic acid complementary to a nucleic acid of a), b) or c).

In another embodiment the nucleic acid encodes one or more domains of the polyketide synthase of SEQ ID NO: 35 and comprises a nucleic acid selected from the group consisting of: a) SED ID NO: 36; b) the nucleic acid of residues 118-1395 of SEQ ID NO: 36, the nucleic acid of residues 1507-2823 of SEQ ID NO: 36, the nucleic acid of residues 2860-3180 of SEQ ID NO: 36, the nucleic acid of residues 4366-5016 of SEQ ID NO: 36, the nucleic acid of residues 5251-5436 of SEQ ID NO: 36, the nucleic acid of residues 5503-6780 of SEQ ID NO: 36, the nucleic acid of residues 6841-8154 of SEQ ID NO: 36, the nucleic acid of residues 8191-8511 of SEQ ID NO: 36, the nucleic acid of residues 9562-10638 of SEQ ID NO: 36, the nucleic acid of residues 10651-11301 of SEQ ID NO: 36, the nucleic acid of residues 11536-11721 of SEQ ID NO: 36, the nucleic acid of residues 11794-13071 of SEQ ID NO: 36, the nucleic acid of residues 13117-14409 of SEQ ID NO: 36, the nucleic acid of residues 14443-14763 of SEQ ID NO: 36, the nucleic acid of residues 15898-16548 of SEQ ID NO: 36, the nucleic acid of residues 16789-16974 of SEQ ID NO: 36, the nucleic acid of residues 17056-18333 of SEQ ID NO: 36, the nucleic acid of residues 18391-19671 of SEQ ID NO: 36, the nucleic acid of residues 19714-20034 of SEQ ID NO: 36, the nucleic acid of residues 21184-21834 of SEQ ID NO: 36, the nucleic acid of residues 22087-22272 of SEQ ID NO: 36; c) a nucleic acid having at least 80% identity to a nucleic acid of a) or b); and d) a nucleic acid complementary to a nucleic acid of a), b) or c).

In another embodiment the nucleic acid encodes one or more domains of the polyketide synthase of SEQ ID NO: 37 and comprises a nucleic acid

selected from the group consisting of: a) SEQ ID NO: 38; b) the nucleic acid of
residues 100-1377 of SEQ ID NO: 38, the nucleic acid of residues 1504-2778
of SEQ ID NO: 38, the nucleic acid of residues 2812-3132 of SEQ ID NO: 38,
the nucleic acid of residues 4258-4908 of SEQ ID NO: 38, the nucleic acid of
residues 5143-5328 of SEQ ID NO: 38, the nucleic acid of residues 5395-
6672 of SEQ ID NO: 38, the nucleic acid of residues 6739-8019 of SEQ ID
NO: 38, the nucleic acid of residues 8056-8376 of SEQ ID NO: 38, the nucleic
acid of residues 9607-10257 of SEQ ID NO: 38, the nucleic acid of residues
10537-10722 of SEQ ID NO: 38, the nucleic acid of residues 10945-11616 of
SEQ ID NO: 38; c) a nucleic acid having at least 80% identical to a nucleic
acid of a) or b); and d) a nucleic acid complementary to a nucleic acid of a), b)
or c).

The invention also provides nucleic acids involved in the biosynthesis
of a polyketide of Formula I other than those encoding a domain of the
polyketide synthase system. In this embodiment, the invention provides an
isolated, purified or enriched nucleic acid selected from the group consisting
of: a) a nucleic acid of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 40, 42, 44,
46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76 and 78; b) a
nucleic acid encoding a polypeptide of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16,
19, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 71, 73, 75 and
77; c) a nucleic acid having at least 75% identity to a nucleic acid of (a) or (b);
and d) a nucleic acid complementary to a nucleic acid of (a), (b) or (c).

The invention further provides a nucleic acid that is hybridizable under
stringent conditions to any one of the above nucleic acids and is substitutable
for the nucleic acid to which it specifically hybridizes to direct the synthesis of
a compound of Formula I. The invention further provides an isolated, purified
or enriched nucleic acid comprising the sequence of at least two, preferably
three, more preferably five, still more preferably 7 or more of the above
nucleic acids.

The invention further provides an expression vector comprising any of the
above nucleic acids. The invention further provides a host cell transformed
with such an expression vector.

In a further aspect, the invention provides a gene cluster for production of a polyketide of Formula I. In one embodiment, the gene cluster may comprise at least ten, preferably twelve, more preferably fifteen, still more preferably twenty or more of the above nucleic acids. In a further embodiment, the gene cluster may include the nucleic acids of a cosmid selected from the cosmids deposited under IDAC accession nos. 250203-01, 250203-02, 250203-03, 250203-04, and 250203-05. In a further embodiment, the deposited cosmids are inserted into a prokaryotic host for expressing a product. The host may be *E. coli, Streptomyces lividans, Streptomyces griseofuscus, Streptomyces ambofaciens*, another species of *Actinomycetes,* or bacteria of the genus *Bacillus, Corynebacteria*, or *Thermoactinomyces*. In a further embodiment, the invention provides a nucleic acid which hybridizes under stringent hybridization conditions to the nucleic acids of the deposited cosmids and which encodes at least one protein involved in the biosynthesis of a polyene polyketide. In a further embodiment, the invention provides the isolated gene cluster from *Streptomyces aizunensis* encoding the biosynthetic pathway for the formation of compound 2(a), wherein said isolated gene cluster is the gene cluster formed by the deposited cosmids.

In another aspect, the invention relates to an isolated polypeptide for production of a polyketide of Formula I, and provides, in one embodiment, an amino acid sequence of a polyketide synthase domain of SEQ ID NO: 21, SEQ ID NO: 23, SEQ ID NO: 25, SEQ ID NO: 27, SEQ ID NO: 29, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35 and SEQ ID NO: 37. The domain may be a β-ketoacyl synthase (KS) domain, an acyl carrier protein (ACP) domain, an acyl transferase (AT) domain, a ketoreductase (KR) domain, an enoyl reductase (ER) domain, a thioesterase (TE) domain or a dehydratase (DH) domain. In one embodiment, the domain is a KS domain and the amino acid comprises a sequence selected from the group consisting of the amino acid of residues 141 to 566 of SEQ ID NO: 21, residues 1690 to 2118 of SEQ ID NO: 21, residues 3215 to 3640 of SEQ ID NO: 21, residues 5007 to 5438 of SEQ ID NO: 21, residues 6529 to 6954 of SEQ ID NO: 21, residues 37 to 462 of SEQ ID NO: 23, residues 1794 to 2215 of SEQ ID NO: 23, residues 36 to 461 of SEQ ID NO: 25, residues 1831 to 2256 of SEQ ID NO: 25, residues

3361 to 3786 of SEQ ID NO: 25, residues 4880 to 5304 of SEQ ID NO: 25, residues 35 to 460 of SEQ ID NO: 27, residues 35 to 460 of SEQ ID NO: 29, residues 1602 to 2027 of SEQ ID NO: 29, residues 3363 to 3788 of SEQ ID NO: 29, residues 35 to 460 of SEQ ID NO: 31, residues 1822 to 2247 of SEQ ID NO: 31, residues 3568 to 3993 of SEQ ID NO: 31, residues 35 to 460 of SEQ ID NO: 33, residues 1585 to 2010 of SEQ ID NO: 33, residues 40 to 465 of SEQ ID NO: 35, residues 1835 to 2260 of SEQ ID NO: 35, residues 3932 to 4357 of SEQ ID NO: 35, residues 5686 to 6111 of SEQ ID NO: 35, residues 34 to 459 of SEQ ID NO: 37, residues 1799 to 2224 of SEQ ID NO: 37; and amino acid sequence having at least 75% identity to any one of the above amino acid residues.

In another embodiment, the domain is an ACP domain and the amino acid comprises a sequence selected from the group consisting of the amino acid of: residues 57 to 118 of SEQ ID NO: 21, residues 1603 to 1664 of SEQ ID NO: 21, residues 3130 to 3191 of SEQ ID NO: 21, residues 4911 to 4972 of SEQ ID NO: 21, residues 6444 to 6505 of SEQ ID NO: 21, residues 8002 to 8063 of SEQ ID NO: 21, residues 1706 to 1767 of SEQ ID NO: 23, residues 3258 to 3319 of SEQ ID NO: 23, residues 1736 to 1797 of SEQ ID NO: 25, residues 3278 to 3339 of SEQ ID NO: 25, residues 4795 to 4856 of SEQ ID NO: 25, residues 6599 to 6660 of SEQ ID NO: 25, residues 1490 to 1551 of SEQ ID NO: 27, residues 1514 to 1575 of SEQ ID NO: 29, residues 3278 to 3339 of SEQ ID NO: 29, residues 5060 to 5124 of SEQ ID NO: 29, residues 1737 to 1798 of SEQ ID NO: 31, residues 3483 to 3544 of SEQ ID NO: 31, residues 5285 to 5346 of SEQ ID NO: 31, residues 1500 to 1561 of SEQ ID NO: 33, residues 3083 to 3144 of SEQ ID NO: 33, residues 1751 to 1812 of SEQ ID NO: 35, residues 3846 to 3907 of SEQ ID NO: 35, residues 5597 to 5658 of SEQ ID NO: 35, residues 7363 to 7424 of SEQ ID NO: 35, residues 1715 to 1776 of SEQ ID NO: 37, residues 3513 to 3574 of SEQ ID NO: 37, and an amino acid sequence having at least 75% identity to any one of the above amino acid residues.

In another embodiment, the domain is a AT domain and the amino acid comprises a sequence selected from the group consisting of the amino acid of: residues 597 to 1013 of SEQ ID NO: 21, residues 2135 to 2562 of SEQ ID

NO: 21, residues 3660 to 4089 of SEQ ID NO: 21, residues 5460 to 5883 of
SEQ ID NO: 21, residues 6979 to 7402 of SEQ ID NO: 21, residues 493 to
919 of SEQ ID NO: 23, residues 2232 to 2659 of SEQ ID NO: 23, residues
483 to 907 of SEQ ID NO: 25, residues 2281 to 2714 of SEQ ID NO: 25,
residues 3803 to 4225 of SEQ ID NO: 25, residues 5323 to 5748 of SEQ ID
NO: 25, residues 484 to 920 of SEQ ID NO: 27, residues 487 to 918 of SEQ
ID NO: 29, residues 2046 to 2473 of SEQ ID NO: 29, residues 3810 to 4237
of SEQ ID NO: 29, residues 480 to 914 of SEQ ID NO: 31, residues 2263 to
2690 of SEQ ID NO: 31, residues 4017 to 4442 of SEQ ID NO: 31, residues
481 to 917 of SEQ ID NO: 33, residues 2067 to 2505 of SEQ ID NO: 33,
residues 503 to 941 of SEQ ID NO: 35, residues 2281 to 2718 of SEQ ID NO:
35, residues 4373 to 4803 of SEQ ID NO: 35, residues 6131 to 6557 of SEQ
ID NO: 35, residues 502 to 926 of SEQ ID NO: 37, residues 2247 to 2673 of
SEQ ID NO: 37; and an amino acid sequence having at least 75% identity to
any one of the above amino acid residues.

In another embodiment, the domain is a KR domain and the amino acid
comprises a sequence selected from the group consisting of the amino acid
of: residues 1304 to 1517 of SEQ ID NO: 21, residues 2833 to 3045 of SEQ
ID NO: 21, residues 4612 to 4829 of SEQ ID NO: 21, residues 6147 to 6360
of SEQ ID NO: 21, residues 7703 to 7918 of SEQ ID NO: 21, residues 1411 to
1627 of SEQ ID NO: 23, residues 2960 to 3173 of SEQ ID NO: 23, residues
1439 to 1655 of SEQ ID NO: 25, residues 2981 to 3194 of SEQ ID NO: 25,
residues 4494 to 4706 of SEQ ID NO: 25, residues 6294 to 6510 of SEQ ID
NO: 25, residues 1195 to 1406 of SEQ ID NO: 27, residues 1219 to 1431 of
SEQ ID NO: 29, residues 2980 to 3196 of SEQ ID NO: 29, residues 4760 to
4976 of SEQ ID NO: 29, residues 1423 to 1639 of SEQ ID NO: 31, residues
3188 to 3404 of SEQ ID NO: 31, residues 4978 to 5194 of SEQ ID NO: 31,
residues 1205 to 1416 of SEQ ID NO: 33, residues 2786 to 2998 of SEQ ID
NO: 33, residues 1456 to 1672 of SEQ ID NO: 35, residues 3551 to 3767 of
SEQ ID NO: 35, residues 5300 to 5516 of SEQ ID NO: 35, residues 7062 to
7288 of SEQ ID NO: 35, residues 1420 to 1636 of SEQ ID NO: 37, residues
3203 to 3419 of SEQ ID NO: 37; and an amino acid sequence having at least
75% identity to any one of the above amino acid residues.

In another embodiment, the domain is a DH domain and the amino acid comprises a sequence selected from the group consisting of the amino acid of: residues 4102 to 4208 of SEQ ID NO: 21, residues 932 to 1038 of SEQ ID NO: 23, residues 919 to 1027 of SEQ ID NO: 25, residues 5761 to 5866 of SEQ ID NO: 25, residues 2486 to 2592 of SEQ ID NO: 29, residues 4249-4355 of SEQ ID NO: 29 residues 926 to 1032 of SEQ ID NO: 31, residues 2703 to 2809 of SEQ ID NO: 31, residues 4456 to 4562 of SEQ ID NO: 31, residues 954 to 1060 of SEQ ID NO: 35, residues 2731 to 2837 of SEQ ID NO: 35, residues 4815 to 4921 of SEQ ID NO: 35, residues 6572 to 6678 of SEQ ID NO: 35, residues 938 to 1044 of SEQ ID NO: 37; residues 2686 to 2792 of SEQ ID NO: 37; and an amino acid sequence having at least 75% identity to any one of the above amino acid residues.

In another embodiment, the domain is an ER domain and the amino acid comprises a sequence selected from the group consisting of the amino acid of: residues 3188 to 3546 of SEQ ID NO: 35 and any amino acid sequence having at least 75% identity to residues 3188 to 3546 of SEQ ID NO: 35.

In another embodiment, the domain is an TE domain and the amino acid comprises a sequence selected from the group consisting of the amino acid of: residues 3649 to 3872 of SEQ ID NO: 37, and any amino acid sequence having at least 75% identity to residues 3649 to 3872 of SEQ ID NO: 37.

In another embodiment, the invention provides a polypeptide involved in the biosynthesis of a polyketide of Formula I other than a polypeptide encoding a domain of the polyketide synthase system of the invention. In this embodiment, the invention provides an isolated polypeptide for the production of a polyketide of Formula I selected from the group consisting of: a) SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75 and 77; and b) a polypeptide which is at least 75% identical to SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75 and 77.

In another aspect, the invention provides a method of making a polypeptide having a sequence selected from the group consisting of SEQ ID

NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75 and 77 comprising the steps of: (a) introducing a nucleic acid encoding said polypeptide, said nucleic acid being operably linked to a promoter, into a bacterial host cell; and (b) culturing the transformed host cell under conditions which result in the expression of the polypeptide.

In another aspect the invention is drawn to a method for increasing the yield of the polyketides of the invention using the deposited cosmids of the nucleic acids described above, said method comprising the steps of transforming a prokaryotic host with cosmids or nucleic acids and culturing the transformed prokaryotic host under conditions which result in the expression of the polyketide.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1: Diagram of the biosynthetic locus for compound 2(a) from *Streptomyces aizunensis*. Also indicated are the positions of cosmids depositedunder IIDAC accession numbers 250203-01, 250203-02, 250203-03, 250203-04 and 250203-05, which span the locus of compound 2(a).

Figure 2a-d: Multiple amino acid alignment comparing the 26 KS domains present in the polyketide synthase (PKS) for compound 2(a) (ORFs 10 to 18). The boundaries and key residues (highlighted in black) of the KS domains were chosen as described by Kakavas *et al.*, *J. Bacteriol.*179, 7515-7522 (1997).

Figure 3a-d: Multiple amino acid alignment comparing the 26 AT domains present in the compound 2(a) PKS (ORFs 10 to 18). The boundaries and key residues (highlighted in black) of the AT domains were chosen as described by Kakavas *et al.*, *supra*.

Figure 4: Multiple amino acid alignment comparing the 15 DH domains present in the compound 2(a) PKS (ORFs 10, 11, 12, 14, 15, 17 and 18). The boundaries and key residues (highlighted in black) of the DH domains were chosen as described by Kakavas *et al. supra*. The inactive DH domains are highlighted.

Figure 5: Amino acid alignment comparing the ER domain present in the compound 2(a) PKS (ORF 17) with the ER domains from modules 5 and

15 in the nystatin biosynthetic locus as described by Brautaset et al., Chem. Biol., 7, 395-403 (2000). The boundaries and key residues (highlighted in black) of the ER domain were chosen as described by Kakavas et al. supra.

Figure 6a and 6b: Multiple amino acid alignment comparing the 26 KR domains present in the compound 2(a) PKS (ORFs 10 to 18). The boundaries and key residues (highlighted in black) of the KR domains were chosen as described by Kakavas et al. supra, and Fisher et al. Structure Fold Des. 8, 339-347 (2000). The inactive KR domain found in ORF 13/module 12 is highlighted.

Figure 7: Multiple amino acid alignment comparing the 27 ACP domains present in the compound 2(a) PKS (ORFs 10 to 18). The boundaries and key serine residues (highlighted in black) of the ACP domains were chosen as described by Kakavas et al. supra.

Figure 8: Amino acid alignment comparing the TE domain present in the compound 2(a) PKS (ORF 18) with the TE domain from module 7 in the nystatin biosynthetic locus as described by Brautaset et al. supra. The boundaries and key residues (highlighted in black) of the ER domain were chosen as described by Kakavas et al. supra.

In each of the clustal alignments (Figs 2 to 8) a line below the alignment is used to mark strongly conserved positions. In addition, three characters, namely * (asterisk), : (colon) and . (period) are used, wherein "*" indicates positions which have a single, fully conserved residue; ":" indicates that one of the following strong groups is fully conserved: STA, NEQK, NHQK, NDEQ, QHRK, MILV, MILF, HY, and FYW; and "." indicates that one of the following weaker groups is fully conserved: CSA, ATV, SAG, STNK, STPA, SGND, SNDEQK, NDEQHK, NEQHRK, FVLIM, and HFY.

Figure 9: Phylogenetic analysis of the 26 AT domains present in the compound 2(a) PKS (ORFs 10 to 18) along with a malonyl-specific and a methylmalonyl-specific AT domain present in modules 3 and 11 respectively of the nystatin PKS system as described by Brautaset et al. supra.

Figure 10a to 10c: biosynthetic pathway for compound 2(a) polyketide core structure.

Figure 11a and 11b: biosynthetic pathways for compound 2(a) aminohydroxy-cyclopentenone (a) and deoxysugar (b) components.

Figures 12a to 12f: outline of strategies for the genetic modification of locus for compound 2(a) providing for variants that functionally modify compound 2(a).

Figure 13: shows the data for the compound of compound 2(a) obtained by electrospray mass spectrometry.

Figure 14: shows the data for the compound of compound 2(a) obtained by UV λ_{max}.

Figure 15: shows the data obtained for the compound of compound 2(a) by NMR at 500 MHz dissolved in d_3-MeOH including proton 15 A, carbon 15 B, and multidimensional pulse sequences gDQCOSY, gHSQC, gHMBC, and TOCSY 15 C, 15D, 15E and 15F, respectively.

Figure 16: is a plot of the data from a study to evaluate the antifungal activity of compound 2(a) against *Candida albicans* in a mouse model as described in Example 5. Figure 16 depicts the percent survival versus days post-inoculation with compound 2(a) (3 mg/kg), compound 2(a) (1 mg/kg), Fungizone (0.25 mg/kg) and Fungizone (0.50 mg/kg).

Figure 17: proton-NMR (Figure 17A) and carbon-13 NMR (Figure 17B) spectral assignments for Compound 2(a) as discussed in Example 3.

DETAILED DESCRIPTION OF THE INVENTION

The present invention encompasses compounds of Formula I, and pharmaceutically acceptable salts thereof:

Formula I

wherein,

A is selected from the group consisting of $-NR^1R^2$, $-N=CR^1R^2$,

, and

;

R^1, R^2, R^3 and R^4 are each independently selected from the group consisting of H, C_{1-6} alkyl, C_{2-6} alkenyl, C_{3-6} cycloalkyl, C_{2-6} heterocycloalkyl, aryl, heteroaryl and amino acid, wherein said alkyl, alkenyl, aryl and heteroaryl are optionally substituted with a group selected from halogen, OH, NO_2, NH_2 or aryl, said aryl being optionally further substituted with one or more groups independently selected from halogen, OH, NO_2 or NH_2;

B is selected from ethene-1,2-diyl or

;

wherein R^{10} is oxo or OR^{11};

wherein R^{11} is H or a heterocycloalkyl, the heterocycloalkyl being optionally substituted with 1-4 substituents selected from OX, C_{1-3} alkyl and $-O-C(O)R^1$, wherein X is H or, when there are at least two neighboring substituent groups that are OX, then the X can be a bond such that the two neighboring oxygen groups form a five-membered acetal ring of the formula:

; wherein R^5 and R^6 are each
independently selected from the group consisting of H,
C_{1-6} alkyl, and C_{2-7} alkenyl;

D is selected from:

, -$NR^{12a}R^{12a}$, and OR^{12},

wherein

R^{12} is selected from H, C_{1-6} alkyl optionally substituted with 1 to
2 phenyl groups, wherein the phenyl group is optionally
substituted with C_{1-6} alkyl and halo;
R^{12a} and R^{12a} are each indepedently selected from H, C_{1-6} alkyl,
C_{2-6} alkenyl, C_{3-6} cycloalkyl, C_{2-6} heterocycloalkyl, aryl, heteroaryl
and amino acid, wherein said alkyl, alkenyl, aryl and heteroaryl
are optionally substituted with a group selected from halogen,
OH, NO_2, NH_2 or aryl, said aryl being optionally further
substituted with one or more groups independently selected
from halogen, OH, NO_2 or NH_2;

W^1 is

;

W^2 is

;

W^3 is

;

W^5 is ... ;

X^1, X^2, X^3, X^4, X^5, X^6, X^7, X^8, X^9, X^{12} and X^{13} are each independently selected from H, $-C(O)-R^7$ and a bond such that when any of two neighboring X^1, X^2, X^3, X^4, X^5, X^6, X^7, X^8, X^9, X^{12} and X^{13} is a bond then the two neighboring oxygen atoms and their attached carbon atoms together form a six-membered acetal ring of the formula:

R^5, R^6 and R^7 are each independently selected from H, C_{1-6} alkyl, C_{2-7} alkenyl;

Y^1, Y^2, Y^3, Y^4, Y^5, Y^6, Y^7, Y^9, Y^{10}, Y^{11}, Y^{12}, Y^{13} and Y^{15} are each independently selected from the group consisting of ethene-1,2-diyl, ethane-1,2-diyl and ... , wherein said ethene-1,2-diyl and ethane-1,2-diyl groups are optionally substituted with a methyl group;

Z is selected from OH, NHR^8, ... and when the dotted line is a bond then Z is oxo, or NR^9;

R^8 is selected from H, C_{1-6} alkyl, C_{2-6} alkenyl;

R^9 is C_{1-6} alkyl optionally substituted with aryl.

In a first embodiment the invention provides compounds of Formula I wherein Z is oxo; and all other groups are as previously defined; or a pharmaceutically acceptable salt thereof.

Within this first embodiment Z is oxo, A is $-NR^1R^2$; and all other groups are as previously defined; or a pharmaceutically acceptable salt thereof.

Further within this embodiment Z is oxo, A is $-NR^1R^2$; and D is

; and all other groups are as previously defined; or a pharmaceutically acceptable salt thereof.

Within the first embodiment the invention provides compounds of Formula I wherein Z is oxo and A is

; and all other groups are as previously defined; or a pharmaceutically acceptable salt thereof.

Further within this embodiment Z is oxo and A is and D is

; and all other groups are as previously defined; or a pharmaceutically acceptable salt thereof.

In a second embodiment the invention provides compounds of Formula I wherein B is

wherein R^{10} is oxo or OR^{11}; and all other groups are as previously defined; or a pharmaceutically acceptable salt thereof.

Within this second embodiment R^{10} is OR^{11}, wherein R^{11} is a heterocycloalkyl, the heterocycloalkyl being optionally substituted with 1-4 substituents selected from OX, C_{1-3} alkyl and $-O-C(O)R^1$, wherein X is H or,

when there are at least two neighboring substituent groups that are OX, then the X can be a bond such that the two neighboring oxygen groups form a five-membered acetal ring of the formula:

$$\begin{array}{c} R^5 \quad R^6 \\ O \quad O \\ \end{array}$$

Within this embodiment R^{11} is a heterocycloalkyl, the heterocycloalkyl being optionally substituted with 1-4 substituents selected from OX, C_{1-3} alkyl and -O-C(O)R^1, wherein X is H or, when there are at least two neighboring substituent groups that are OX, then the X can be a bond such that the two neighboring oxygen groups form a five- membered acetal ring of the formula:

$$\begin{array}{c} R^5 \quad R^6 \\ O \quad O \\ \end{array}$$

and A is -NR^{1}R^2; and all other groups are as previously defined; or a pharmaceutically acceptable salt thereof.

Further within this embodiment the invention provides compounds of Formula I, wherein R^{11} is a heterocycloalkyl, the heterocycloalkyl being optionally substituted with 1-4 substituents selected from OX, C_{1-3} alkyl and -O-C(O)R^1, wherein X is H or, when there are at least two neighboring substituent groups that are OX, then the X can be a bond such that the two neighboring oxygen groups form a five-membered acetal ring of the formula:

$$\begin{array}{c} R^5 \quad R^6 \\ O \quad O \\ \end{array}$$

, A is -NR^{1}R^2 and Z is oxo; and all other groups are as previously defined; or a pharmaceutically acceptable salt thereof.

Preferred compounds of the invention comprise compounds of Formula II:

Formula II

wherein A^1 is $-NH_2$, $-N=CH-R^{13}$, amino acid or $-NH-R^{14}$, wherein R^{13} is

hydrogen or phenyl and R^{14} is selected from the group consisting of isopropyl,

1-(4-nitrophenyl)methyl, cyclohexyl, and wherein said amino acid is attached

via its nitrogen atom;

and

wherein R^{15} is selected from the group consisting of methyl, isopropyl, phenyl,

4-nitrophenyl, 1-aminoethyl, 1-amino-1-(4-hydroxyphenyl)methyl, 1-amino-2-

(4-hydroxyphenyl)ethyl, 1-amino-2-methylpropyl, 2-pyrrolidinyl and 1-amino-2-

hydroxyethyl;

Y^{20} is selected from the group consisting of ethene-1,2-diyl and

;

Z^1 is selected from the group consisting of:

and

R^{20} is selected from the group consisting of hydrogen and

Y^{30} is ethene-1,2-diyl or ethane-1,2-diyl; and

D^1 is hydroxy, methoxy or

and pharmaceutically acceptable salts thereof.

The present invention includes pharmaceutical compositions of the compounds of Formula II, said compositions comprising a therapeutically effective amount of the compound of Formula II or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

Particularly preferred compounds of the present invention include those of Formula II

Formula II

wherein A^1 is amino (-NH$_2$), and Y^{20}, Z^1, R^{20}, Y^{30} and D^1 are as defined in Table A below.

Table A. Compounds of Formula II wherein A^1 is NH$_2$

Compound	Y^{20}	Z^1	R^{20}	Y^{30}	D^1
2(a)	ethene-1,2-diyl		3,4,5-trihydroxy-6-methyl-tetrahydro-pyran-2-yl	ethane-1,2-diyl	

2(b)	[epoxide structure]	"	"	"	"
2(c)	ethene-1,2-diyl	[OH–CH structure]	"	"	"
2(d)	"	[dioxolane structure]	"	"	"
2(e)	"	[N–CH₂–phenyl structure]	"	"	"
2(f)	"	[NH structure]	"	"	"
2(g)	"	[ketone structure]	"	"	hydroxy
2(h)	"	"	"	"	methoxy
2(i)	"	"	hydrogen	"	[HN–OH cyclopentenone structure]
2(j)	"	"	"	"	hydroxy
2(k)	"	"	3,4,5-trihydroxy-6-methyl-tetrahydro-pyran-2-yl	ethene-1,2-diyl	[HN–OH cyclopentenone structure]
2(l)	"	[OH–CH structure]	"	"	"

Additional preferred compounds of the invention include compounds of Formula II

Formula II

as set forth in Tables B and C below,

wherein Y²⁰ is ethene-1,2-diyl;

Z¹ is [structure] ; R²⁰ is [tetrahydropyran sugar structure] ;

Y^{30} is ethane-1,2-diyl; and

D^1 is ; and

wherein A^1 is $-N=CH-R^{13}$ (Table B); $-NH-R^{14}$ (Table C).

Table B. Compounds of Formula II wherein A^1 is $-N=CH-R^{13}$ and Y^{20}, Z^1, R^{20}, Y^{30} and D^1 are as defined above.

Compound	R^{13}
2(m)	CH_3
2(n)	phenyl

Table C. Compounds of Formula II wherein A^1 is $-NH-R^{14}$ and Y^{20}, Z^1, R^{20}, Y^{30} and D^1 are as defined above.

Compound	R^{14}	R^{15}
2(o)		NA*
2(p)	isopropyl	NA
2(q)	1-(4-nitrophenyl)methyl	NA
2(r)	cyclohexyl	NA
2(s)		CH_3
2(t)		isopropyl
2(u)		phenyl
2(v)		4-nitrophenyl
2(w)		1-aminoethyl
2(x)		1-amino-1-(4-hydroxyphenyl)methyl
2(y)		1-amino-2-(4-hydroxyphenyl)ethyl

		hydroxyphenyl)ethyl
2(z)	![O, R15 acyl group]	1-amino-2-methylpropyl
2(aa)	![O, R15 acyl group]	2-pyrrolidinyl
2(ab)	![O, R15 acyl group]	1-amino-2-hydroxyethyl

*NA = not applicable

The compounds of Tables A, B and C are shown below.

Compound 2(a)

Compound 2(b)

Compound 2(c)

Compound 2(d)

Compound 2(e)

Compound 2(f)

Compound 2(g)

Compound 2(h)

Compound 2(i)

Compound 2(j)

Compound 2(k)

Compound 2(l)

Compound 2(m)

Compound 2(n)

Compound 2(o)

Compound 2(p)

Compound 2(q)

Compound 2(r)

Compound 2(s)

Compound 2(t)

Compound 2(u)

Compound 2(v)

Compound 2(w)

34

Compound 2(x)

Compound 2(y)

Compound 2(z)

Compound 2(aa)

Compound 2(ab)

The following bivalent moieties are referred to herein by the nomenclature as indicated below:

1-oxo-methylene-1,1-diyl

1-hydroxymethylene-1,1-diyl

1,3-dioxacyclopentane-2,2-diyl

(2-propylamino)methylene-1,1-diyl

1-benzyliminomethylene-1,1-diyl

oxirane-2,3-diyl.

The following monovalent moieties are referred to herein by the nomenclature as indicated:

(2-hydroxy-5-oxo-cyclopent-1-enyl)-amino

3,4,5-trihydroxy-6-methyl-tetrahydropyran-2-yl.

The terms "polyketide" or "polyene polyketide" refer to a class of polyketide compounds defined by Formula I or II. A preferred polyketide of

the invention is the compound 2a, having the systematic name 56-Amino-
15,17,33,35,37,41,43,45,47,51,53-undecahydroxy-14,16,30-trimethyl-31-oxo-
29-(3,4,5-trihydroxy-6-methyl-tetrahydro-pyran-2-yloxy)-hexapentaconta-
2,4,6,8,12,18,20,22,24,26,38,48-dodecaenoic acid (2-hydroxy-5-oxo-
cyclopent-1-enyl)-amide. The term further includes compounds of this class
that can be used as intermediates in chemical synthesis.

The terms "producer of compounds of Formula I" and "compounds of
Formula I -producing organism" refer to a microorganism that carries genetic
information necessary to produce a compound of Formula I, whether or not
the organism is known to produce a compound of Formula I. The terms
"producer of compounds of Formula II" and "compound of Formula II-
producing organism" refer to a microorganism that carries genetic information
necessary to produce a compound of Formula II, whether or not the organism
is known to produce a compound of Formula II. The terms "producer of
Compound 2(a)" and "Compound 2(a)-producing organism" refer to a
microorganism that carries genetic information necessary to produce
Compound 2(a), whether or not the organism is known to produce Compound
2(a). The term "polyketide producer" refer to a microorganism that carries
genetic information necessary to produce a polyketide of Formula I or II. The
terms apply equally to organisms in which the genetic information to produce
the compound of Formula I or II or Compound 2(a) is found in the organism as
it exists in its natural environment, and to organisms in which the genetic
information is introduced by recombinant techniques. For the sake of
particularity, specific organisms contemplated herein include organisms of the
family *Micromonosporaceae*, of which preferred genera include
Micromonospora, Actinoplanes and *Dactylosporangium*; the family
Streptomycetaceae, of which preferred genera include *Streptomyces* and
Kitasatospora; the family *Pseudonocardiaceae*, of which preferred genera are
Amycolatopsis and *Saccharopolyspora;* and the family *Actinosynnemataceae*,
of which preferred genera include *Saccharothrix* and *Actinosynnema*; however
the terms are intended to encompass all organisms containing genetic
information necessary to produce a compound of Formula I or II or Compound
2(a). Preferred producers of a compound of formula I or II or Compound 2(a)

include *Streptomyces aizunensis* (NRRL B-11277) and any mutant or
improved strain of *Streptomyces aizunensis*, including strain [C03]023 (IDAC
accession no. 070803-01) and strain [C03U03]023 (IDAC accession no.
231203-02).

    The term "isolated" means that the material is removed from its original
environment, *e.g.* the natural environment if it is naturally-occurring. For
example, a naturally occurring polynucleotide or polypeptide present in a living
organism is not isolated, but the same polynucleotide or polypeptide,
separated from some or all of the coexisting materials in the natural system, is
isolated. Such polynucleotides could be part of a vector and/or such
polynucleotides or polypeptides could be part of a composition, and still be
isolated in that such vector or composition is not part of its natural
environment.

    The term "purified" does not require absolute purity; rather, it is
intended as a relative definition. Individual nucleic acids obtained from a
library have been conventionally purified to electrophoretic homogeneity. The
purified nucleic acids of the present invention have been purified from the
remainder of the genomic DNA in the organism by at least 10^4 to 10^6 fold.
However, the term "purified" also includes nucleic acids which have been
purified from the remainder of the genomic DNA or from other sequences in a
library or other environment by at least one order of magnitude, preferably two
or three orders of magnitude, and more preferably four or five orders of
magnitude.

    "Recombinant" means that the nucleic acid is present in the cell with
"backbone" nucleic acid, wherein the nucleic acid is not present with
"backbone" nucleic acid in its natural environment. "Recombinant" can also
be defined to mean that the nucleic acid is adjacent to "backbone" nucleic acid
to which it is not adjacent in its natural environment. "Enriched" nucleic acids
represent 5% or more of the number of nucleic acid inserts in a population of
nucleic acid backbone molecules. "Backbone" molecules include nucleic
acids such as expression vectors, self-replicating nucleic acids, viruses,
integrating nucleic acids, and other vectors or nucleic acids used to maintain
or manipulate a nucleic acid of interest. Preferably, the enriched nucleic acids

represent 15% or more, more preferably 50% or more, and most preferably 90% or more, of the number of nucleic acid inserts in the population of recombinant backbone molecules.

"Recombinant" polypeptides or proteins refer to polypeptides or proteins produced by recombinant DNA techniques, *i.e.* produced from cells transformed by an exogenous DNA construct encoding the desired polypeptide or protein. "Synthetic" polypeptides or proteins are those prepared by chemical synthesis.

The term "gene" means the segment of DNA involved in producing a polypeptide chain; it includes regions preceding and following the coding region (leader and trailer) as well as, where applicable, intervening regions (introns) between individual coding segments (exons).

The terms "gene locus, "gene cluster," and "biosynthetic locus" refer to a group of genes or variants thereof involved in the biosynthesis of the polyketide of Formula 2a. Genetic modification of gene locus, gene cluster or biosynthetic locus refers to any genetic recombinant techniques known in the art including mutagenesis, inactivation, or replacement of nucleic acids that can be applied to generate variants of the compounds of Formula 2a. Genetic modification of gene locus, gene cluster or biosynthetic locus refers to any genetic recombinant techniques known in the art including mutagenesis, inactivation, or replacement of nucleic acids that can be applied to generate genetic variants of compounds of Formula I.

A DNA or nucleotide "coding sequence" or "sequence encoding" a particular polypeptide or protein, is a DNA sequence which is transcribed and translated into a polypeptide or protein when placed under the control of appropriate regulatory sequences.

"Oligonucleotide" refers to a nucleic acid, generally of at least 10, preferably 15 and more preferably at least 20 nucleotides, preferably no more than 100 nucleotides, that are hybridizable to a genomic DNA molecule, a cDNA molecule, or an mRNA molecule encoding a gene, mRNA, cDNA or other nucleic acid of interest.

A promoter sequence is "operably linked to" a coding sequence recognized by RNA polymerase which initiates transcription at the promoter and transcribes the coding sequence into mRNA.

"Digestion" of DNA refers to enzymatic cleavage of the DNA with a restriction enzyme that acts only at certain sequences in the DNA. The various restriction enzymes used herein are commercially available and their reaction conditions, cofactors and other requirements were used as would be known to the ordinary skilled artisan. For analytical purposes, typically 1 µg of plasmid or DNA fragment is used with about 2 units of enzyme in about 20 µl of buffer solution. For the purpose of isolating DNA fragments for plasmid construction, typically 5 to 50 µg of DNA are digested with 20 to 250 units of enzyme in a larger volume. Appropriate buffers and substrate amounts for particular enzymes are specified by the manufacturer. Incubation times of about 1 hour at 37°C are ordinarily used, but may vary in accordance with the supplier's instructions. After digestion, gel electrophoresis may be performed to isolate the desired fragment.

As used herein and as known in the art, the term "identity" is the relationship between two or more polynucleotide sequences, as determined by comparing the sequences. Identity also means the degree of sequence relatedness between polynucleotide sequences, as determined by the match between strings of such sequences. Identity can be readily calculated (see, e.g., Computation Molecular Biology, Lesk, A.M., eds., Oxford University Press, New York (1998), and Biocomputing: Informatics and Genome Projects, Smith, D.W., ed., Academic Press, New York (1993), both of which are incorporated by reference herein). While there exist a number of methods to measure identity between two polynucleotide sequences, the term is well known to skilled artisans (see, e.g., Sequence Analysis in Molecular Biology, von Heinje, G., Academic Press (1987); and Sequence Analysis Primer, Gribskov., M. and Devereux, J., eds., M. Stockton Press, New York (1991)). Methods commonly employed to determine identity between sequences include, for example, those disclosed in Carillo, H., and Lipman, D., SIAM J. Applied Math. (1988) 48:1073. "Substantially identical," as used herein, means there is a very high degree of homology (preferably 100% sequence

identity) between subject polynucleotide sequences. However, polynucleotides having greater than 90%, or 95% sequence identity may be used in the present invention, and thus sequence variations that might be expected due to genetic mutation, strain polymorphism, or evolutionary divergence can be tolerated.

The biosynthetic locus for the production of the Compound 2(a) spans approximately 176,000 base pairs of DNA and encodes 38 proteins. More than 10 kilobases of DNA sequence were analyzed on each side of the locus and these regions were found to contain primary metabolic genes.

The order and relative position of the 38 open reading frames representing the proteins of the biosynthetic locus for Compound 2(a) are provided in Figure 1. Referring to Figure 1, the genes involved in the biosynthesis of Compound 2(a) are contained within two contiguous nucleotide sequences (SEQ ID NOS: 1 and 18). The contiguous nucleotide sequences are arranged such that, as found within the compound 2(a) biosynthetic locus, the 3' end of the 11740 base pairs of DNA of contig 1 (SEQ ID NO: 1) is found adjacent to the 5' end of the 164,051 base pairs of DNA of contig 2 (SEQ ID NO: 18).

The nucleotide sequence and polypeptide sequences relating to the locus of compound 2(a) are provided in the sequence listing filed together with and forming part of this application. SEQ ID NO: 1 is the 11740 contiguous base pairs of contig 1 comprising eight open reading frames, namely ORF 1 to ORF 8 listed in SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15 and 17 respectively. The gene product of ORF 1 (SEQ ID NO: 2) is the 719 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 3 which is drawn from residues 418 to 2577 (sense strand) of contig 1 (SEQ ID NO: 1). The gene product of ORF 2 (SEQ ID NO: 4) is the 253 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 5 which is drawn from residues 3006 to 3767 (sense strand) of contig 1 (SEQ ID NO: 1). The gene product of ORF 3 (SEQ ID NO: 6) is the 956 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 7 which is drawn from residues 4016 to 6886 (sense strand) of contig 1 (SEQ ID NO: 1). The gene product of ORF 4 (SEQ ID NO: 8) is the 201 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 9 which is drawn from residues 7581 to 6976 (antisense strand) of contig 1 (SEQ ID

NO: 1). The gene product of ORF 5 (SEQ ID NO: 10) is the 416 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 11 which is drawn from residues 8848 to 7598 (antisense strand) of contig 1 (SEQ ID NO: 1). The gene product of ORF 6 (SEQ ID NO: 12) is the 186 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 13 which is drawn from residues 9053 to 9613 (sense strand) of contig 1 (SEQ ID NO: 1). The gene product of ORF 7 (SEQ ID NO: 14) is the 163 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 15 which is drawn from residues 9682 to 10173 (sense strand) of contig 1 (SEQ ID NO: 1). The gene product of ORF 8 (SEQ ID NO: 16) is the 514 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 17 which is drawn from residues 10170 to 11714 (sense strand) of contig 1 (SEQ ID NO: 1).

SEQ ID NO: 18 is the 164,051 contiguous base pairs of contig 2 comprising 30 ORFs, namely ORF 9 to ORF 38 listed in SEQ ID NOS: 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76 and 78 respectively. The gene product of ORF 9 (SEQ ID NO: 19) is the 367 amino acids deduced from the nucleic acids sequence of SEQ ID NO: 20 which is drawn from residues 1109 to 6 (antisense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 10 (SEQ ID NO: 21) is the 8147 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 22 which is drawn from residues 1375 to 25818 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 11 (SEQ ID NO: 23) is the 3428 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 24 which is drawn from residues 25902 to 36188 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 12 (SEQ ID NO: 25) is the 6751 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 26 which is drawn from residues 36213 to 56468 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 13 (SEQ ID NO: 27) is the 1657 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 28 which is drawn from residues 56600 to 61573 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 14 (SEQ ID NO: 29) is the 5207 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 30 which is drawn from residues 61852 to 77475

(sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 15 (SEQ ID NO: 31) is the 5432 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 32 which is drawn from residues 77606 to 93904 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 16 (SEQ ID NO: 33) is the 3227 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 34 which is drawn from residues 94057 to 103740 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 17 (SEQ ID NO: 35) is the 7510 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 36 which is drawn from residues 103789 to 126321 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 18 (SEQ ID NO: 37) is the 3872 amino acids deduced from the nucleic acid . sequence of SEQ ID NO: 38 which is drawn from residues 126389 to 138007 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 19 (SEQ ID NO: 39) is the 338 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 40 which is drawn from residues 139079 to 138063 (antisense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 20 (SEQ ID NO: 41) is the 283 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 42 which is drawn from residues 140117 to 139266 (antisense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 21 (SEQ ID NO: 43) is the 329 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 44 which is drawn from residues 141103 to 140114 (antisense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 22 (SEQ ID NO: 45) is the 317 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 46 which is drawn from residues 141483 to 142436 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 23 (SEQ ID NO: 47) is the 204 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 48 which is drawn from residues 142440 to 143054 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 24 (SEQ ID NO: 49) is the 328 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 50 which is drawn from residues 143133 to 144119 (sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 25 (SEQ ID NO: 51) is the 328 amino acids deduced from the nucleic acid sequence of SEQ ID NO: 52 which is drawn from residues 144116 to 145102

(sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 26
(SEQ ID NO: 53) is the 214 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 54 which is drawn from residues 145099 to 145743
(sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 27
(SEQ ID NO: 55) is the 470 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 56 which is drawn from residues 145818 to 147230
(sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 28
(SEQ ID NO: 57) is the 553 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 58 which is drawn from residues 148967 to 147306
(antisense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 29
(SEQ ID NO: 59) is the 231 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 60 which is drawn from residues 149871 to 149176
(antisense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 30
(SEQ ID NO: 61) is the 306 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 62 which is drawn from residues 150788 to 149868
(antisense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 31
(SEQ ID NO: 63) is the 998 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 64 which is drawn from residues 153765 to 150769
(antisense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 32
(SEQ ID NO: 65) is the 518 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 66 which is drawn from residues 154485 to 156041
(sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 33
(SEQ ID NO: 67) is the 329 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 68 which is drawn from residues 156075 to 157064
(sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 34
(SEQ ID NO: 69) is the 521 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 70 which is drawn from residues 157308 to 158873
(sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 35
(SEQ ID NO: 71) is the 410 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 72 which is drawn from residues 158970 to 160202
(sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 36
(SEQ ID NO: 73) is the 506 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 74 which is drawn from residues 160199 to 161719

(sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 37
(SEQ ID NO: 75) is the 217 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 76 which is drawn from residues 161924 to 162577
(sense strand) of contig 2 (SEQ ID NO: 18). The gene product of ORF 38
(SEQ ID NO: 77) is the 442 amino acids deduced from the nucleic acid
sequence of SEQ ID NO: 78 which is drawn from residues 162723 to 164051
(sense strand) of contig 2 (SEQ ID NO: 18).

Some open reading frames listed herein initiate with non-standard
initiation codons (e.g. GTG – Valine or CTG - Leucine) rather than the
standard initiation codon ATG, namely ORFs 3, 5, 6, 9, 11, 13, 21, 22, 23, 24,
27, 34, 36 and 37 (SEQ ID NOS: 7, 11, 13, 20, 24, 28, 44, 46, 48, 50, 56, 70,
74 and 76). All ORFs are listed with the appropriate M, V or L amino acids at
the amino-terminal position to indicate the specificity of the first codon of the
ORF. It is expected, however, that in all cases the biosynthesized protein will
contain a methionine residue, and more specifically a formylmethionine
residue, at the amino terminal position, in keeping with the widely accepted
principle that protein synthesis in bacteria initiates with methionine
(formylmethionine) even when the encoding gene specifies a non-standard
initiation codon (e.g. Stryer, Biochemistry 3[rd] edition, 1998, W.H. Freeman and
Co., New York, pp. 752-754).

Five E. coli DH10B deposits, each harbouring a cosmid clone of a
partial biosynthetic locus for compound 2(a) from Streptomyces aizunensis
(NRRL B-11277) and together spanning the full locus were deposited with the
International Depositary Authority of Canada, Bureau of Microbiology, Health
Canada, 1015 Arlington Street, Winnipeg, Manitoba, Canada R3E 3R2 on
February 25, 2003 and were assigned deposit accession numbers IDAC
250203-01, IDAC 250203-02, IDAC 250203-03, IDAC 250203-04 and IDAC
250203-05 respectively. The sequence of the polynucleotides comprised in
the deposited strains, as well as the amino acid sequence of any polypeptide
encoded thereby are controlling in the event of any conflict with any
description of sequences herein.

A natural mutant of Streptomyces aizunensis (NRRL B-11277), referred
to as strain [C03]023 producing Compound 2(a) and used to produce the

compounds of Formula I and Formula II was deposited with the International Depositary Authority of Canada, Bureau of Microbiology, Health Canada, 1015 Arlington Street, Winnipeg, Manitoba, Canada R3E 3R2 on August 7, 2003 and was assigned deposit accession number IDAC 070803-1.

Another mutant of *Streptomyces aizunensis* (NRRL B-11277), referred to as strain [C03U03]023 producing Compound 2(a) and used to produce the compounds of Formula I and Formula II was deposited with the International Depositary Authority of Canada, Bureau of Microbiology, Health Canada, 1015 Arlington Street, Winnipeg, Manitoba, Canada R3E 3R2 on December 23, 2003 and was assigned deposit accession number IDAC 231203-02.

The deposited cosmids and strains [C03]023 and [C03U03]023 (the deposited stains) have been made under the terms of the Budapest Treaty on the International Recognition of the Deposit of Micro-organisms for Purposes of Patent Procedure. The deposited strains will be irrevocably and without restriction or condition released to the public upon the issuance of a patent. The deposited strains are provided merely as convenience to those skilled in the art and are not an admission that a deposit is required for enablement. A license may be required to make, use or sell the deposited strains, and compounds derived there from, and no such license is hereby granted.

The order and relative position of the 38 open reading frames representing the proteins of the biosynthetic locus for compound 2(a) (compound 2(a) ORFs) are illustrated schematically in Figure 1. The top line in Figure 1 provides a scale in base pairs. The gray bars depict the two DNA contigs that cover the compound 2(a) locus. The empty arrows represent the 38 open reading frames of the compound 2(a) biosynthetic locus. The black arrows represent the five deposited cosmid clones covering the entire compound 2(a) locus.

One aspect of the present invention is an isolated, purified, or enriched nucleic acid comprising one of the sequences of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, the sequences complementary thereto, or a fragment comprising at least 100, 200, 300, 400, 500, 600, 700, 800 or more consecutive bases of one of the sequences of

SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or the sequences complementary thereto. The isolated, purified or enriched nucleic acids may comprise DNA, including cDNA, genomic DNA, and synthetic DNA. The DNA may be double stranded or single stranded, and if single stranded may be the coding (sense) or non-coding (anti-sense) strand. Alternatively, the isolated, purified or enriched nucleic acids may comprise RNA.

As discussed in more detail below, the isolated, purified or enriched nucleic acids of one of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 may be used to prepare one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, respectively, or fragments comprising at least 50, 75, 100, 200, 300, 500 or more consecutive amino acids of one of the polypeptides of SEQ ID NO: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 5 7, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77.

Accordingly, another aspect of the present invention is an isolated, purified or enriched nucleic acid which encodes one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 50, 75, 100, 150, 200, 300 or more consecutive amino acids of one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77. The coding sequences of these nucleic acids may be identical to one of the coding sequences of one of the nucleic acids of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 or a fragment thereof, or may be different coding sequences which encode one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 50,

75, 100, 150, 200, 300 consecutive amino acids of one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 as a result of the redundancy or degeneracy of the genetic code. The genetic code is well known to those of skill in the art and can be obtained, for example, from Stryer, *Biochemistry*, 3rd edition, W. H. Freeman & Co., New York.

The isolated, purified or enriched nucleic acid which encodes one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 may include, but is not limited to: (1) only the coding sequences of one of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78; (2) the coding sequences of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 and additional coding sequences, such as leader sequences or proprotein; and (3) the coding sequences of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 and non-coding sequences, such as non-coding sequences 5' and/or 3' of the coding sequence. Thus, as used herein, the term "polynucleotide encoding a polypeptide" encompasses a polynucleotide that includes only coding sequence for the polypeptide as well as a polynucleotide that includes additional coding and/or non-coding sequence.

The invention relates to polynucleotides based on SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78 but having polynucleotide changes that are "silent", for example changes which do not alter the amino acid sequence encoded by the polynucleotides of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78. The invention also relates to polynucleotides which have nucleotide changes which result in amino acid substitutions, additions, deletions, fusions and

truncations of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77. Such nucleotide changes may be introduced using techniques such as site directed mutagenesis, random chemical mutagenesis, exonuclease III deletion, and other recombinant DNA techniques.

The isolated, purified or enriched nucleic acids of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, the sequences complementary thereto, or a fragment comprising at least 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, 150, 200, 300, 400 or 500 consecutive bases of one of the sequence of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, or the sequences complementary thereto may be used as probes to identify and isolate DNAs encoding the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 respectively. In such procedures, a genomic DNA library is constructed from a sample microorganism or a sample containing a microorganism capable of producing a polyketide. The genomic DNA library is then contacted with a probe comprising a coding sequence or a fragment of the coding sequence, encoding one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, or a fragment thereof under conditions which permit the probe to specifically hybridize to sequences complementary thereto. In a preferred embodiment, the probe is an oligonucleotide of about 10 to about 30 nucleotides in length designed based on a nucleic acid of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76 or 78. Genomic DNA clones which hybridize to the probe are then detected and isolated. Procedures for preparing and identifying DNA clones of interest are disclosed in Ausubel *et al.*, Current Protocols in Molecular Biology, John Wiley 503 Sons, Inc. 1997; and Sambrook *et al.*, Molecular Cloning: A Laboratory

Manual 2d Ed., Cold Spring Harbor Laboratory Press, 1989. In another
embodiment, the probe is a restriction fragment or a PCR amplified nucleic
acid derived from SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28,
30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68,
70, 72, 74, 76, 78.

The isolated, purified or enriched nucleic acids of SEQ ID NOS: 3, 5, 7,
9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50,
52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, the sequences
complementary thereto, or a fragment comprising at least 10, 15, 20, 25, 30,
35, 40, 50, 75, 100, 150, 200, 300, 400 or 500 consecutive bases of one of
the sequences of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28,
30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68,
70, 72, 74, 76, 78, or the sequences complementary thereto may be used as
probes to identify and isolate related nucleic acids. In some embodiments,
the related nucleic acids may be genomic DNAs (or cDNAs) from potential
polyketide producers. In such procedures, a nucleic acid sample containing
nucleic acids from a potential polyketide producer is contacted with the probe
under conditions that permit the probe to specifically hybridize to related
sequences. The nucleic acid sample may be a genomic DNA (or cDNA)
library from the potential polyketide-producer. Hybridization of the probe to
nucleic acids is then detected using any of the methods described above.

Hybridization may be carried out under conditions of low stringency,
moderate stringency or high stringency. As an example of nucleic acid
hybridization, a polymer membrane containing immobilized denatured nucleic
acids is first prehybridized for 30 minutes at 45 °C in a solution consisting of
0.9 M NaCl, 50 mM NaH$_2$PO$_4$, pH 7.0, 5.0 mM Na$_2$EDTA, 0.5% SDS, 10X
Denhardt's, and 0.5 mg/ml polyriboadenylic acid. Approximately 2 x 10^7 cpm
(specific activity 4-9 x 10^8 cpm/ug) of ^{32}P end-labeled oligonucleotide probe
are then added to the solution. After 12-16 hours of incubation, the
membrane is washed for 30 minutes at room temperature in 1X SET (150 mM
NaCl, 20 mM Tris hydrochloride, pH 7.8, 1 mM Na$_2$EDTA) containing 0.5%
SDS, followed by a 30 minute wash in fresh 1X SET at Tm-10°C for the

oligonucleotide probe where Tm is the melting temperature. The membrane
is then exposed to autoradiographic film for detection of hybridization signals.

By varying the stringency of the hybridization conditions used to identify
nucleic acids, such as genomic DNAs or cDNAs, which hybridize to the
detectable probe, nucleic acids having different levels of homology to the
probe can be identified and isolated. Stringency may be varied by conducting
the hybridization at varying temperatures below the melting temperatures of
the probes. The melting temperature of the probe may be calculated using
the following formulas:

For oligonucleotide probes between 14 and 70 nucleotides in length the
melting temperature (Tm) in degrees Celcius may be calculated using the
formula: Tm=81.5+16.6(log [Na+]) + 0.41(fraction G+C)-(600/N) where N is
the length of the oligonucleotide.

If the hybridization is carried out in a solution containing formamide, the
melting temperature may be calculated using the equation Tm=81.5+16.6(log
[Na +]) + 0.41(fraction G + C)-(0.63% formamide)-(600/N) where N is the
length of the probe.

Prehybridization may be carried out in 6X SSC, 5X Denhardt's reagent,
0.5% SDS, 0.1 mg/ml denatured fragmented salmon sperm DNA or 6X SSC,
5X Denhardt's reagent, 0.5% SDS, 0.1 mg/ml denatured fragmented salmon
sperm DNA, 50% formamide. The composition of the SSC and Denhardt's
solutions are listed in Sambrook et al., *supra*.

Hybridization is conducted by adding the detectable probe to the
hybridization solutions listed above. Where the probe comprises double
stranded DNA, it is denatured by incubating at elevated temperatures and
quickly cooling before addition to the hybridization solution. It may also be
desirable to similarly denature single stranded probes to eliminate or diminish
formation of secondary structures or oligomerization. The filter is contacted
with the hybridization solution for a sufficient period of time to allow the probe
to hybridize to cDNAs or genomic DNAs containing sequences
complementary thereto or homologous thereto. For probes over 200
nucleotides in length, the hybridization may be carried out at 15-25 °C below
the Tm. For shorter probes, such as oligonucleotide probes, the hybridization

may be conducted at 5-10 °C below the Tm. Preferably, the hybridization is conducted in 6X SSC, for shorter probes. Preferably, the hybridization is conducted in 50% formamide containing solutions, for longer probes. All the foregoing hybridizations would be considered to be examples of hybridization performed under conditions of high stringency.

Following hybridization, the filter is washed for at least 15 minutes in 2X SSC, 0.1% SDS at room temperature or higher, depending on the desired stringency. The filter is then washed with 0.1X SSC, 0.5% SDS at room temperature (again) for 30 minutes to 1 hour. Nucleic acids which have hybridized to the probe are identified by conventional autoradiography and non-radioactive detection methods.

The above procedure may be modified to identify nucleic acids having decreasing levels of homology to the probe sequence. For example, to obtain nucleic acids of decreasing homology to the detectable probe, less stringent conditions may be used. For example, the hybridization temperature may be decreased in increments of 5 °C from 68 °C to 42 °C in a hybridization buffer having a Na+ concentration of approximately 1M. Following hybridization, the filter may be washed with 2X SSC, 0.5% SDS at the temperature of hybridization. These conditions are considered to be "moderate stringency" conditions above 50°C and "low stringency" conditions below 50°C. A specific example of "moderate stringency" hybridization conditions is when the above hybridization is conducted at 55°C. A specific example of "low stringency" hybridization conditions is when the above hybridization is conducted at 45°C.

Alternatively, the hybridization may be carried out in buffers, such as 6X SSC, containing formamide at a temperature of 42 °C. In this case, the concentration of formamide in the hybridization buffer may be reduced in 5% increments from 50% to 0% to identify clones having decreasing levels of homology to the probe. Following hybridization, the filter may be washed with 6X SSC, 0.5% SDS at 50 °C. These conditions are considered to be "moderate stringency" conditions above 25% formamide and "low stringency" conditions below 25% formamide. A specific example of "moderate stringency" hybridization conditions is when the above hybridization is conducted at 30% formamide. A specific example of "low stringency"

hybridization conditions is when the above hybridization is conducted at 10% formamide. Nucleic acids which have hybridized to the probe are identified by conventional autoradiography and non-radioactive detection methods.

The preceding methods may be used to isolate nucleic acids having at least 97%, at least 95%, at least 90%, at least 85%, at least 80%, or at least 70% sequence identity to a nucleic acid sequence selected from the group consisting of the sequences of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, fragments comprising at least 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, 150, 200, 300, 400, or 500 consecutive bases thereof, and the sequences complementary thereto. The isolated nucleic acid may have a coding sequence that is a naturally occurring allelic variant of one of the coding sequences described herein. Such allelic variant may have a substitution, deletion or addition of one or more nucleotides when compared to the nucleic acids of SEQ ID NOS: 3, 5, 7, 9, 11, 13, 15, 17, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, or the sequences complementary thereto.

Additionally, the above procedures may be used to isolate nucleic acids which encode polypeptides having at least 99%, at least 95%, at least 90%, at least 85%, at least 80%, or at least 70% identity to a polypeptide having the sequence of one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 50, 75, 100, 150, 200, 300 consecutive amino acids thereof as determined using the BLASTP version 2.2.2 algorithm with default parameters.

Another aspect of the present invention is an isolated or purified polypeptide comprising the sequence of one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 50, 75, 100, 150, 200 or 300 consecutive amino acids thereof. As discussed herein, such polypeptides may be obtained by inserting a nucleic acid encoding the polypeptide into a vector such that the coding sequence is operably linked to a sequence capable of driving the expression of the

encoded polypeptide in a suitable host cell. For example, the expression vector may comprise a promoter, a ribosome binding site for translation initiation and a transcription terminator. The vector may also include appropriate sequences for modulating expression levels, an origin of replication and a selectable marker.

Promoters suitable for expressing the polypeptide or fragment thereof in bacteria include the *E.coli lac* or *trp* promoters, the lacI promoter, the lacZ promoter, the T3 promoter, the T7 promoter, the gpt promoter, the lambda P_R promoter, the lambda P_L promoter, promoters from operons encoding glycolytic enzymes such as 3-phosphoglycerate kinase (PGK), and the acid phosphatase promoter. Fungal promoters include the α factor promoter. Eukaryotic promoters include the CMV immediate early promoter, the HSV thymidine kinase promoter, heat shock promoters, the early and late SV40 promoter, LTRs from retroviruses, and the mouse metallothionein-I promoter. Other promoters known to control expression of genes in prokaryotic or eukaryotic cells or their viruses may also be used.

Mammalian expression vectors may also comprise an origin of replication, any necessary ribosome binding sites, a polyadenylation site, splice donors and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. In some embodiments, DNA sequences derived from the SV40 splice and polyadenylation sites may be used to provide the required nontranscribed genetic elements.

Vectors for expressing the polypeptide or fragment thereof in eukaryotic cells may also contain enhancers to increase expression levels. Enhancers are cis-acting elements of DNA, usually from about 10 to about 300 bp in length that act on a promoter to increase its transcription. Examples include the SV40 enhancer on the late side of the replication origin bp 100 to 270, the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and the adenovirus enhancers.

In addition, the expression vectors preferably contain one or more selectable marker genes to permit selection of host cells containing the vector. Examples of selectable markers that may be used include genes encoding dihydrofolate reductase or genes conferring neomycin resistance for

eukaryotic cell culture, genes conferring tetracycline or ampicillin resistance in *E. coli*, and the *S. cerevisiae* TRP1 gene.

In some embodiments, the nucleic acid encoding one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 50, 75, 100, 150, 200 or 300 consecutive amino acids thereof is assembled in appropriate phase with a leader sequence capable of directing secretion of the translated polypeptides or fragments thereof. Optionally, the nucleic acid can encode a fusion polypeptide in which one of the polypeptide of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof is fused to heterologous peptides or polypeptides, such as N-terminal identification peptides which impart desired characteristics such as increased stability or simplified purification or detection.

The appropriate DNA sequence may be inserted into the vector by a variety of procedures. In general, the DNA sequence is ligated to the desired position in the vector following digestion of the insert and the vector with appropriate restriction endonucleases. Alternatively, appropriate restriction enzyme sites can be engineered into a DNA sequence by PCR. A variety of cloning techniques are disclosed in Ausbel *et al*. Current Protocols in Molecular Biology, John Wiley 503 Sons, Inc. 1997 and Sambrook *et al.*, Molecular Cloning: A Laboratory Manual 2d Ed., Cold Spring Harbour Laboratory Press, 1989. Such procedures and others are deemed to be within the scope of those skilled in the art.

The vector may be, for example, in the form of a plasmid, a viral particle, or a phage. Other vectors include derivatives of chromosomal, nonchromosomal and synthetic DNA sequences, viruses, bacterial plasmids, phage DNA, baculovirus, yeast plasmids, vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and pseudorabies. A variety of cloning and expression vectors for use with prokaryotic and eukaryotic hosts are described by Sambrook *et al.*,

Molecular Cloning: A Laboratory Manual, Second Edition, Cold Spring Harbor, N.Y., (1989).

Particular bacterial vectors which may be used include the commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017), pKK223-3 (Pharmacia Fine Chemicals, Uppsala, Sweden), pGEM1 (Promega Biotec, Madison, WI, USA) pQE70, pQE60, pQE-9 (Qiagen), pD10, phiX174, pBluescript™ II KS, pNH8A, pNH16a, pNH18A, pNH46A (Stratagene), ptrc99a, pKK223-3, pKK233-3, pDR540, pRIT5 (Pharmacia), pKK232-8 and pCM7. Particular eukaryotic vectors include pSV2CAT, pOG44, pXT1, pSG (Stratagene) pSVK3, pBPV, pMSG, and pSVL (Pharmacia). However, any other vector may be used as long as it is replicable and stable in the host cell.

The host cell may be any of the host cells familiar to those skilled in the art, including prokaryotic cells or eukaryotic cells. As representative examples of appropriate hosts, there may be mentioned: bacteria cells, such as *E. coli*, *Streptomyces lividans*, *Streptomyces griseofuscus*, *Streptomyces ambofaciens*, *Bacillus subtilis*, *Salmonella typhimurium* and various species within the genera *Pseudomonas*, *Streptomyces*, *Bacillus*, and *Staphylococcus*, fungal cells, such as yeast, insect cells such as *Drosophila S2* and *Spodoptera Sf9*, animal cells such as CHO, COS or Bowes melanoma, and adenoviruses. The selection of an appropriate host is within the abilities of those skilled in the art.

The vector may be introduced into the host cells using any of a variety of techniques, including electroporation transformation, transfection, transduction, viral infection, gene guns, or Ti-mediated gene transfer. Where appropriate, the engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants or amplifying the genes of the present invention. Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter may be induced by appropriate means (e.g., temperature shift or chemical induction) and the cells may be cultured for an additional period to allow them to produce the desired polypeptide or fragment thereof.

Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract is retained for further purification. Microbial cells employed for expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents. Such methods are well known to those skilled in the art. The expressed polypeptide or fragment thereof can be recovered and purified from recombinant cell cultures by methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Protein refolding steps can be used, as necessary, in completing configuration of the polypeptide. If desired, high performance liquid chromatography (HPLC) can be employed for final purification steps.

Various mammalian cell culture systems can also be employed to express recombinant protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts (described by Gluzman, Cell, 23:175(1981)), and other cell lines capable of expressing proteins from a compatible vector, such as the C127, 3T3, CHO, HeLa and BHK cell lines. The constructs in host cells can be used in a conventional manner to produce the gene product encoded by the recombinant sequence. Polypeptides of the invention may or may not also include an initial methionine amino acid residue.

Alternatively, the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 50, 75, 100, 150, 200 or 300 consecutive amino acids thereof can be synthetically produced by conventional peptide synthesizers. In other embodiments, fragments or portions of the polynucleotides may be employed for producing the corresponding full-length polypeptide by peptide synthesis; therefore, the fragments may be employed as intermediates for producing the full-length polypeptides.

Cell-free translation systems can also be employed to produce one of
the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27,
29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67,
69, 71, 73, 75, 77 or fragments comprising at least 50, 75, 100, 150, 200 or
300 consecutive amino acids thereof using mRNAs transcribed from a DNA
construct comprising a promoter operably linked to a nucleic acid encoding
the polypeptide or fragment thereof. In some embodiments, the DNA
construct may be linearized prior to conducting an *in vitro* transcription
reaction. The transcribed mRNA is then incubated with an appropriate cell-
free translation extract, such as a rabbit reticulocyte extract, to produce the
desired polypeptide or fragment thereof.

The present invention also relates to variants of the polypeptides of
SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37,
39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or
fragments comprising at least 50, 75, 100, 150, 200 or 300 consecutive amino
acids thereof. The term "variant" includes derivatives or analogs of these
polypeptides. In particular, the variants may differ in amino acid sequence
from the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23,
25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63,
65, 67, 69, 71, 73, 75, 77 by one or more substitutions, additions, deletions,
fusions and truncations, which may be present in any combination.

The variants may be naturally occurring or created *in vitro*. In
particular, such variants may be created using genetic engineering techniques
such as site directed mutagenesis, random chemical mutagenesis,
exonuclease III deletion procedures, and standard cloning techniques.
Alternatively, such variants, fragments, analogs, or derivatives may be created
using chemical synthesis or modification procedures.

Other methods of making variants are also familiar to those skilled in
the art. These include procedures in which nucleic acid sequences obtained
from natural isolates are modified to generate nucleic acids that encode
polypeptides having characteristics which enhance their value in industrial or
laboratory applications. In such procedures, a large number of variant
sequences having one or more nucleotide differences with respect to the

sequence obtained from the natural isolate are generated and characterized. Preferably, these nucleotide differences result in amino acid changes with respect to the polypeptides encoded by the nucleic acids from the natural isolates.

For example, variants may be created using error prone PCR. In error prone PCR, DNA amplification is performed under conditions where the fidelity of the DNA polymerase is low, such that a high rate of point mutation is obtained along the entire length of the PCR product. Error prone PCR is described in Leung, D.W., *et al.*, Technique, 1:11-15 (1989) and Caldwell, R. C. & Joyce G.F., PCR Methods Applic., 2:28-33 (1992). Variants may also be created using site directed mutagenesis to generate site-specific mutations in any cloned DNA segment of interest. Oligonucleotide mutagenesis is described in Reidhaar-Olson, J.F. & Sauer, R.T., *et al.*, Science, 241:53-57 (1988). Variants may also be created using directed evolution strategies such as those described in US patent nos. 6,361,974 and 6,372,497. The variants of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75 and 77 may be variants in which one or more of the amino acid residues of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75 or 77 are substituted with a conserved or non-conserved amino acid residue (preferably a conserved amino acid residue) and such substituted amino acid residue may or may not be one encoded by the genetic code.

Conservative substitutions are those that substitute a given amino acid in a polypeptide by another amino acid of like characteristics. Typically seen as conservative substitutions are the following replacements: replacements of an aliphatic amino acid such as Ala, Val, Leu and Ile with another aliphatic amino acid; replacement of a Ser with a Thr or vice versa; replacement of an acidic residue such as Asp or Glu with another acidic residue; replacement of a residue bearing an amide group, such as Asn or Gln, with another residue bearing an amide group; exchange of a basic residue such as Lys or Arg with

another basic residue; and replacement of an aromatic residue such as Phe
or Tyr with another aromatic residue.

Other variants are those in which one or more of the amino acid
residues of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21,
23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61,
63, 65, 67, 69, 71, 73, 75, 77 include a substituent group. Still other variants
are those in which the polypeptide is associated with another compound, such
as a compound to increase the half-life of the polypeptide (for example,
polyethylene glycol). Additional variants are those in which additional amino
acids are fused to the polypeptide, such as leader sequence, a secretory
sequence, a proprotein sequence or a sequence that facilitates purification,
enrichment, or stabilization of the polypeptide.

In some embodiments, the fragments, derivatives and analogs retain
the same biological function or activity as the polypeptides of SEQ ID NOS: 2,
4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45,
47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77. In other
embodiments, the fragment, derivative or analogue includes a fused
heterologous sequence that facilitates purification, enrichment, detection,
stabilization or secretion of the polypeptide that can be enzymatically cleaved,
in whole or in part, away from the fragment, derivative or analogue.

Another aspect of the present invention are polypeptides or fragments
thereof which have at least 70%, at least 80%, at least 85%, at least 90%, or
more than 95% identity to one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8,
10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49,
51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75 and 77 or a fragment
comprising at least 50, 75, 100, 150, 200 or 300 consecutive amino acids
thereof. It will be appreciated that amino acid "identity" includes conservative
substitutions such as those described above.

The polypeptides or fragments having homology to one of the
polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29,
31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69,
71, 73, 75, 77 or a fragment comprising at least 50, 75, 100, 150, 200 or 300

consecutive amino acids thereof may be obtained by isolating the nucleic acids encoding them using the techniques described above.

Alternatively, the homologous polypeptides or fragments may be obtained through biochemical enrichment or purification procedures. The sequence of potentially homologous polypeptides or fragments may be determined by proteolytic digestion, gel electrophoresis and/or microsequencing. The sequence of the prospective homologous polypeptide or fragment can be compared to one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or a fragment comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof.

The polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments, derivatives or analogs thereof comprising at least 40, 50, 75, 100, 150, 200 or 300 consecutive amino acids thereof invention may be used in a variety of applications. For example, the polypeptides or fragments, derivatives or analogs thereof may be used to catalyze biochemical reactions as described elsewhere in the specification.

The polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments, derivatives or analogues thereof comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof, may also be used to generate antibodies which bind specifically to the polypeptides or fragments, derivatives or analogues. The antibodies generated from SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 may be used to determine whether a biological sample contains *Streptomyces aizunensis* or a related microorganism.

In such procedures, a biological sample is contacted with an antibody capable of specifically binding to one of the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45,

47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof. The ability of the biological sample to bind to the antibody is then determined. For example, binding may be determined by labeling the antibody with a detectable label such as a fluorescent agent, an enzymatic label, or a radioisotope. Alternatively, binding of the antibody to the sample may be detected using a secondary antibody having such a detectable label thereon. A variety of assay protocols which may be used to detect the presence of a polyketide-producer or of *Streptomyces aizunensis* or of polypeptides related to SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 in a sample are familiar to those skilled in the art. Particular assays include ELISA assays, sandwich assays, radioimmunoassays, and Western Blots. Alternatively, antibodies generated from SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 may be used to determine whether a biological sample contains related polypeptides that may be involved in the biosynthesis of polyketides.

Polyclonal antibodies generated against the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof can be obtained by direct injection of the polypeptides into an animal or by administering the polypeptides to an animal, preferably a nonhuman. The antibody so obtained will then bind the polypeptide itself. In this manner, even a sequence encoding only a fragment of the polypeptide can be used to generate antibodies that may bind to the whole native polypeptide. Such antibodies can then be used to isolate the polypeptide from cells expressing that polypeptide.

For preparation of monoclonal antibodies, any technique that provides antibodies produced by continuous cell line cultures can be used. Examples include the hybridoma technique (Kholer and Milstein, 1975, Nature, 256:495-497), the trioma technique, the human B-cell hybridoma technique (Kozbor et

al., 1983, Immunology Today 4:72), and the EBV-hybridoma technique (Cole, et al., 1985, in Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, Inc., pp. 77-96).

Techniques described for the production of single chain antibodies (U.S. Patent 4,946,778) can be adapted to produce single chain antibodies to the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof. Alternatively, transgenic mice may be used to express humanized antibodies to these polypeptides or fragments thereof.

Antibodies generated against the polypeptides of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof may be used in screening for similar polypeptides from a sample containing organisms or cell-free extracts thereof. In such techniques, polypeptides from the sample are contacted with the antibodies and those polypeptides which specifically bind the antibody are detected. Any of the procedures described above may be used to detect antibody binding. One such screening assay is described in "Methods for measuring Cellulase Activities", Methods in Enzymology, Vol 160, pp. 87-116.

In order to identify the function of the genes in the compound 2(a) locus, ORFs 1 to 38 were compared, using the BLASTP version 2.2.1 algorithm with the default parameters, to sequences in the National Center for Biotechnology Information (NCBI) nonredundant protein database and the DECIPHER® database of microbial genes, pathways and natural products (Ecopia BioSciences Inc. St.-Laurent, QC, Canada).

The accession numbers of the top GenBank hits of this Blast analysis are presented in Table 1 along with the corresponding E values. The E value relates the expected number of chance alignments with an alignment score at least equal to the observed alignment score. An E value of 0.00 indicates a perfect homolog. The E values are calculated as described in Altschul *et al. J.*

Mol. Biol., 215, 403-410 (1990). The E value assists in the determination of whether two sequences display sufficient similarity to justify an inference of homology.

Table 1

ORF	Family	#aa	GenBank homology	probability	% identity	% similarity	proposed function of GenBank match
1		719	T35189,719aa	1E-200	556/705 (78.7%)	582/705 (82.55%)	helicase, Streptomyces coelicolor
			BAC17778.1,686aa	1E-165	340/700 (48.57%)	407/700 (58.14%)	helicase, Corynebacterium efficiens
			NP_600121.1,683aa	1E-161	334/701 (47.65%)	412/701 (58.77%)	helicase, Corynebacterium glutamicum
2	TESA	253	BAB69315.1,255aa	2E-82	142/243 (58.44%)	185/243 (76.13%)	thioesterase,Streptomyces avermitilis
			CAC20922.1,255aa	3E-78	145/247 (58.7%)	180/247 (72.87%)	PimI thioesterase, Streptomyces natalensis
			AAF71777.1,251aa	2E-73	135/244 (55.33%)	173/244 (70.9%)	NysE thioesterase, Streptomyces noursei
3	REGD	956	AAC68887.1,928aa	1E-132	336/959 (35.04%)	472/959 (49.22%)	transcriptional activator,Streptomyces venezuelae
			AAM88362.1,945aa	1E-131	331/957 (34.59%)	468/957 (48.9%)	NbmM regulator,Streptomyces narbonensis
			BAA84600.1,949aa	1E-127	339/965 (35.13%)	451/965 (46.74%)	response regulator,Streptomyces avermitilis
4	RREB	201	NP_629592.1,224aa	8E-49	106/204 (51.96%)	140/204 (68.63%)	response regulator,Streptomyces coelicolor
			CAA74720.1,217aa	8E-47	100/202 (49.5%)	138/202 (68.32%)	response regulator,Streptomyces reticuli
			NP_642485.1,213aa	1E-43	96/201 (47.76%)	132/201 (65.67%)	regulator,Xanthomonas axonopodis
5	SPKK	416	NP_628447.1,428aa	7E-39	116/312 (37.18%)	163/312 (52.24%)	kinase,Streptomyces coelicolor
			CAA74719.1,398aa	2E-37	113/304 (37.17%)	157/304 (51.64%)	kinase,Streptomyces reticuli
			CAC32293.1,404aa	6E-37	109/267 (40.82%)	139/267 (52.06%)	kinase,Streptomyces coelicolor
6	UNEW	186	NP_628531.1,185aa	0.002	30/102 (29.41%)	50/102 (49.02%)	membrane protein,Streptomyces coelicolor
7	UNFI	163	CAB10923.1,177aa	2E-27	67/162 (41.36%)	97/162 (59.88%)	hypothetical protein,Mycobacterium tuberculosis
			ZP_00059442.1,172aa	4E-24	66/177 (37.29%)	98/177 (55.37%)	hypothetical protein,Thermobifida fusca
			NP_644099.1,158aa	1E-08	35/107 (32.71%)	58/107 (54.21%)	hypothetical protein,Xanthomonas axonopodis
8	UNEX	514	E70508,487aa	4E-41	145/494 (29.35%)	210/494 (42.51%)	hypothetical protein,Mycobacterium tuberculosis
			ZP_00059443.1,554aa	5E-39	155/516 (30.04%)	216/516 (41.86%)	hypothetical protein,Thermobifida fusca
			NP_280206.1,514aa	1E-07	107/475 (22.53%)	169/475 (35.58%)	hypothetical protein,Halobacterium sp.
9	GTFA	367	AAM94798.1,376aa	4E-69	155/370 (41.89%)	205/370 (55.41%)	CalG3 glycosyltransferase,Micromonospora echinospora
			CAC16413.2,382aa	2E-60	150/373 (40.21%)	187/373 (50.13%)	glycosyltransferase,Streptomyces olivaceus
			AAF01811.1,390aa	5E-54	138/374 (36.9%)	179/374 (47.86%)	glycosyl transferase,Streptomyces nogalater

65

10	PKSH	8147	AAG23263.1,4928aa	1E-200	2487/5027 (49.47%)	3043/5027 (60.53%)	polyketide synthase,Saccharopolyspora spinosa
			BAB69303.1,6048aa	1E-200	2452/4407 (55.64%)	2853/4407 (64.74%)	polyketide synthase,Streptomyces avermitilis
			AAF71766.1,9477aa	1E-200	2489/4970 (50.08%)	3044/4970 (61.25%)	NysI polyketide synthase,Streptomyces noursei
11	PKSH	3428	AAF71766.1,9477aa	1E-200	1763/3432 (51.37%)	2086/3432 (60.78%)	NysI polyketide synthase,Streptomyces noursei
			AAK73501.1,9510aa	1E-200	1738/3394 (51.21%)	2065/3394 (60.84%)	AmphI polyketide synthase,Streptomyces nodosus
			CAC20921.1,9507aa	1E-200	1729/3385 (51.08%)	2050/3385 (60.56%)	PimS2 polyketide synthase,Streptomyces natalensis
12	PKSH	6751	AAF71766.1,9477aa	1E-200	2992/5949 (50.29%)	3662/5949 (61.56%)	NysI polyketide synthase,Streptomyces noursei
			AAK73501.1,9510aa	1E-200	2961/5904 (50.15%)	3650/5904 (61.82%)	AmphI polyketide synthase,Streptomyces nodosus
			CAC20921.1,9507aa	1E-200	2962/5917 (50.06%)	3652/5917 (61.72%)	PimS2 polyketide synthase,Streptomyces natalensis
13	PKSH	1657	AAF71775.1,3192aa	1E-200	781/1553 (50.29%)	938/1553 (60.4%)	NysB polyketide synthase,Streptomyces noursei
			BAB69196.1,3613aa	1E-200	775/1562 (49.62%)	936/1562 (59.92%)	polyketide synthase,Streptomyces avermitilis
			AAG23266.1,3170aa	1E-200	775/1572 (49.3%)	941/1572 (59.86%)	polyketide synthase,Saccharopolyspora spinosa
14	PKSH	5207	BAB69303.1,6048aa	1E-200	2713/5239 (51.78%)	3215/5239 (61.37%)	polyketide synthase,Streptomyces avermitilis
			CAC20931.1,6797aa	1E-200	2651/5183 (51.15%)	3187/5183 (61.49%)	PimS1 polyketide synthase,Streptomyces natalensis
			AAK73514.1,10917aa	1E-200	2047/4174 (49.04%)	2494/4174 (59.75%)	AmphC polyketide synthase,Streptomyces nodosus
15	PKSH	5432	AAK73514.1,10917aa	1E-200	2814/5447 (51.66%)	3377/5447 (62%)	AmphC polyketide synthase,Streptomyces nodosus
			AAF71776.1,11096aa	1E-200	2836/5548 (51.12%)	3375/5548 (60.83%)	NysC polyketide synthase,Streptomyces noursei
			CAC20931.1,6797aa	1E-200	2824/5426 (52.05%)	3378/5426 (62.26%)	PimS1 polyketide synthase,Streptomyces natalensis
16	PKSH	3227	AAF71775.1,3192aa	1E-200	1628/3207 (50.76%)	1957/3207 (61.02%)	NysB polyketide synthase,Streptomyces noursei

No.	Code		Accession	E-value	Identity	Similarity	Description
17	PKSH	7510	AAF82408.1,4150aa	1E-200	1643/3237 (50.76%)	1957/3237 (60.46%)	deoxyoleandolide synthase,Streptomyces antibioticus
			BAB69307.1,3352aa	1E-200	1612/3170 (50.85%)	1948/3170 (61.45%)	polyketide synthase,Streptomyces avermitilis
			AAK73502.1,5644aa	1E-200	2761/5719 (48.28%)	3366/5719 (58.86%)	AmphJ polyketide synthase,Streptomyces nodosus
			AAF71776.1,11096aa	1E-200	2313/4464 (51.81%)	2755/4464 (61.72%)	NysC polyketide synthase,Streptomyces noursei
			CAA60460.1,8563aa	1E-200	2448/5643 (43.38%)	3074/5643 (54.47%)	polyketide synthase,Streptomyces hygroscopicus
18	PKSH	3872	AAK73514.1,10917aa	1E-200	1913/3588 (53.32%)	2273/3588 (63.35%)	AmphC polyketide synthase,Streptomyces nodosus
			AAF71776.1,11096aa	1E-200	1907/3684 (51.76%)	2280/3684 (61.89%)	NysC polyketide synthase,Streptomyces noursei
			CAC20931.1,6797aa	1E-200	1879/3564 (52.72%)	2241/3564 (62.88%)	PimS1 polyketide synthase,Streptomyces natalensis
19	AYTF	338	D83961,313aa	1E-09	72/294 (24.49%)	118/294 (40.14%)	malonyl CoA-ACP transacylase,Bacillus halodurans
			AAL20123.1,309aa	1E-08	73/303 (24.09%)	120/303 (39.6%)	malonyl-CoA-ACP transacylase,Salmonella typhimurium
			AAK60008.1,316aa	1E-07	74/286 (25.87%)	110/286 (38.46%)	malonyl-CoA-ACP transacylase,Streptomyces aureofaciens
20	MEAY	283	AD2333,275aa	6E-11	60/220 (27.27%)	97/220 (44.09%)	hypothetical protein,Nostoc sp.
			S76277,294aa	2E-08	70/255 (27.45%)	112/255 (43.92%)	hypothetical protein,Synechocystis sp.
			ZP_00019722.1,251aa	6E-08	56/224 (25%)	99/224 (44.2%)	hypothetical protein,Chloroflexus aurantiacus
21	ABCD	329	ZP_00080468.1,308aa	1E-54	142/334 (42.51%)	176/334 (52.69%)	hypothetical protein,Geobacter metallireducens
			D72257,327aa	5E-52	131/330 (39.7%)	186/330 (56.36%)	hypothetical protein,Thermotoga maritima
			NP_578312.1,321aa	5E-49	121/327 (37%)	176/327 (53.82%)	daunorubicin resistance protein,Pyrococcus furiosus
22	DEPL	317	CAA07388.1,305aa	4E-73	152/290 (52.41%)	173/290 (59.66%)	StrL,Streptomyces glaucescens
			AAF59936.1,294aa	5E-65	139/285 (48.77%)	165/285 (57.89%)	4-ketoreductase,Streptomyces antibioticus
			AAF01815.1,291aa	8E-63	136/289 (47.06%)	161/289 (55.71%)	dTDP-4-dehydrorhamnose reductase,Streptomyces nogalater
23	EPIM	204	CAA44442,200aa	1E-56	108/195 (55.38%)	137/195 (70.26%)	epimerase,Streptomyces griseus

No.	Name	Length	Accession	E-value	Identities	Positives	Description
24	NUTA	328	CAA55578.1,200aa	2E-55	108/191 (56.54%)	129/191 (67.54%)	epimerase,Streptomyces glaucescens
			AAG29805.1,198aa	1E-51	104/188 (55.32%)	121/188 (64.36%)	epimerase,Streptomyces rishiriensis
			CAA68514.1,355aa	1E-125	215/328 (65.55%)	263/328 (80.18%)	sugaractivating enzyme,Streptomyces griseus
			BAC55207.1,350aa	1E-122	217/328 (66.16%)	261/328 (79.57%)	glucose-1-phosphate thymidyltransferase,Streptomyces sp.
			AAF59934.1,356aa	1E-119	214/329 (65.05%)	260/329 (79.03%)	dTDP-D-glucose synthase,Streptomyces antibioticus
25	DEPA	328	NP_625052.1,324aa	1E-108	201/318 (63.21%)	218/318 (68.55%)	putative dehydratase,Streptomyces coelicolor
			CAA07755.1,331aa	1E-107	200/317 (63.09%)	218/317 (68.77%)	dTDP-glucose 4,6-dehydratase,Streptomyces argillaceus
			AAF82605.1,317aa	1E-105	191/318 (60.06%)	214/318 (67.3%)	dTDP-glucose 4,6-dehydratase,Streptomyces rimosus
26	TESA	214	BAB69315.1,255aa	7E-22	74/239 (30.96%)	97/239 (40.59%)	thioesterase,Streptomyces avermitilis
			T17413,281aa	3E-17	73/242 (30.17%)	95/242 (39.26%)	thioesterase,Streptomyces venezuelae
			AAC01736.1,254aa	3E-15	61/225 (27.11%)	88/225 (39.11%)	thioesterase,Amycolatopsis mediterranei
27	CALB	470	ZP_00025699.1,510aa	1E-27	116/466 (24.89%)	188/466 (40.34%)	hypothetical protein,Ralstonia metallidurans
			ZP_00006768.1,501aa	5E-22	125/474 (26.37%)	192/474 (40.51%)	hypothetical protein,Rhodobacter sphaeroides
			G87227,548aa	1e-20	120/495 (24.24%)	195/495 (39.39%)	acyl-CoA synthase,Mycobacterium leprae
28	TMOA	553	CAB76876.1,565aa	1E-200	318/522 (60.92%)	383/522 (73.37%)	amino oxidase,Streptomyces coelicolor
			ZP_00086824.1,560aa	1E-172	280/521 (53.74%)	369/521 (70.83%)	hypothetical protein,Pseudomonas fluorescens
			ZP_00126831.1,559aa	1E-171	280/521 (53.74%)	370/521 (71.02%)	tryptophan monooxygenase,Pseudomonas syringae
29	PPTF	231	CAA19952.1,226aa	3E-50	115/226 (50.88%)	132/226 (58.41%)	hypothetical protein,Streptomyces coelicolor
			AAG43513.1,246aa	1E-43	105/228 (46.05%)	127/228 (55.7%)	phosphopantetheinyl transferase,Streptomyces verticillus
			BAA22407.1,208aa	5E-36	91/214 (42.52%)	109/214 (50.93%)	hypothetical protein,Streptomyces sp.
30	UNAK	306	CAA19951.1,295aa	2E-97	169/275 (61.45%)	195/275 (70.91%)	hypothetical protein,Streptomyces coelicolor
			AAL15596.1,293aa	1E-91	163/269 (60.59%)	190/269 (70.63%)	Sim18,Streptomyces antibioticus
			NP_217311.1,324aa	8E-89	159/276 (57.61%)	187/276 (67.75%)	hypothetical protein,Mycobacterium tuberculosis
31	REGD	998	AAC68887.1,928aa	1E-113	331/1014 (32.64%)	445/1014 (43.89%)	transcriptional activator,Streptomyces venezuelae

No.	Name	Size	Accession	E-value	Identity	Positives	Description
			AAM88362.1,945aa	1E-110	323/1007 (32.08%)	438/1007 (43.5%)	NbmM regulator,Streptomyces narbonensis
			AAC38065.1,948aa	1E-105	322/1019 (31.6%)	427/1019 (41.9%)	regulatory protein,Streptomyces hygroscopicus
32	CTFC	518	NP_629669.1,527aa	1E-200	461/516 (89.34%)	487/516 (94.38%)	carboxyl transferase,Streptomyces coelicolor
			AAK06793.1,528aa	1E-200	423/510 (82.94%)	464/510 (90.98%)	putative decarboxylase,Streptomyces antibioticus
			AAD13544.1,524aa	1E-200	411/511 (80.43%)	450/511 (88.06%)	decarboxylase,Streptomyces cyanogenus
33	ADHY	329	CAD55203.1,322aa	1E-140	240/314 (76.43%)	273/314 (86.94%)	putative agmatinase,Streptomyces coelicolor
			ZP_00057179.1,324aa	1E-128	216/312 (69.23%)	260/312 (83.33%)	hypothetical protein,Thermobifida fusca
			BAB96819.1,353aa	1E-119	206/307 (67.1%)	252/307 (82.08%)	guanidinobutyrase,Arthrobacter sp.
34	ADSN	521	AAG29784.1,529aa	6E-86	189/512 (36.91%)	255/512 (49.8%)	ligase,Streptomyces rishiriensis
			AAN65228.1,527aa	1E-81	183/512 (35.74%)	252/512 (49.22%)	amide synthetase,Streptomyces roseochromogenes
			AAG34183.1,519aa	3E-74	186/515 (36.12%)	248/515 (48.16%)	aminocoumarin ligase,Streptomyces antibioticus
35	AYTP	410	NP_697353.1,425aa	1E-104	193/385 (50.13%)	252/385 (65.45%)	5-aminolevulinic acid synthase,Brucella suis
			AAL52785.1,425aa	1E-103	192/385 (49.87%)	250/385 (64.94%)	5-aminolevulinic acid synthase,Brucella melitensis
			BAB52860.1,425aa	1E-102	191/385 (49.61%)	249/385 (64.68%)	5-aminolevulinic acid synthase,Mesorhizobium loti
36	CALB	506	CAB89029.1,511aa	1E-134	256/505 (50.69%)	319/505 (63.17%)	long-chain-fatty-acid-CoA ligase,Streptomyces coelicolor
			ZP_00059397.1,557aa	1E-122	241/505 (47.72%)	315/505 (62.38%)	hypothetical protein,Thermobifida fusca
			ZP_00105928.1,513aa	7E-78	185/501 (36.93%)	260/501 (51.9%)	hypothetical protein,Nostoc punctiforme
37		217	NP_635504.1,210aa	6E-11	54/139 (38.85%)	77/139 (55.4%)	regulatory protein,Xanthomonas campestris
			BAB84309.1,221aa	6E-11	66/221 (29.86%)	101/221 (45.7%)	response regulator,Halomonas halodenitrificans
			NP_631750.1,226aa	8E-11	71/218 (32.57%)	99/218 (45.41%)	response regulator,Streptomyces coelicolor
38		442	CAA18514,534aa	1E-116	206/359 (57.38%)	251/359 (69.92%)	hypothetical protein,Streptomyces coelicolor
			ZP_00058746.1,366aa	7E-19	98/358 (27.37%)	145/358 (40.5%)	hypothetical protein,Thermobifida fusca
			AAK47101,352aa	3E-08	85/357 (23.81%)	130/357 (36.42%)	hypothetical protein,Mycobacterium tuberculosis

The gene product of each of ORFs 1-38 in the compound 2(a) locus is
assigned a protein family based on sequence similarity to the structure of
known proteins as determined in Table 1. A putative function is attributed to
each gene product of the compound 2(a) locus biosynthetic locus based on
the known function of members of the respective protein families. Each
protein family is referred to by a four-letter designation used throughout the
description and figures. For example, members of protein family ABCD
including the gene product of ORF 21 (SEQ ID NO: 43) are transmembrane
transporters; members of protein family ADHY including the gene product
ORF 33 (SEQ ID NO: 67) are amidinohydrolases; members of protein family
ADSN including the gene product of ORF 34 (SEQ ID NO: 69) are
adenylation/condensing enzymes; members of protein families AYTF and
AYTP including ORFs 19 and 35 (SEQ ID NOS: 39 and 71) are
acyltransferases; members of protein family CALB are acyl CoA ligases
including ORF 27 and 36 (SEQ ID NO: 55 and 73); members of protein family
CTFC including ORF 32 (SEQ ID NO: 65) are
carboxyltransferase/decarboxylases; members of protein families DEPA and
DEPL including ORFs 25 and 22 (SEQ ID NOS: 51 and 45) are
dehydratase/epimerases; members of protein family EPIM including ORF 23
(SEQ ID NO: 47) are epimerises; members of protein family GTFA including
ORF 9 (SEQ ID NO: 19) are glycosyl transferases; members of protein family
MEAY including ORF 20 (SEQ ID NO: 41) are membrane proteins; members
of protein family NUTA including ORF 24 (SEQ ID NO: 49) are
nucleotidyltransferases; members of protein family PKSH including ORFs 10,
11, 12, 13, 14, 15, 16, 17 and 18 (SEQ ID NOS: 21, 23, 25, 27, 29, 31, 33, 35
and 37) are polyketide synthase, type I proteins; members of PPTF protein
family including ORF 29 (SEQ ID NO: 59) are phosphopantetheinyl
transferases; members of protein family REGD including ORFs 3 and 31
(SEQ ID NOS: 6 and 63) are transcriptional regulators; members of protein
family RREB including ORF 4 (SEQ ID NO: 8) are response regulators;
members of protein family SPKK including ORF 5 (SEQ ID NO: 10) are
sensory protein kinases; members of protein family TESA including ORFs 2
and 26 (SEQ ID NOS: 4 and 53) are thioesterases; and members of protein
family TMOA including ORF 28 (SEQ ID NO: 57) are monooxygenases. A

more detailed description of the function of each protein family is provided in Table 2. The correlation between structure and function for each protein family is provided in Table 2.

Table 2

Protein Family	Function
ABCD	ABC transporter; ATP-binding cassette transmembrane transporter; includes proteins with similarity to Mdr proteins of mammalian tumor cells that confer resistance to chemotherapeutic agents.
ADHY	amidinohydrolase; agmatine ureohydrolase; hydrolyzes linear amidines; requires manganese for catalysis and contains a conserved His important for catalytic function
ADSN	Adenylating/condensing synthase; amide synthase; enzymes able to activate substrates as acyl adenylates and subsequently transfer the acyl group to an amino group of the acceptor molecule
AYTF	acyltransferase; acyl CoA-acyl carrier protein transacylase; includes malonyl CoA-ACP transacylases
AYTP	acyltransferase; pyridoxal phosphate-dependent; includes 5-aminolevulinate synthase, a glycyl transferase that condenses glycine and succinyl-CoA.
CALB	acyl CoA ligase; shows similarity to plant coumarate CoA ligases, other aryl CoA ligases, yeast CoA synthetase and aminocoumarin ligases.
CTFC	carboxyltransferase/decarboxylase; carboxyltransferase component of acetyl-CoA carboxylase, generally a 2 subunit component, this family consists of a fusion of the beta and alpha subunits (beta-alpha).
DEPA	dehydratase/epimerase; dTDP-glucose 4,6-dehydratases, catalyze the second step in 6-deoxyhexose biosynthesis.
DEPL	dehydratase/epimerase; similar to StrL dTDP-dihydrostreptose synthase; OleU 4-ketoreductase; SnogC putative dTDP-4-dehydrorhamnose reductase
EPIM	epimerase; NDP-hexose epimerase; TDP-4-ketohexose- 3,5-epimerases, convert TDP-4-keto-6-deoxy-D-glucose to TDP-4-keto-6-deoxy-L-mannose (TDP-4-keto-L-rhamnose).
GTFA	glycosyl transferase.
MEAY	membrane protein; putative transporter, permease
NUTA	nucleotidyltransferase; dNDP-glucose synthase; alpha-D-glucose-1-phosphate thymidylyltransferase; catalyze the first step in 6-deoxyhexose biosynthesis.
PKSH	polyketide synthase, type I.
PPTF	phosphopantetheinyl transferases, required for activation of both PKSs and NRPSs from inactive apo forms to active holo forms.
REGD	transcriptional regulator
RREB	response regulator; similar to response regulators that are known to bind DNA and act as transcriptional activators
SPKK	sensory protein kinase.
TESA	thioesterase.
TMOA	monooxygenase; strong similarity to plasmid-encoded tryptophan-2-monooxygenases.

UNAK	unknown; homolog of S. coelicolor hypothetical protein
UNEW	unknown; similar to putative integral membrane protein in S. coelicolor
UNEX	unknown; domain homology to many bacterial putative membrane proteins; contain so-called "bacterial membrane flanked domains" found in an uncharacterised family of membrane proteins that have one to three copies of the domain flanked by transmembrane helices.
UNFI	unknown; similar to putative membrane proteins

Biosynthesis of Compound 2(a) involves the multimodular type I polyketide synthase system (PKS) of ORFs 10 to 18 (SEQ ID NOS: 21, 23, 25, 27, 29, 31, 33, 35 and 37) illustrated in Figure 1. Type I PKSs are large modular proteins that condense acyl thioester units in a sequential manner. PKS systems consist of one or more polyfunctional polypeptides each of which is made up of modules. Each type I PKS module contains three domains; a β-ketoacyl protein synthase (KS), an acyltransferase (AT) and an acyl carrier protein (ACP). Domains conferring additional enzymatic activities such as ketoreductase (KR), dehydratase (DH) and enoylreductase (ER) can also be found in the PKS modules. These additional domains result in various degrees of reduction of the β-keto groups of the growing polyketide chain. Each module is responsible for one round of condensation and reduction of the β-ketoacyl units. There is a direct correlation between the number of modules and the length of the polyketide chain as well as between the domain composition of the modules and the degree of reduction of the polyketide product. The final polyketide product is released from the PKS protein through the action of a thioesterase domain found in the ultimate module of the PKS system. The genetic organization of most type I PKS enzymes is colinear with the order of biochemical reactions giving rise to the polyketide chain. One skilled in the art will readily understand that these features allow prediction of polyketide core structure based on the architecture of the PKS modules found in a given biosynthetic pathway [Hopwood, *Chem. Rev.*, 97:2465-2497 (1997)].

The compound 2(a) locus PKS system is composed of ORFs 10 to 18 (SEQ ID NOS: 21, 23, 25, 27, 29, 31, 33, 35 and 37) and comprises a total of 27 modules described in Table 3. The first module contains only an ACP domain and corresponds to the loading module (module 0) whereas each of the remaining 26 modules contain domains KS, AT and ACP in various

combinations with KR, DH and ER domains. The thioesterase domain present in ORF 18/module 26 indicates that this module is the ultimate one in the biosynthesis of the polyketide chain. Dehydratase domains in modules 6 and 11 as well as ketoreductase domain in module 12 appear to be inactive due to the presence of non-conservative amino acid residues in highly conserved regions important for catalysis.

Table 3

compound 2(a) locus PKS domain coordinates

ORF no.	SEQ ID NO Amino acid/ Nucleic acid	Amino Acid Residue	Nucleic Acid	Homology	Module no.
10	21/22	57-118	169-354	ACP	0
	21/22	141-566	421-1698	KS	
	21/22	597-1031	1789-3093	AT	1
	21/22	1304-1517	3910-4551	KR	
	21/22	1603-1664	4807-4992	ACP	
	21/22	1690-2118	5068-6354	KS	
	21/22	2135-2562	6403-7686	AT	2
	21/22	2833-3045	8497-9135	KR	
	21/22	3130-3191	9388-9573	ACP	
	21/22	3215-3640	9643-10920	KS	
	21/22	3660-4089	10978-12267	AT	
	21/22	4102-4208	12304-12624	DH	3
	21/22	4612-4829	13834-14487	KR	
	21/22	4911-4972	14731-14916	ACP	
	21/22	5007-5438	15019-16314	KS	
	21/22	5460-5883	16378-17649	AT	4
	21/22	6147-6360	18439-19080	KR	
	21/22	6444-6505	19330-19515	ACP	
	21/22	6529-6954	19585-20862	KS	
	21/22	6979-7402	20935-22206	AT	5
	21/22	7703-7918	23107-23754	KR	
	21/22	8002-8063	24004-24189	ACP	
11	23/24	37-462	109-1386	KS	
	23/24	493-919	1477-2757	AT	
	23/24	932-1038	2794-3114	DH*	6
	23/24	1411-1672	4231-4881	KR	

	23/24	1706-1767	5116-5301	ACP	
	23/24	1794-2215	5380-6645	KS	
	23/24	2232-2659	6694-7977	AT	7
	23/24	2960-3173	8878-9519	KR	
	23/24	3258-3319	9772-9957	ACP	
12	25/26	36-461	106-1383	KS	
	25/26	483-907	1447-2721	AT	
	25/26	919-1027	2755-3081	DH	8
	25/26	1439-1655	4315-4965	KR	
	25/26	1736-1797	5206-5391	ACP	
	25/26	1831-2256	5491-6768	KS	
	25/26	2281-2714	6841-8142	AT	9
	25/26	2981-3194	8941-9582	KR	
	25/26	3287-3339	9832-10017	ACP	
	25/26	3361-3786	10081-11358	KS	
	25/26	3803-4225	11407-12675	AT	
	25/26	4494-4706	13480-14118	KR	10
	25/26	4795-4856	14383-14568	ACP	
	25/26	4880-5304	14638-15912	KS	
	25/26	5323-5748	15967-17244	AT	
	25/26	5761-5866	17278-17598	**DH***	11
	25/26	6294-6510	18880-19530	KR	
	25/26	6599-6660	19795-19980	ACP	
13	27/28	35-460	103-1380	KS	
	27/28	484-920	1450-2760	AT	12
	27/28	1195-1406	3583-4218	**KR***	
	27/28	1490-1551	4468-4653	ACP	
14	29/30	35-460	103-1380	KS	
	29/30	487-918	1459-2754	AT	13
	29/30	1219-1431	3655-4293	KR	
	29/30	1514-1575	4540-4725	ACP	
	29/30	1602-2027	4804-6081	KS	
	29/30	2046-2473	6136-7419	AT	
	29/30	2486-2592	7456-7776	DH	14
	29/30	2980-3196	8938-9588	KR	
	29/30	3287-3339	9832-10017	ACP	
	29/30	3363-3788	10087-11364	KS	
	29/30	3810-4237	11428-12711	AT	
	29/30	4249-4355	12745-13065	DH	15
	29/30	4760-4976	14278-14928	KR	
	29/30	5060-5124	15187-15372	ACP	

15	31/32	35-460	103-1380	KS	
	31/32	480-914	1438-2742	AT	
	31/32	926-1032	2776-3096	DH	16
	31/32	1423-1639	4267-4917	KR	
	31/32	1737-1798	5209-5394	ACP	
	31/32	1822-2247	5464-6741	KS	
	31/32	2263-2690	6787-8070	AT	
	31/32	2703-2809	8107-8427	DH	17
	31/32	3188-3404	9562-10212	KR	
	31/32	3483-3544	10447-10632	ACP	
	31/32	3568-3993	10702-11979	KS	
	31/32	4017-4442	12049-13326	AT	
	31/32	4456-4562	13366-13686	DH	18
	31/32	4978-5194	14932-15582	KR	
	31/32	5285-5346	15853-16038	ACP	
16	33/34	35-460	103-1380	KS	
	33/34	481-917	1441-2751	AT	19
	33/34	1205-1416	3613-4248	KR	
	33/34	1500-1561	4498-4683	ACP	
	33/34	1585-2010	4753-6030	KS	
	33/34	2067-2505	6199-7515	AT	20
	33/34	2786-2998	8356-8994	KR	
	33/34	3083-3144	9247-9432	ACP	
17	35/36	40-465	118-1395	KS	
	35/36	503-941	1507-2823	AT	
	35/36	954-1060	2860-3180	DH	21
	35/36	1456-1672	4366-5016	KR	
	35/36	1751-1812	5251-5436	ACP	
	35/36	1835-2260	5503-6780	KS	
	35/36	2281-2718	6841-8154	AT	
	35/36	2731-2837	8191-8511	DH	22
	35/36	3188-3546	9562-10638	ER	
	35/36	3551-3767	10651-11301	KR	
	35/36	3846-3907	11536-11721	ACP	
	35/36	3932-4357	11794-13071	KS	
	35/36	4373-4803	13117-14409	AT	
	35/36	4815-4921	14443-14763	DH	23
	35/36	5300-5516	15898-16548	KR	
	35/36	5597-5658	16789-16974	ACP	
	35/36	5686-6111	17056-18333	KS	
	35/36	6131-6557	18391-19671	AT	

	35/36	6572-6678	19714-20034	DH	24
	35/36	7062-7288	21184-21834	KR	
	35/36	7363-7424	22087-22272	ACP	
18	37/38	34-459	100-1377	KS	
	37/38	502-926	1504-2778	AT	
	37/38	938-1044	2812-3132	DH	25
	37/38	1420-1636	4258-4908	KR	
	37/38	1715-1776	5143-5328	ACP	
	37/38	1799-2224	5395-6672	KS	
	37/38	2247-2673	6739-8019	AT	
	37/38	2686-2792	8056-8376	DH	26
	37/38	3203-3419	9607-10257	KR	
	37/38	3513-3574	10537-10722	ACP	
	37/38	3649-3872	10945-11616	TE	

One skilled in the art would understand that all KS domains are functional as the multiple amino acid alignment of KS domains present in the compound 2(a) locus PKS system (Figure 2) shows an overall similarity of domains and conservation of amino acid residues and domain regions important for activity. Similarly, multiple amino acid alignment of AT domains (Figure 3), ER domains (Figure 5), ACP domains (Figure 7) and TE domains (Figure 8) show an overall similarity of related domains and a high conservation of protein regions and of amino acid residues important for catalytic activity. The domains that occur only once in the compound 2(a) locus PKS, namely the enoylreductase (ER) domain in ORF 17 (SEQ ID NO: 35) and the thioesterase (TE) domain in ORF 18 (SEQ ID NO: 37) are compared to prototypical domains from the nystatin type I polyketide system (Figures 5 and 8) (see Brauteset et al., supra).

Comparison of DH domains found in the compound 2(a) locus PKS indicates a high conservation of amino acid residues important for catalytic activity (Figure 4). However, two DH domains are inactive as they contain non-conservative amino acid substitutions in a region of high sequence conservation. As highlighted in Figure 4, the DH domain of module 6 in ORF 11 (SEQ ID NO: 23) and the DH domain of module 11 in ORF 12 (SEQ ID

NO: 25) contain substitutions of charged amino acids arginine and glutamic acid respectively for non-charged aliphatic amino acids.

Comparison of KR domains found in the compound 2(a) locus PKS system also displays a conservation of active sites and amino acid residues important for catalysis with the exception of the KR domain of module 12 found in ORF 13 (SEQ ID NO: 27). Figure 6 shows the presence in that module of a substitution of a glutamine (Q) for a highly conserved tyrosine (Y) amino acid residue. This non-conservative amino acid substitution results in the inactivation of the enzymatic activity of the KR domain of module 12 in ORF 13 (SEQ ID NO: 27) (ORF13_pKR01).

Phylogenetic analysis of the compound 2(a) locus PKS AT domains was conducted to assess the nature of the β-keto acyl units that are incorporated in the growing polyketide chain. The compound 2(a) locus PKS AT domains were compared to two domains, AAF71779mod03 and AAF71766mod11, derived from the nystatin PKS system [Brautaset, *supra*] and specifying the incorporation of malonyl-CoA and methylmalonyl-CoA respectively. Figure 9 shows the phylogenetic relatedness of the various AT domains indicating that, in the compound 2(a) locus PKS, ORF 13 (SEQ ID NO: 27) module 12 as well as ORF 16 (SEQ ID NO: 33) modules 19 and 20 incorporate methylmalonate in the polyketide chain whereas all remaining AT domains incorporate malonate extender β-keto acyl units.

Domain analysis of the compound 2(a) locus PKS system provides clear indication as to synthesis of the polyketide core structure. While not intending to be limited to any particular mode of action or biosynthetic scheme, the nature and organization of the compound 2(a) locus PKS modules can explain the synthesis of Compound 2(a). Figure 10 highlights schematically a series of reactions catalyzed by the polyketide synthase system based on the correlation between the deduced domain architecture and the polyketide core of the compounds 2(a). Type I PKS domains and the reactions they carry out are well known to those skilled in the art and well documented in the literature; see for example, Hopwood, *supra*.

A biosynthetic pathway for the production of the γ-aminobutyryl-CoA starter unit is also shown. The gene product of ORF 28 (SEQ ID NO: 57), a

member of protein family TMOA, catalyzes the decarboxylative oxidation of arginine forming 4-guanidinobutanamide. The gene product of ORF 33 (SEQ ID NO: 67), a member of protein family ADHY, catalyzes hydrolysis of the amidino group forming γ-aminobutanamide that is further activated by either ORF 27 or 36 (SEQ ID NOS: 55 and 73 respectively), both members of protein family CALB, to give γ-aminobutyryl-CoA (Figure 10a). The gene product of ORF 19 (SEQ ID NO: SEQ ID NO: 39), a member of protein family AYTF, loads this unusual extender unit onto the ACP domain of the loading module (module 0) of ORF 10 (SEQ ID NO: 21), a member of protein family PKSH, as illustrated in Figure 10b. The polyketide chain continues to grow by the sequential condensation of malonyl-CoA and methylmalonyl-CoA extender units that are further reduced by specific domains to various degrees. Dehydratase domains found in module 6 of ORF 11 (SEQ ID NO: 23) and module 11 of ORF 12 (SEQ ID NO: 25) as well as the ketoreductase domain found in module 12 of ORF 13 (SEQ ID NO: 27) are inactive and consequently do not catalyze their respective reductive reactions. The mature polyketide chain is then released through the action of the thioesterase domain found in module 26 of ORF 18 (SEQ ID NO: 37), a member of protein family PKSH as illustrated in Figure 10b. The polyketide core structure expected from the architecture of the PKS domains of the compound 2(a) locus is entirely consistent with the polyketide portion of the compound 2(a).

The compound 2(a) locus contains genes involved in the synthesis of two other components found in the chemical structure of the compound 2(a) locus. Figure 11a illustrates a biosynthetic pathway for the production of the aminohydroxy-cyclopentenone moiety found in the compound 2(a) locus. The gene product of ORF 35 (SEQ ID NO: 71), a member of protein family AYTP, condenses glycine with succinyl-CoA forming 5-aminolevulinate. This intermediate is further activated through the action of either the gene products of ORF 27 or 36 (SEQ ID NOS: 55 and 73 respectively), both members of protein family CALB, forming 5-aminolevulinate-CoA that may spontaneously cyclize to produce aminohydroxycyclopentenone. This moiety is subsequently condensed to the activated carboxy terminus of the polyketide chain through

the action of the gene product of ORF 34 (SEQ ID NO: 69), a member of
protein family ADSN as illustrated in Figure 10c.

Figure 11b depicts the biosynthetic pathway of the deoxysugar
component of Compound 2(a). The gene product of ORF 24 (SEQ ID NO:
49), a member of protein family NUTA, activates D-glucose forming dNDP-D-
glucose that is subsequently dehydrated through the action of the gene
product of ORF 25 (SEQ ID NO: 51), a member of protein family DEPA,
forming dNDP-4-keto-4, 6-dideoxy-D-glucose. The gene product of ORF 22
(SEQ ID NO: 45), a member of protein family DEPL, further reduces this
intermediate forming dNDP-D-fucose that is subsequently epimerized by the
gene product of ORF 23 (SEQ ID NO: 47), a member of protein family EPIM,
producing dNDP-L-rhamnose.

The final deoxysugar moiety is transferred onto a hydroxyl group of the
polyketide core structure through the action of a glycosyltransferase, i.e. the
gene product of ORF 9 (SEQ ID NO: 19), a member of protein family GTFA,
as illustrated in Figure 10c. Figure 10c proposes one scheme in regard to
timing of the reactions catalyzed by the gene product of ORF 34 (SEQ ID NO:
69), a member of protein family CALB, and by the gene product of ORF 9
(SEQ ID NO: 19), a member of protein family GTFA. However, it will be
readily understood that the invention does not reside in the actual timing and
order of the reactions as depicted in Figure 10c.

Additional proteins forming the compound 2(a) locus include the gene
product of ORF 2 (SEQ ID NO: 4) and a member of protein family TESA
which is expected to having polyketide-priming editing functions; the gene
products of ORFs 3, 4, 5 and 31 (SEQ ID NOS: 6, 8, 10 and 63), members of
protein families REGD, RREB, SPKK and REGD respectively, are expected to
regulate synthesis of Compound 2(a); the gene products of ORFs 6 and 21
(SEQ ID NOS: 12 and 43), members of protein families UNEW and ABCD
respectively, are involved in transmembrane transport; and the gene product
of ORF 29 (SEQ ID NO: 59), a member of protein family PPTF, activates ACP
domains through phosphopantetheinylation.

Structural modification of compound of Formula I and Formula II and
Compound 2(a) are attained by the genetic modifications of the compound
2(a) locus. Genetic modifications of PKS biosynthetic loci are well known in

the art. The WO 01/34816 patent publication teaches the construction of a
library of structural variants of the macrolide polyketide rapamycin derived
from the genetic modification of genes in the locus that directs rapamycin
synthesis. The genetic modifications taught, include gene inactivation, gene
insertion and gene replacement. These modifications, both individually and in
combination at different positions within the rapamycin locus, resulted in
alteration of polyketide starter units, chain length and hydroxyl
sterospecificities in rapamycin. Similarly, McDaniel *et.al.* [Proc Natl Acad Sci
USA, 1999, 96:18646-51] generated a library of over 50 derivatives of the
macrolide antibiotic erythromycin using a combination of genetic modifications
including gene inactivation, macrolide chain length and hydroxyl
sterospecificity modifications of the erythromycin biosynthesis genes.

The elucidation of the nucleic acid sequences that encodes the
biosynthesis of Compound 2a provides the biological tools to enable one
skilled in the art to genetically modify the biosynthetic pathway to generate
variants of the Compound 2a. In particular, Type I PKS systems may be
manipulated by changing the number of modules, their specificities towards
carboxylic acids, and by inactivating or inserting domains with reductive
activities (Katz, Chem. Rev. v. 97, 2557-2575, 1997). Thus, the polyketide
synthase system of Compound 2(a) may be engineered by modifying, adding,
or deleting domains, or replacing them with those taken from other Type I
PKS enzymes. Compounds of Formula I may be produced using a modified
PKS system created based on the polyketide synthase system for the
production of Compound 2a. Preferred modified PKS systems are those
wherein a KS, AT, KR, DH or ER domain has been inactivated or deleted.

In one aspect, the invention is directed to preparation of a polyketide of
Formula I or II resulting from a modified polyketide synthase system, which
modification include deletions, mutagenesis, inactivation or replacement of
one or more of the domains of the invention. The modified polyketide
synthase system produces compounds of Formula I that may differ from the
compound of Formula 2a in size, degree of saturation and oxidation. In
another aspect, the invention is directed to compounds of Formula I or II
produced by genetic modification of the polyketide synthase system for the
compound 2(a) locus.

The compounds of this invention may be formulated into pharmaceutical compositions comprised of compounds of Formula I in combination with a pharmaceutically acceptable carrier.

The compounds of this invention are useful in treating bacterial infections, fungal infections and cancer.

Molecular terms, when used in this application, have their common meaning unless otherwise specified.

The term alkyl refers to a linear or branched hydrocarbon group. Examples of alkyl groups include, without limitation, methyl, ethyl, n-propyl, isopropyl, n-butyl, pentyl, hexyl, heptyl, cyclopentyl, cyclohexyl, cyclohexymethyl, and the like. Alkyl groups may optionally be substituted with one or more substituents selected from acyl, amino, acylamino, acyloxy, carboalkoxy, carboxy, carboxyamido, cyano, halo, hydroxyl, nitro, thio, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, alkoxy, aryloxy, sulfinyl, sulfonyl, oxo, guanidino and formyl.

The term alkenyl refers to a linear, branched or cyclic hydrocarbon group containing at least one carbon-carbon double bond. Examples of alkenyl groups include, without limitation, vinyl, 1-propene-2-yl, 1-butene-4-yl, 2-butene-4-yl, 1-pentene-5-yl and the like. Alkenyl groups may optionally be substituted with one or more substituents selected from acyl, amino, acylamino, acyloxy, carboalkoxy, carboxy, carboxyamido, cyano, halo, hydroxyl, nitro, thio, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, alkoxy, aryloxy, sulfinyl, sulfonyl, formyl, oxo and guanidino. The double bond portion(s) of the unsaturated hydrocarbon chain may be either in the cis or trans configuration.

The term cycloalkyl or cycloalkyl ring refers to a saturated or partially unsaturated carbocyclic ring in a single or fused carbocyclic ring system having from three to fifteen ring members. Examples of cycloalkyl groups include, without limitation, cyclopropyl, cyclobutyl, cyclohexyl, and cycloheptyl. Cycloalkyl groups may optionally be substituted with one ore more substituents selected from acyl, amino, acylamino, acyloxy, carboalkoxy, carboxy, carboxyamido, cyano, halo, hydroxyl, nitro, thio, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, alkoxy, aryloxy, sulfinyl, sulfonyl and formyl.

The term heterocycloalkyl, heterocyclic or heterocycloalkyl ring refers to a saturated or partially unsaturated ring containing one to four hetero atoms or hetero groups selected from O, N, NH, NR^x, PO_2, S, SO or SO_2 in a single or fused heterocyclic ring system having from three to fifteen ring members. Examples of heterocycloakyl groups include, without limitation, morpholinyl, piperidinyl, and pyrrolidinyl.   Heterocycloalkyl groups may optionally be substituted with one or more substituents selected from acyl, amino, acylamino, acyloxy, oxo, thiocarbonyl, imino, carboalkoxy, carboxy, carboxyamido, cyano, halo, hydroxyl, nitro, thio, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, alkoxy, aryloxy, sulfinyl, sulfonyl and formyl.

The term amino acid refers to a natural amino acid, a synthetic amino acid or a synthetic derivative of a natural amino acid. Examples of natural amino acids include, but are not limited to alanine, arginine, asparagine, aspartic acid, cysteine, glutamic acid, glutamine, glycine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, proline, serine, threonine, tryptophan, tyrosine and valine.

The term halo is defined as a bromine, chlorine, fluorine or iodine atom.

The term aryl or aryl ring refers to an aromatic group comprising a single or fused ring system, having from five to fifteen ring members. Examples of aryl groups include, without limitation, phenyl, naphthyl, biphenyl, terphenyl. Aryl groups may optionally be substituted with one or more substituent group selected from acyl, amino, acylamino, acyloxy, azido, alkythio, carboalkoxy, carboxy, carboxyamido, cyano, halo, hydroxyl, nitro, thio, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, alkoxy, aryloxy, sulfinyl, sulfonyl and formyl.

The term heteroaryl or heteroaryl ring refers to an aromatic group comprising a single or fused ring system, having from five to fifteen ring members and containing at least one hetero atom such as O, N, S, SO and SO_2. Examples of heteroaryl groups include, without limitation, pyridinyl, thiazolyl, thiadiazoyl, isoquinolinyl, pyrazolyl, oxazolyl, oxadiazoyl, triazolyl, and pyrrolyl groups. Heteroaryl groups may optionally be substituted with one or more substituent groups selected from acyl, amino, acylamino, acyloxy, carboalkoxy, carboxy, carboxyamido, cyano, halo, hydroxyl, nitro, thio,

thiocarbonyl, alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl, aryl, heteroaryl, alkoxy, aryloxy, sulfinyl, sulfonyl, and formyl.

As used herein, the term "treatment" refers to the application or administration of a therapeutic agent to a patient, or application or administration of a therapeutic agent to an isolated tissue or cell line from a patient, who has a disorder, e.g., a disease or condition, a symptom of disease, or a predisposition toward a disease, with the purpose to cure, heal, alleviate, relieve, alter, remedy, ameliorate, improve, or affect the disease, the symptoms of disease, or the predisposition toward disease.

As used herein, a "pharmaceutical composition" comprises a pharmacologically effective amount of a farnesyl dibenzodiazepinone and a pharmaceutically acceptable carrier. As used herein, "pharmacologically effective amount," "therapeutically effective amount" or simply "effective amount" refers to that amount of a farnesyl dibenzodiazepinone effective to produce the intended pharmacological, therapeutic or preventive result. For example, if a given clinical treatment is considered effective when there is at least a 25% reduction in a measurable parameter associated with a disease or disorder, a therapeutically effective amount of a drug for the treatment of that disease or disorder is the amount necessary to effect at least a 25% reduction in that parameter.

The term "pharmaceutically acceptable carrier" refers to a carrier for administration of a therapeutic agent. Such carriers include, but are not limited to, saline, buffered saline, dextrose, water, glycerol, ethanol, and combinations thereof. The term specifically excludes cell culture medium. For drugs administered orally, pharmaceutically acceptable carriers include, but are not limited to pharmaceutically acceptable excipients such as inert diluents, disintegrating agents, binding agents, lubricating agents, sweetening agents, flavoring agents, coloring agents and preservatives. Suitable inert diluents include sodium and calcium carbonate, sodium and calcium phosphate, and lactose, while corn starch and alginic acid are suitable disintegrating agents. Binding agents may include starch and gelatin, while the lubricating agent, if present, will generally be magnesium stearate, stearic acid or talc. If desired, the tablets may be coated with a material such as

glyceryl monostearate or glyceryl distearate, to delay absorption in the gastrointestinal tract.

Pharmaceutically acceptable salts include acid addition salts and base addition salts. The nature of the salt is not critical, provided that it is pharmaceutically-acceptable. Without being limited, examples of acid addition salts include hydrochloric, hydrobromic, hydroiodic, nitric, carbonic, sulphuric, phosphoric, formic, acetic, citric, tartaric, succinic, oxalic, malic, glutamic, propionic, glycolic, gluconic, maleic, embonic (pamoic), methanesulfonic, ethanesulfonic, 2-hydroxyethanesulfonic, pantothenic, benzenesulfonic, toluenesulfonic, sulfanilic, mesylic, cyclohexylaminosulfonic, stearic, algenic, β-hydroxybutyric, malonic, galactantic, galacturonic acid and the like. Suitable pharmaceutically-acceptable base addition salts of compounds of the invention include, but are not limited to, metallic salts made from aluminium, calcium, lithium, magnesium, potassium, sodium and zinc or organic salts made from N,N'-dibenzylethylenediamine, chloroprocaine, choline, diethanolamine, ethylenediamine, N-methylglucamine, lysine, procaine and the like. Additional examples of pharmaceutically acceptable salts are listed in *Journal of Pharmaceutical Sciences*, 1977, 66:2. All of these salts may be prepared by conventional means form the corresponding compounds of Formula I by treating with the appropriate acid or base.

The compounds of the present invention can possess one or more asymetric carbon atoms and can exist as optical isomers forming mixtures of racemic or non-racemic compounds. The compounds of the present invention are useful as a single isomer or as a mixture of stereochemical isomeric forms. Diastereoisomers, i.e., nonsuperimposable stereochemical isomers, can be seperated by conventional means such as chromatography, distillation, crystallization and sublimation. The optical isomers can be obtained by resolution of the racemic mixtures according to conventional processes.

The invention embraces isolated compounds. An isolated compound refers to a compound which represents at least 10%, 20%, 50% and 80% of the compound of the present invention present in a mixture, provided that the mixture comprising the compound of the invention has demonstrable (i.e. statistically significant) biological activity including antibacterial, antifungal or

anticancer activity when tested in conventional biological assays known to a person skilled in the art.

The compounds of the present invention, or pharmaceutically acceptable salts thereof, can be formulated for oral, intravenous, intramuscular, subcutaneous, topical or parenteral administration for the therapeutic or prophylactic treatment of diseases, particularly bacterial and fungal infections. For oral or parental administration, compounds of the present invention can be mixed with conventional pharmaceutical carriers and excipients and used in the form of tablets, capsules, elixirs, suspensions, syrups, wafers and the like. The compositions comprising a compound of this present invention will contain from about 0.1% to about 99.9%, about 5% to about 95%, about 10% to about 80% or about 15% to about 60% by weight of the active compound.

The pharmaceutical preparations disclosed herein are prepared in accordance with standard procedures and are administered at dosages that are selected to reduce, prevent, or eliminate bacterial and fungal infection or the cancer (See, e.g., Remington's Pharmaceutical Sciences, Mack Publishing Company, Easton, PA and Goodman and Gilman's the Pharmaceutical Basis of Therapeutics, Pergamon Press, New York, NY, the contents of which are incorporated herein by reference, for a general description of the methods for administering various antimicrobial agents for human therapy). The compositions of the present invention can be delivered using controlled (e.g., capsules) or sustained release delivery systems (e.g., bioerodable matrices). Exemplary delayed release delivery systems for drug delivery that are suitable for administration of the compositions of the invention (preferably of Formula I) are described in U.S. Patent Nos 4,452,775 (issued to Kent), 5,239,660 (issued to Leonard), 3,854,480 (issued to Zaffaroni).

The pharmaceutically-acceptable compositions of the present invention comprise one or more compounds of the present invention in association with one or more non-toxic, pharmaceutically-acceptable carriers and/or diluents and/or adjuvants and/or excipients, collectively referred to herein as "carrier" materials, and if desired other active ingredients. The compositions may contain common carriers and excipients, such as corn starch or gelatin,

lactose, sucrose, microcrystalline cellulose, kaolin, mannitol, dicalcium phosphate, sodium chloride and alginic acid. The compositions may contain crosarmellose sodium, microcrystalline cellulose, sodium starch glycolate and alginic acid.

Lubricants that can be used include magnesium stearate or other metallic stearates, stearic acid, silicon fluid, talc, waxes, oils and colloical silica.

Flavouring agents such as peppermint, oil of wintergreen, cherry flavouring or the like can also be used. It may also be desirable to add a coloring agent to make the dosage form more esthetic in appearance or to help identify the product comprising a compound of the present invention.

For oral administration, the pharmaceutical compositions are in the form of, for example, a tablet, capsule, suspension or liquid. For oral use, solid formulations such as tablets and capsules are particularly useful. Sustained released or enterically coated preparations may also be devised. Tablet binders that can be included are acacia, methylcellulose, sodium carboxymethylcellulose, polyvinylpyrrolidone (Providone), hydroxypropyl methylcellulose, sucrose, starch and ethylcellulose. For pediatric and geriatric applications, suspension, syrups and chewable tablets are especially suitable. The pharmaceutical composition is preferably made in the form of a dosage unit containing a therapeutically-effective amount of the active ingredient. Examples of such dosage units are tablets and capsules. For therapeutic purposes, the tablets and capsules can contain, in addition to the active ingredient, conventional carriers such as binding agents, for example, acacia gum, gelatin, polyvinylpyrrolidone, sorbitol, or tragacanth; fillers, for example, calcium phosphate, glycine, lactose, maize-starch, sorbitol, or sucrose; lubricants, for example, magnesium stearate, polyethylene glycol, silica or talc: disintegrants, for example, potato starch, flavoring or coloring agents, or acceptable wetting agents. Oral liquid preparations generally are in the form of aqueous or oily solutions, suspensions, emulsions, syrups or elixirs may contain conventional additives such as suspending agents, emulsifying agents, non-aqueous agents, preservatives, coloring agents and flavoring agents. Examples of additives for liquid preparations include acacia, almond

oil, ethyl alcohol, fractionated coconut oil, gelatin, glucose syrup, glycerin, hydrogenated edible fats, lecithin, methyl cellulose, methyl or propyl *para*-hydroxybenzoate, propylene glycol, sorbitol, or sorbic acid.

For intravenous (IV) use, compounds of the present invention can be dissolved or suspended in any of the commonly used intravenous fluids and administered by infusion. Intravenous fluids include, without limitation, physiological saline or Ringer's solution.

Formulations for parental administration can be in the form of aqueous or non-aqueous isotonic sterile injection solutions or suspensions. These solutions or suspensions can be prepared from sterile powders or granules having one or more of the carriers mentioned for use in the formulations for oral administration. The compounds can be dissolved in polyethylene glycol, propylene glycol, ethanol, corn oil, benzyl alcohol, sodium chloride, and/or various buffers.

For intramuscular preparations, a sterile formulation of compounds of the present invention or suitable soluble salts forming the compound, can be dissolved and administered in a pharmaceutical diluent such as Water-for-Injection (WFI), physiological saline or 5% glucose. A suitable insoluble form of the compound may be prepared and administered as a suspension in an aqueous base or a pharmaceutically acceptable oil base, e.g. an ester of a long chain fatty acid such as ethyl oleate.

For topical use the compounds of present invention can also be prepared in suitable forms to be applied to the skin, or mucus membranes of the nose and throat, and can take the form of creams, ointments, liquid sprays or inhalants, lozenges, or throat paints. Such topical formulations further can include chemical compounds such as dimethylsulfoxide (DMSO) to facilitate surface penetration of the active ingredient.

For application to the eyes or ears, the compounds of the present invention can be presented in liquid or semi-liquid form formulated in hydrophobic or hydrophilic bases as ointments, creams, lotions, paints or powders.

For rectal administration the compounds of the present invention can be administered in the form of suppositories admixed with conventional carriers such as cocoa butter, wax or other glyceride.

Alternatively, the compound of the present invention can be in powder form for reconstitution in the appropriate pharmaceutically acceptable carrier at the time of delivery. In another embodiment, the unit dosage form of the compound can be a solution of the compound or a salt thereof in a suitable diluent in sterile, hermetically sealed ampoules.

The amount of the compound of the present invention in a unit dosage comprises a therapeutically-effective amount of at least one active compound of the present invention which may vary depending on the recipient subject, route and frequency of administration. A recipient subject refers to a plant, a cell culture or an animal such as an ovine or a mammal including a human.

According to this aspect of the present invention, the novel compositions disclosed herein are placed in a pharmaceutically acceptable carrier and are delivered to a recipient subject (including a human subject) in accordance with known methods of drug delivery. In general, the methods of the invention for delivering the compositions of the invention in vivo utilize art-recognized protocols for delivering the agent with the only substantial procedural modification being the substitution of the compounds of the present invention for the drugs in the art-recognized protocols.

Likewise, the methods for using the claimed composition for treating cells in culture, for example, to eliminate or reduce the level of bacterial or fungal contamination of a cell culture, utilize art-recognized protocols for treating cell cultures with antibacterial or antifungal agent(s) with the only substantial procedural modification being the substitution of the compounds of the present invention for the agents used in the art-recognized protocols.

The compounds of the present invention provide a method for treating bacterial infections, fungal infections and pre-cancerous or cancerous conditions. As used herein the term unit dosage refers to a quantity of a therapeutically-effective amount of a compound of the present invention that elicits a desired therapeutic response. As used herein the phrase therapeutically-effective amount means an amount of a compound of the present invention that prevents the onset, alleviates the symptoms, or stops the progression of a bacterial infection, fungal infection or pre-cancerous or cancerous condition. The term treating is defined as administering, to a subject, a therapeutically-effective amount of at least one compound of the

present invention, both to prevent the occurrence of a bacterial or fungal infection or pre-cancer or cancer condition, or to control or eliminate a bacterial or fungal infection or pre-cancer or cancer condition. The term desired therapeutic response refers to treating a recipient subject with a compound of the present invention such that a bacterial or fungal infection or pre-cancer or cancer condition is reversed, arrested or prevented in a recipient subject.

The compounds of the present invention can be administered as a single daily dose or in multiple doses per day. The treatment regime may require administration over extended periods of time, e.g., for several days or for from two to four weeks. The amount per administered dose or the total amount administered will depend on such factors as the nature and severity of the infection, the age and general health of the recipient subject, the tolerance of the recipient subject to the compound and the type of the bacterial or fungal infection, or type of cancer.

A compound according to this invention may also be administered in the diet or feed of a patient or animal. The diet for animals can be normal foodstuffs to which the compound can be added or it can be added to a premix.

The compounds of the present invention may be taken in combination, together or separately with any known clinically approved antibiotic, anti-fungal or anti-cancer to treat a recipient subject in need of such treatment.

Compounds of Formula I are obtained biosynthetically by culturing *Actinomycetes* species in growth media described in Table 4, at temperatures between 24^0 C – 34^0 C and with shaking to aerate of the culture medium for 3 to 40 days. The compounds of Formula I are extracted and isolated from the bacterial culture by methods known to a skilled person including centrifugation, chromatography, adsorption, filtration, extraction or other methods of separation.

The compounds of Formula I may be biosynthesized by various microorganisms. Microorganisms that may synthesize the compounds of the present invention include but are not limited to bacteria of the order Actinomycetales, also referred to as actinomycetes. Non-limiting examples of members belonging to the genera of Actinomycetes include *Nocardia,*

Geodermatophilus, Actinoplanes, Micromonospora, Nocardioides, Saccharothrix, Amycolatopsis, Kutzneria, Saccharomonospora, Saccharopolyspora, Kitasatospora, Streptomyces, Microbispora, Streptosporangium, Actinomadura. The taxonomy of actinomycetes is complex and reference is made to Goodfellow (1989) Suprageneric classification of actinomycetes, *Bergey's Manual of Systematic Bacteriology,* Vol. 4, Williams and Wilkins, Baltimore, pp 2322-2339, and to Embley and Stackebrandt, (1994), and *The molecular phylogeny and systematics of the actinomycetes, Annu. Rev. Microbiol.* 48, 257-289 (1994), for genera that may synthesize the compounds of the invention, incorporated herein in their entirety by reference.

Microorganisms biosynthetically producing compounds of Formula I are cultivated in culture media containing known nutritional sources for actinomycetes having assimilable sources of carbon, nitrogen plus optional inorganic salts and other known growth factors at a pH of about 6 to about 9, non-limiting examples of growth media are provided in Table 4 below. Microorganisms are cultivated at incubation temperatures of about 20° C to about 40° C for about 3 to about 40 days.

Table 4. Examples of Growth Media for Production of Compounds of Formula I

Component	VA	QB	GA*4	MA	NA	KH	OA	HA	RM	EA	KA	CA
pH*5	7	7.2		7.5	7	7	7		6.85	7	5.7	7
Glucose	50	12	10			10	10	10	10	5	10	10
Sucrose			103					340	100			
Lactose										50		
Cane molasses					10							15
Soluble starch		10		25								
Potato dextrin						20						40
Corn steep										5		
Corn steep		5					3				10	
Dried yeast				2							5	
Yeast extract			5			5	3	3	5			
Malt extract							3	3				
Pharmamedia™		10										
Glycerol					20		5			15	5	
NA-Amine A						5						10
Soybean				15							10	
Soybean flour	30									10		
Beef extract							3					
Bacto-peptone					1		5			5		
$MgSO_4.7H_2O$										0.5		1
$MgCl_2. 6H_2O$			10.12									
$CaCO_3$	6			4	4	1	2			3	2	2
NaCl	5			5							5	
$(NH_4)_2 SO_4$	3			2						2		
$K_2 SO_4$		0.25							0.25			
$MnCl_2.4H_2O$										0.1		
$MgCl_2.6H_2O$								1	10			
$FeCl_2.4H_2O$										0.1		
$ZnCl_2$										0.1		
Thiamine								0.1				
Casamino acid			0.1		5				0.1			
Proflo oil		4										
MOPS									21			
Trace element solution *3 ml/L									2			

Unless otherwise indicated all the ingredients are in gm/L.

*3 Trace elements solution contains: $ZnCl_2$ 40 mg; Fe Cl_3 $6H_2O$ (200 mg); $CuCl_2$ $2H_2O$ (10 mg); $MnCl_2.4H_2O$; $Na_2B_4O_7.10H_2O$ (10mg); $(NH_4)_6 Mo_7O_{24}.4H_2O$ (10 mg) per litre.

*4 Dissolve components in 800 ml water and autoclave, later add: 10 ml KH_2PO_4 (0.5% solution); 80 ml $CaCl_2.2H_2O$ (3.68 % solution); 15 ml L-proline (20% solution); 100 ml TES buffer (5.73% solution, pH 7.2); 5 ml NaOH (1N solution), and 2 ml of trace elements solution.

*5 The pH is to be adjusted as marked prior to the addition of $CaCO_3$ in those media containing it.

The culture media inoculated with the microorganisms which biosynthetically produce compounds of Formula I, may be aerated by incubating the inoculated culture media with agitation, for example shaking on a rotary shaker, or a shaking water bath. Aeration may also be achieved by the injection of air, oxygen or an appropriate gaseous mixture to the inoculated culture media during incubation.

After cultivation and production of compounds of Formula I, the compounds can be extracted and isolated from the cultivated culture media by techniques known to a skilled person in the art and/or disclosed herein, including for example centrifugation, chromatography, adsorption. For example, the cultivated culture media can be mixed with a suitable organic solvent such as n-butanol, n-butyl acetate and 4-methyl-2-pentanone, the organic layer can be separated for example, by centrifugation followed by the removal of the solvent, by evaporation to dryness or by evaporation to dryness under vacuum. The resulting residue can optionally be reconstituted with for example water, ethanol, ethyl acetate, methanol or a mixture thereof, and re-extracted with a suitable organic solvent such as hexane, carbon tetrachloride, methylene chloride or a mixture thereof. After removal of the solvent, the compound of Formula I can be further purified by the use of standard techniques such as chromatography.

The compounds of Formula I that are biosynthesized by microorganisms may optionally be subjected to random and/or directed chemical modifications to form compounds that are derivatives or structural analogs of compounds of Formula I. Derivatives or structural analogs of compounds of Formula I having similar functional activities are within the scope of the present invention. Compounds of Formula I may optionally be modified using methods known in the art and described herein.

Unless otherwise indicated, all numbers expressing quantities of ingredients and properties such as molecular weight, reaction conditions, IC_{50} and so forth used in the specification and claims are to be understood as being modified in all instances by the term "about". Accordingly, unless indicated to the contrary, the numerical parameters set forth in the present specification and attached claims are approximations. At the very least, and not as an attempt to limit the application of the doctrine of equivalents to the

scope of the claims, each numerical parameter should at least be construed in light of the number of significant figures and by applying ordinary rounding techniques. Notwithstanding that the numerical ranges and parameters setting forth the broad scope of the invention are approximations, the numerical values set in the examples, Tables and Figures are reported as precisely as possible. Any numerical values may inherently contain certain errors resulting from variations in experiments, testing measurements, statistical analyses and such.

The compounds of Formula I, Formula II and compound 2(a) may optionally be chemically modified using methods known in the art and described herein.

The compounds of the invention are made by biofermentation and well-known chemical schemes. The schemes described herein are exemplary, any chemical synthetic process known to a person skilled in the art providing the structures described herein, may be used and are therefore comprised in the present invention.

SCHEME 1   Acylation Reactions

EDC = 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide

Protective groups include N-benzyloxycarbonyl (CBZ), N-butoxycarbonyl (BOC), N-fluoren-9-ylmethoxycarbonyl (FMOC)

R^x represents C_{1-6} alkyl, C_{2-6} alkenyl, aryl or heteroaryl

AA represents a naturally occurring amino acid

1. EDC = *N*-protected AA

2. Deprotection, e.g.
H_2/Pd, TFA. etc.

Scheme 2. Aminations/reductive aminations of terminal nitrogen

R^1 as previously defined

Shiff's base

$NaBH_3CN$

94

Scheme 3. Olefin reactions

m-chloroperoxybenzoic acid

aq. NaOH or aq. HCl

OH

OH

H₂, Pd/C

100 psi

H

H

Scheme 4. Ketone reactions

R^1 and R^8 are as previously defined.

NaCNBH₃

OH

R^8—NH₂

Δ

H₂O

R^8

N

NaCNBH₃

HN

R^8

H

R^1—OH

Δ

H₂O

R^1 R^1

O   O

Scheme 5. *O*- Reactions

R^1, R^5 and R^6 are as peviously defined.

Scheme 6. Hydrolysis/Esterification

aq. HCl or aq. NaOH

dizomethane

aq. HCl

Scheme 1 is used to obtain Compounds 2(m), 2(n), 2(o), 2(p), 2(q), 2(r), 2(s), 2(t), 2(u), 2(v), 2(w), 2(x), 2(y), 2(z), 2(aa), and 2(ab) from Compound 2(a).

Scheme 3 is used to obtain Compound 2(b) from Compound 2(a).

Scheme 4 is used to obtain Compounds 2(c), 2(d), 2(e) and 2(f) from Compound 2(a).

Scheme 6 is used to obtain Compounds 2(g), 2(h), 2(i) and 2(j) from Compound 2(a).

The features of the invention are further described below by way of examples and are not to be construed as limiting in their scope.

Example 1   **Production of Compound 2(a) by Fermentation**

Example 1(A): Preparation of Strain [C03U03]023

Strain [C03]023: *Streptomyces aizunensis* NRRL B-11277 was plated
on three tomato paste oatmeal agar (ATCC medium 1360) plates for
sporulation at 28 °C. The plates were incubated for a period of 5-7 days, after
which spores were collected from each plate into 5 ml sterile distilled water,
spun down by centrifugation at 5000 rpm (10 min), and dispersed in 20 ml
sterile water. After a second centrifugation under the same conditions the
pellet was resuspended in 10 ml sterile distilled water. A series of ten-fold
dilutions of the original spore suspension were prepared and 0.5 ml aliquots
plated on tomato paste-oat meal agar until sporulation occurred (5-7 days).
Each individual clone from the plates with single well-isolated colonies
(generated from 10^{-8} to 10^{-10} dilutions of the spore suspension) was chosen
and transferred to one plate of tomato paste-oat meal agar to generate spores
for storage. Each clone was grown in 25x150 mm glass tubes for its
production of Compound 2(a). A total of 385 clones were tested for production
levels of Compound 2(a). Clone [C03]023 showed a production of 3 times
better than the wild-type strain. This clone was chosen, stored, and used for
mutagenesis.

Strain [C03U03]023: An aqueous spore suspension of [C03]023 was
mutagenized by UV radiation (254 nm) at different energy levels (expressed
as mJoules per surface area). Clone [C03U03]023 obtained at 0.4 mJ/1 cm^2
showed slightly more than three times better production than the parent clone
[C03]023. Production of Compound 2(a) by the new clone has been
consistently reproducible both in shaken flask (500 ml medium QB or VA in 2-
L baffled flasks) and in 100-L fermentors with medium VA.

Example 1(B) Activation of lyophilized sample of Strain [C03U03]023

Strain [C03U03]023 was provided as a lyophilized pellet. The
lyophilized sample was opened under aseptic conditions, and 0.3-0.5 ml of
medium ITSB was added to the sample to make a cell suspension. The cell
suspension was transferred to 25 ml of medium ITSB (described below) in a
125-ml flask to form a liquid culture. The liquid culture was incubated at 28 °C

for 3-5 days until visible growth occurred. Purity of the culture was tested by streaking a loop on ISP2 agar plate.

Example 1(C): Preparation and Storage of glycerol stocks of Strain [C03U03]023

Strain [C03U03]023 was grown for 7-10 days at 28°C on several tomato paste-oat meal agar plates. Surface growth was collected from each plate into 5 ml sterile distilled water, spun down by centrifugation at 5000 rpm (10 min), and dispersed in 10 ml sterile water. After a second centrifugation under the same conditions the pellet was resuspended in 2 ml sterile 25% glycerol and 0.5-ml aliquots were stored at –80 °C in screw-capped vials. In addition to the glycerol stocks, the collected cell mass could be resuspended in 15% sterile skim milk and dispensed in 0.5-ml aliquots into glass ampoules and lyophilized following standard procedures.

Example 1(D): Preparation of Seed Culture

A vial containing frozen mycelia prepared as described in Example 1(C) was taken out of freezer and kept on dry ice. Under aseptic conditions, a loopfull of the frozen culture was taken and streaked on the surface of tomato paste-oat meal agar plate and incubated at 28°C until vegetative mycelium appeared (5-7 days). In order to start the seed culture, 2-3 loopfull of the surface growth obtained from the tomato paste-oat meal agar plate was transferred to a 1.5-ml Eppendorf tube containing 300 µl of medium ITSB. The mycelium with agar fragments was homogenized, and 1 ml of medium ITSB was added to the suspension. The content was used to inoculate two 125-ml flasks containing 25 ml of sterile medium ITSB. The flasks were incubated at 28°C for 65-70 hours in a rotary shaker at 250 rpm. This seed culture was then used to inoculate production medium QB or VA.

Example 1(E): Production of Compound 2(a) by Fermentation

A sample of the seed culture prepared as described in Example 1(D) above was checked microscopically for any possible contamination. A sample of the seed culture was then streaked onto one ISP2 plate (control plate) and incubated at 28 °C. From the seed culture under aseptic conditions, 10 ml was

taken and used to inoculate each 2 Liter baffled flask containing 500 ml of sterile medium QB or VA. The fermentation batches were incubated aerobically with shaking (250 rpm) at 28°C for a period of 7 days. After 3-5 days of incubation the control plate was checked for purity of the culture.

The compositions of the growth media used in Examples 1(A) – 1(E) are given below. Note that either of Production media QB or VA may be used in the production of Compound 2(a); however, production medium VA is preferred when conducting the fermentation on a large scale.

Seed Medium ITSB:

Trypticase Soy Broth	(Difco)	30 g
Yeast extract (Sigma)		3 g
$MgSO_4$ (Sigma)		2 g
Glucose (Sigma)		5 g
Maltose (Sigma)		4 g
Distilled water		1 L

Production Medium VA

Glucose	50g
Soybean Flour	30g
$CaCO_3$	6g
NaCl	5g
$(NH_4)_2SO_4$	3g
Distilled water	1L

Production Medium QB:

Soluble starch	(Sigma)	10 g
Glucose (Sigma)		12 g
Pharmamedia (Traders protein)		10 g
Corn steep liquor (Sigma)		5 g
Proflo oil (Traders Protein)		4 mL *
Distilled water		1 L

* Adjust pH to 7.2, then add Proflo oil

Tomato paste Oatmeal Agar:

Baby Oatmeal Food (Heinz)	20 g
Tomato Paste	20 g
Agar	15 g
Tap water	1 L

pH 7.0

The production of Compound 2(a) may also be carried out in the production media having the compositions as indicated in Table 4, *supra,* in order of preference.

Example 2 Isolation of Compound 2(a)

Thirty minutes prior to harvest of Compound 2(a) from the fermentation broth of the baffled flasks of Example 1E, regenerated, water-washed, Diaion HP-20® in a quantity of wet-packed volume equal to 12% of the initial fermentation beer volume was added to the whole fermentation broth of Example 1E and modest agitation was continued for 30 minutes. At harvest the fermentation broth from 2 x 500 ml flasks was centrifuged and the supernatant was decanted from the resin and mycelia pellet. The pellet was resuspended in 15% MeOH in water (half the original fermentation beer volume), agitated mildly and recentrifuged, and the surpernatant was decanted from the residue. The residue was washed a second time in the same manner with another 15% MeOH in water, followed by a single final wash with methanol: water (7:3 v/v) (half the original fermentation beer volume) to obtain a well-washed residue. The well-washed mycelia:resin residue was extracted three times with 100% ethanol, each extract being at 20% original beer volume. The three extracts were combined and concentrated under vacuum on a rotary evaporator, to dryness.

The three extracts (representing material from 2 x 500 ml flasks) were combined, filtered on paper and concentrated under vacuo to remove organic solvents. The resulting semi-solid residue (aqueous suspension) of crude Compound 2(a) represented greater than 90% of the respective compounds produced and was about 25% pure. The aqueous suspension was freeze-dried overnight to give 460 mg of a dark brown solid. The solid was stirred

with 10 ml of methanol and centrifuged for 2 minutes to remove insoluble matter.

The semi-solid residue of crude Compound 2(a) was then purified using a Waters Xterra® preparative MS C-18 column with 10 μm packing of dimensions 19 mm diameter x 150 mm length, using the following gradient table (Table 5) from 5mM aqueous ammonium bicarbonate to acetonitrile.

Table 5:

Time (min)	% Aqueous	% Acetonitrile
0	70	30
5	45	55
10	70	30

The eluate was monitored at 390 nm, a single run was loaded with 23 mg of crude residue in 0.5 ml of methanol, and a conservative cut of the peak eluting at 3.4 minutes afforded compound 2(a). Nineteen runs were conducted to yield 33 mg of product with about 95% purity.

Example 3   Structural Determination of Compound 2(a)

The structure of compound 2(a) was determined by a combination of genomic information and spectroscopic data, including Mass, UV, and NMR spectroscopy. The Mass was determined by electrospray mass spectrometry to be 1297 (Figure 13) and the UV λ_{max} were found to be 319, 333, 350 (Figure 14). The NMR data were collected at 500 MHz with the compound 2(a) dissolved in MeOH-$d4$, and included proton (Figure 15A), carbon-13 (Figure 15B), and multidimensional pulse sequences gDQCOSY, gHSQC, gHMBC, and TOCSY (Figures 15C, 15 D, 15E and 15F, respectively).

Streptomyces aizunensis NRRL B-11277 was grown on oat meal agar plates for 5-7 days. The surface growth was collected and washed with water, and DNA was extracted following standard procedures (T. Kiesser *et al.* Practical Streptomyces Genetics, The John Innes Foundation, Norwich, UK, 2000). The genomic library was produced in cosmid and plasmid vectors, and the genome was scanned for the presence of gene sequence tags (GSTs) related to the biosynthesis of secondary metabolites as described in E. Zazopoulos et al., Nature Biotechnology 21:187-190 (2003). The GSTs

were used to isolate cosmids containing the compound 2(a) locus. The PKS
system found within the compound 2(a) locus was determined to contain 9
PKS genes containing 27 modules. (The analysis of this PKS system is fully
described elsewhere herein; see, e.g., Table III and accompanying text). Full
analysis of the PKS and associated genes led to the prediction of a structure
of Formula 1 below.

1

The position of the glycosidic linkage to the sugar moiety could not be
determined by the genomic analysis; however, the positioning of the
aminohydroxycyclopentenone unit was determined by analogy with its
placement in other actinomycete metabolites (Colabomycin A from
Streptomyces griseoflavus Tue 2880, J. Antibiot. 1988, 41, 1178-85, 1186-
1195 or Enopeptin-A from *Streptomyces griseus*, Osada et al., J. Antibiot. 44,
1463-6 1991).

To obtain expression of these genes, and the end product of this
biosynthesis pathway, *S. aizunensis* NRRL B-11277 was grown in several
different media designed for the production of secondary metabolites in
shaken flasks. At harvest the broth was diluted with an equal volume of
methanol to induce cell lysis, and the diluted, clarified broth was concentrated
10 fold. An aliquot (50 µL) from the concentrate from each medium was
chromatographed on a Waters Xterra C-18 HPLC column (19 x 150 mm) at a
flow rate of 1mL/min and monitored by diode array detector (DAD) UV and
positive and negative ion MS. Fractions (800 µL) were collected and tested
for antimicrobial activity against a panel of indicator strains. From the extracts
of several different media, HPLC fractions in the number 39 to 45 region
exhibited strong activity against *Candida albicans* and this correlated with a
UV absorption λ_{max} 319, 333, and 351 nm, and with strong MS peaks at m/z
1298 (positive ion mode) and 1296 (negative ion mode). These physical
characteristics were entirely consistent with a metabolite of formula 1.

A high yielding medium was chosen and the organism was regrown on a 2-liter scale. The compound 2(a) was extracted from the mycelial pellet with methanol and acetone, and from the broth with Diaion HP-20® resin, from which it was recovered with methanol after the resin had been washed with methanol/water 3:2. The crude extracts were purified by HPLC on a Waters Xterra C-18 column (19 x 150 mm) using an aqueous (5 mM ammonium bicarbonate) / acetonitrile gradient.

Compound 2(a), a yellow solid of MW 1297 Da ($C_{70}H_{108}N_2O_{20}$ requires 1296.75) λ_{max} 319, 334, and 351 nm was the subject of a series of 1D and 2D NMR measurements including a CMR, ^{1}H-NMR, gDQCOSY, gHSQC, gHMBC, TOCSY, gHSQCTOXY, and several 1D TOCSY experiments. See Figures 15A – 15E. Analysis of these spectra led to the assignments shown for compound 2(a) in Figure 17. Although considerable overlap of signals rendered unambiguous assignments of all of the signals to specific protons and carbons impractical, those that could be made unambiguously confirmed the structure predicted from the genomics. A major cross peak in the gHMBC spectrum between the well separated proton resonance at 4.01 ppm and the anomeric carbon at 102.6 ppm placed the sugar as shown, as this proton falls within a 14 carbon section of the major chain with fully assigned carbon and proton signals. A well resolved carbon spectrum with high signal to noise ratio showed that the unassigned methylene carbons were at 42.0, 45.3, 45.4 and 46.6 ppm. Analysis by gHSQC indicates that that these were attached to protons at 2.24, 1.62, 1.50 and 1.68, and 1.55 ppm respectively. Similarly the unassigned carbinols at 66.2, 66.2 (resolved), 67.2 and 69.0 ppm attached to protons at 4.06, 4.08, 4.22 and 3.89 ppm respectively and the unassigned olefinic carbons at 129.1, 131.0, 131.9, 133.3, 133.7, 134.3, 134.8, 136.5, and 138.0 ppm attached to protons at 5.72, 5.72, 6.28, 6.25, 6.28, 6.25, 6.19, 5.53, and 5.86 respectively. The aminohydroxycyclopentenone signals were not straightforward and reflected the tautomeric equilibrium of this moiety. The upfield methylene signal and the downfield carbonyl signals were only 10% of the intensity of those from the other tautomer. The signal from C-1 of this moiety was not detected, a phenomenon which has been previously ascribed to tautomerization for the same structural unit. See, He, H.; Shen, B.; Korshalla, J.; Siegel, M.M.; Carter,G.T. *J. Antibiot.* 2000, 53, 191~195.

Example 4 Minimal Inhibitory Concentration (MIC) Determination for Compound 2(a)

The MIC determination for fungal and bacterial organisms was performed using the broth microdilution assay adapted from National Committee for Clinical Laboratory Standards (NCCLS) M27-A (Vol. 17 No. 9, 1997), Reference Method for Broth Dilution Antifungal Susceptibility Testing of Yeasts; Approved Standard guidelines: M23-A: Reference Method for Broth Dilution Antifungal Susceptibility Testing of Filamentous Fungi; Approved Standard, vol. 22, No. 16.

<u>Materials:</u>

1) Overnight broth cultures of bacterial and fungal strains to be tested;

2) Stock solution of Compound 2(a) at 3.2 mg/ml in DMSO;

3) Standard 96 well round-bottom plates, sterile;

4) Cation adjusted Mueller-Hinton broth, or Brain Heart Infusion broth (for antibacterial testing);

5) Morpholinepropanesulfonic acid (MOPS)-buffered RPMI-1640 medium (for antifungal testing);

6) Sterile isotonic saline (0.85%);

7) McFarland 0.5 Barium Sulfate Turbidity Standard at 100 X 3.2mg/ml.

<u>Test compound preparation:</u> The test article was prepared as 100x stock solutions in DMSO, with concentrations ranging from 3.2 mg/ml to 0.0625 mg/ml (a two-fold dilution series over 10 points). The first dilution (3.2mg/ml) was prepared by resuspending 0.5 mg of each test article in 156.25 µl of DMSO. The stock is then serially diluted by two-fold increments to obtain the desired concentration range.

<u>Inoculum preparation:</u> For fungal strains, the inoculum was prepared as follows. From an overnight culture in Yeast Media broth, cell density was

adjusted in 0.85% saline to 0.5 McFarland. This procedure yielded a stock suspension of about 5 X 10^6 cells/ml. Following thorough vortexing, a working suspension was prepared by diluting the stock 1:50 in RPMI 1640, and then further diluting it 1:20 with RPMI 1640 to obtain the 2x test inoculum (about 5 X 10^3 cells/ml). For filamentous fungi, the inoculum was prepared as follows. From a spore suspension kept at 4°C, an appropriate dilution in 0.85% saline was made to obtain a final optical density 600 between 0.09-0.11. A working suspension was then prepared by diluting the spore suspension 50 times in RPMI to obtain the 2x test inoculum (about 1 X 105 CFU/ml).

MIC Determination: The 100X test article solutions were diluted 50 times in RPMI 1640, MH or BHI media and dispensed in a 96 well plate, one concentration per column, 10 columns in total. The 11th column contained RPMI 1640 with 1% DMSO with cells, the 12th column contained 100 µl of RPMI 1640 alone.

50 µl of the final cell dilution (yeast, filamentous fungi or bacteria) of each indicator strain was added to each corresponding well of the microplate containing 50 µl of diluted drug or media alone. Assay plates were incubated at 35°C for up to 72 hrs. MIC readings were determined at 24 and 48 hrs for the *Candida* and *Aspergillus* species, and at 48 and 72 hrs for *Cryptococcus neoformans*. MIC readout for each indicator was determined as the lowest concentration of test compound resulting in total absence of growth.

Table 6: MIC (µg/ml) for Compound 2(a) for various strains of yeast and fungi

	MIC (µg/ml)	
Yeasts and filamentous fungi	24 hrs	48 hrs
Candida albicans **ATCC 10231**	4	4
Candida krusei **LSPQ 0309**	8	8
Candida glabrata **LSPQ 0250**	4	8
Candida lusitaniae **ATCC 200953**	4	4
Saccharomyces cerevisiae **ATCC 9763**	4	4
Cryptococcus neoformans **ATCC 32045**	2*	4**
Aspergillus flavus **ATCC 204304**	4	8
Aspergillus fumigatus **ATCC 204305**	16	16

* 48 hrs reading; ** 72 hrs reading

Example 5. In vitro activity of compound 2(a) against *Aspergillus species*

To determine the antifungal activity of compound 2(a) against *Aspergillus* species (*A. fumigatus* and *A. flavus*) a disk diffusion assay was used to determine the minimum effective concentration (MEC) as described by Wong GK, Griffith S, Kojima I and Demain AL. Antifungal activities of rapamycin and its derivatives, prolylrapamycin, 32-desmethylrapamycin, and 32-desmethoxyrapamycin. J. Antibiotics, 51(5): 487-491,1998. Such assay is commonly used to reveal activity of antifungal drugs against filamentous fungi such as *Aspergillus sp.* (Arikan S, Yurdakul P, Hascelik G. Comparison of two methods and three end points in determination of in vitro activity of micafungin against *Aspergillus spp. Antimicrobial Agents and Chemotherapy 47(8): 2640-2643*, 2003).

Preparation of the inoculum: After spreading on YM agar (in cell culture flasks), *Aspergillus* strains (*A. flavus* – ATCC 204304 and *A. fumigatus* - LSPQ 204305) were left sporulating for 4 to 5 days at 35°C. After the addition

of 10 to 20 ml of saline solution (0.85% NaCl), spores were collected by gently rubbing the surface of the conidiophores with a disposable inoculation loop. *Aspergillus* spore suspensions, kept at 4°C, were used as the inoculum for the disc assays.

Preparation of the disks : Stock solutions (5 mg/ml) in methanol and dilutions (0.25, 0.5, 1.0, 2.5, 5.0, 7.5, 10.0 and 50.0 µg/ml), prepared by serial dilutions of stock solution in methanol were prepared for the test article and each of the control compounds. Itraconazole and casponfungin were used as positive controls while fluconazole or DMSO alone were used as negative controls. Drug-containing disks were prepared by spotting of 10 µl of the proper drug solution (or methanol as control) onto filter disks that were then allowed to air-dry.

Agar plate preparation: *Aspergillus* spore suspensions were adjusted to about 81% of transmittance at 530 nm in saline solution. 200 µl of the adjusted inoculum was then mixed with 50 ml of melted 0.8% YM agar (cooled to ~50°C), mixed thoroughly and poured in a 150 mm Petri dish. Once the agar was set, the prepared filters were loaded onto the plates, which were incubated at 35°C. The zone of inhibition (ZOI) of fungal growth was measured after 24 hours of incubation.

Results: Data presented in Table 7 show the lowest concentration (MEC) inducing inhibition of the fungal growth and the corresponding ZOI obtained at this concentration for compound 2(a) and the controls. Results demonstrated that compound 2(a) was active against *Aspergillus fumigatus* and *Aspergillus flavus*. Similar effect was obtained for itraconazole and caspofungin while fluconazole was inactive.

Table 7

	Aspergillus fumigatus		Aspergillus flavus	
	MEC (μg/ml)	ZOI (mm)	MEC (μg/ml)	ZOI (mm)
Methanol	0	0	0	0
Compound 2(a)	2.5	2.7	2.5	2.7
Itraconazole	1.0	1.7	0.5	1.7
Casponfungin	2.5	0.7	2.5	0.7
Fluconazole	0	0	0	0

MEC : mimimum effective concentration

ZOI : zone of inhibition of fungal growth calculated for each MEC

Example 6. Evaluation of Antifungal Activity of Compound 2(a) in a Mouse Model of Disseminated Candidiasis

Compound 2(a) was provided as a dry powder with an estimated purity of 95+%. Fungizone (amphotericin B desoxycholate, to be used as a comparitor), was also provided as a dry powder with an estimated purity of 95+%. The compound 2(a) and Fungizone were stored as dry powders at -80^0C until the day of administration.

Female mice (species *Mus musculus*, strain CD-1, Charles River) with body weight range of 22-24 g were used in the study. The animals were observed for 3 days before treatment. All animal experiments were performed at the Ste-Justine Hospital (Montreal, Quebec) according to ethical guidelines of animal experimentation of the ethical committee of the hospital. During the study, dead or apparently sick animals were promptly removed and sick mice were euthanized upon removal from the cage.

The animals were maintained in rooms under controlled conditions of temperature (23 ± 2^0C), humidity ($45\pm5\%$), photoperiodicity (12 hrs light / 12 hrs dark) and air exchange. The animals were housed in polycarbonate cages (4/single cage) equipped to provide food and water. Sterile wood

shavings were used for animal bedding and the bedding was replaced every
other day. Food (Harlam Tecklab, Canada) and autoclaved tap water was
provided *ab libitum*, the food being placed in the metal lid on top of the cage.
Water bottles were equipped with rubber stoppers and sipper tubes and were
cleaned, sterilized and replaced once a week.

Six groups of mice (10 mice per group) were infected intravenously
with 3×10^6 CFU of *C. albicans* SC5314 as previously described (see Dubois,
N., et al., *Microbiology* 1998, 144: 2299-2310). Twenty-four hours after
infection, each individual group of mice was treated with Compound 2(a) (1 or
3 mg/kg i.p.), Fungizone (0.25, 0.5 or 1 mg/kg i.p.) as comparitor, or sham-
treated with sterile water containing 5% dextrose and 3% DMSO. Each
animal received 100 µl of test solution.

The treatment regimen was repeated once daily for a total of 4 days.
The mice were observed twice daily for signs of morbidity over 21 days.
Moribund animals were scored as non-survivors and euthanized by CO_2
inhalation. The Kaplan and Meier product limit estimate was used to analyze
survival data and plot the survival function.

Table 8: Survival Rates Over Time After Inoculation with Compound 2(a) and
Fungizone

Groups	Treatment	Dose (mg/kg)	Median survival
1	Vehicle	-	5 days
2	Compound 2(a)	1.0	8.5 days
3	Compound 2(a)	3.0	20 days
4	Fungizone	0.25	>21 days
5	Fungizone	0.5	>21 days
6	Fungizone	1.0	>21 days

As indicated in Table 8, compound 2(a) has *in vivo* antifungal activity
similar to a dose of 0.25 mg/kg of Fungizone and increases 4-fold the median
survival time of infected mice.

The data (percent survival versus days post-inoculation) was plotted; the resulting graph is shown in Figure 16.

Example 7. In Vitro Antitumor activity of Compound 2(a)

In vitro antipoliferative study of Compound 2a was performed by the National Cancer Institute (National Institutes of Health, Bethesda, Maryland, USA) against a panel of cancer cell lines in order to determine the concentrations needed to obtain a 50% inhibition of cell proliferation (IC_{50}). The operation of this unique screen utilizes 60 different human tumor cell lines, representing leukemia, melanoma, and cancers of the lung, colon, brain, ovary, breast prostate and kidney. Compound 2(a) was provided as a lyophilized powder with an estimated purity of 90+%. The compound was stored at -20°C until day of use.

The human tumor cell lines of the cancer-screening panel were grown in RPMI 1640 medium containing 5% fetal bovine serum and 2 mM L-glutamine. For a typical screening experiment, cells were inoculated into 96 well microtiter plates in 100 µl at plating densities ranging from 5000 to 40,000 cells/well depending on the doubling time of individual cell lines (Table 8). After cell inoculation, the microtiter plates were incubated at 37 °C, under 5% CO_2, 95% air and 100% relative humidity for 24 hours prior to addition of the experimental drugs.

After 24 hours, two plates of each cell line were fixed *in situ* with TCA, to represent a measurement of the cell population for each cell line at the time of drug addition (Tz). Compound 2(a) was solubilized in dimethyl sulfoxide at 400-fold the desired final maximum test concentration and stored frozen prior to use. At the time of drug addition, an aliquot of frozen concentrate was thawed and diluted to twice the desired final maximum test concentration with complete medium containing 50 µg/ml gentamicin. Additional four, serial dilutions were made to provide a total of five drug concentrations plus control. Aliquots of 100 µl of these different drug dilutions were added to the appropriate microtiter wells already containing 100 µl of medium, resulting in the required final drug concentrations (2.5×10^{-5} M to 2.5×10^{-9} M).

Following drug addition, the plates were incubated for an additional 48 hours at 37°C, 5 % CO_2, 95 % air, and 100 % relative humidity. For adherent

cells, the assay was terminated by the addition of cold TCA. Cells were fixed
in situ by the gentle addition of 50 µl of cold 50 % (w/v) TCA (final
concentration, 10 % TCA) and incubation for 60 minutes at 4°C. The
supernatant was discarded, and the plates were washed five times with tap
water and air-dried. Sulforhodamine B (SRB) solution (100 µl) at 0.4 % (w/v)
in 1 % acetic acid was added to each well, and plates were incubated for 10
minutes at room temperature. After staining, unbound dye was removed by
washing five times with 1 % acetic acid and the plates were air-dried. Bound
stain was subsequently solubilized with 10 mM trizma base, and the
absorbance was read on an automated plate reader at a wavelength of 515
nm. For suspension cells, the methodology was the same except that the
assay was terminated by fixing settled cells at the bottom of the wells by
gently adding 50 µl of 80 % TCA (final concentration, 16 % TCA).

The growth inhibitory power of compound 2(a) was measured by NCI
utilizing the GI_{50} value, rather than the classical IC_{50} value. The GI_{50} value
emphasizes the correction for the cell count at time zero and, using the seven
adsorbance measurements [time zero (Tz), control growth (C), and the test
growth in the presence of drug at each of the five concentration levels (Ti)],
GI_{50} is calculated as $[(Ti - Tz) / (C - Tz) \times 100 = -50$. which is the drug
concentration resulting in a 50% reduction in the net protein increase (as
measured by SRB staining) in control cells during the drug incubation. The
GI_{50} values for compound 2(a) for the various cell lines tested are presented
in Table 9 below.

**Table 9: NCI Developmental Therapeutics Program In-Vitro Testing
Results for Compound 2(a)**

Cell Line	Panel name	Inoculation density (no. of cells per well)	GI_{50} (x 10^{-6}, unless otherwise indicated)
K-562	Leukemia	5000	9.18
MOLT-4	Leukemia	30,000	5.57
A549/ATCC	Non-small cell lung cancer	7500	4.09

EKVX	Non-small cell lung cancer	20,000	5.87
HOP-62	Non-small cell lung cancer	10,000	6.83
HOP-92	Non-small cell lung cancer	20,000	9.77×10^{-8}
NCI-H226	Non-small cell lung cancer	20,000	3.10
NCI-H23	Non-small cell lung cancer	20,000	4.25
NCI-H322M	Non-small cell lung cancer	20,000	3.48
NCI-H460	Non-small cell lung cancer	7500	3.83
NCI-H522	Non-small cell lung cancer	20,000	2.80
COLO 205	Colon cancer	15,000	5.00
HCC-2998	Colon cancer	15,000	6.03×10^{-8}
HCT-116	Colon cancer	5000	4.18
HCT-15	Colon cancer	10,000	3.25
HT29	Colon cancer	5000	6.36
KM12	Colon cancer	15,000	2.76
SW-620	Colon cancer	10,000	5.35
SF-268	CNS cancer	15,000	3.64
SF-295	CNS cancer	10,000	3.91
SNB-19	CNS cancer	15,000	5.58
SNB-75	CNS cancer	20,000	3.87
U251	CNS cancer	7500	3.65
LOX IMVI	Melanoma	7500	3.73
MALME-3M	Melanoma	20,000	2.40
M14	Melanoma	15,000	4.15
SK-MEL-2	Melanoma	20,000	4.34
SK-MEL-28	Melanoma	10,000	6.75
SK-MEL-5	Melanoma	10,000	4.16
UACC-257	Melanoma	20,000	3.74
UACC-62	Melanoma	10,000	2.68
IGROV1	Ovarian cancer	10,000	2.95
OVCAR-3	Ovarian cancer	10,000	3.40
OVCAR-4	Ovarian cancer	15,000	4.48
OVCAR-5	Ovarian cancer	20,000	4.00
OVCAR-8	Ovarian cancer	10,000	4.34
SK-OV-3	Ovarian cancer	20,000	7.94
786-0	Renal cancer	10,000	3.07

A498	Renal cancer	25,000	4.82
ACHN	Renal cancer	10,000	2.96
CAKI-1	Renal cancer	10,000	2.99
RXF 393	Renal cancer	15,000	1.20
SN12C	Renal cancer	15,000	1.38×10^{-7}
TK-10	Renal cancer	15,000	3.32
UO-31	Renal cancer	15,000	3.65
PC-3	Prostate cancer	7500	2.66
DU-145	Prostate cancer	10,000	3.78
MCF7	Breast cancer	10,000	4.22
NCI/ADR-RES	Breast cancer	15,000	4.76
MDA-MB-	Breast cancer	20,000	3.38
MDA-MB-435	Breast cancer	15,000	3.26
BT-549	Breast cancer	20,000	4.59
T-47D	Breast cancer	20,000	6.00

The results indicate that compound 2(a) is effective against all the human tumor cell lines that have been assayed in the NCI screening panel suggesting a broad anticancer activity against several types of human cancer. In fact, the GI50 calculated for all cell lines was lower than 10 x10-6 M, a significant level of pharmacological activity for anticancer drugs, and in some cases reached the nanomolar or picomolar level (SN12C/renal carcinoma; HOP92/non-small cell lung carcinoma; HCC2998/colon carcinoma).

Example 8   **Activation of inactive domains in the polyketide synthase system**

The gene cluster encoding the Compound 2(a) derived from *Streptomyces aizunensis* strain NRRL B-11277 is genetically modified to reactivate the ketoreductase (KR) domain, which is encoded in the ORF 13 module 12. This modification results in the conversion of the central carbonyl group adjacent to the sugar molecule of Compound 2(a), to a hydroxyl group (as shown in Figure 12a).

In the compound 2(a) locus, the KR domain present in ORF 13, module 12 is inactive. To provide for the compound of Example 7 the KR domain is reactivated or swapped for an active KR domain. Reactivation of the KR domain requires diagnosis of the integrity of critical active site residues necessary for a functional KR domain. The active site residues can be divided into those required for co-enzyme activation of the KR enzyme and those for catalysis. Experiments identifying the specific residues for ketoreductase activity [Ried *et. al.* Biochemistry 2003, 42:72-79; Udo *et.al.*, Biochemistry, 1997, 36:34-40] reveal that functional KR coenzyme binding site residues include glycine (G), glycine (G), glycine (G), alanine (A) and the functional KR active site residues include serine (S), tyrosine (Y) and asparagine (N). These residues are highlighted in Figures 6a and 6b. The sequence of the KR domain in the compound 2(a) locus shows that the coenzyme active site residues are glycine (G), glycine (G), glycine (G), alanine (A) indicating that this site is indeed active. However, the amino acid residues found in the KR site responsible for catalytic activity are serine (S), glutamine (Q) and asparagine (N) indicating that the catalytic site is likely to be inactive. This observation is confirmed by the fact compound 2(a) contains a carbonyl group at that specific position (Figure 10, module 12). Modification of the codon encoding glutamine to a codon encoding tyrosine provides for an active site residue required for functional ketoreduction of PKS monomers. This results in an altered nucleic acid sequence of the compound 2(a) locus used to modify a suitable host cell to produce the compound 2(a) variant of Example 7 as shown in Figure 12a.

The modification of glutamine to tyrosine may be introduced using a mismatched primer that hybridizes to the native nucleotide sequence at a temperature below the melting temperature of the mismatched duplex. The primer is kept specific by keeping primer length and base composition within narrow limits and keeping the mutant base centrally located as described in Zoller and Smith' Methods in Enzymol. (1983) 100:468. Primer extension is achieved using DNA polymerase. The product is cloned and positive clones containing the mutated DNA, derived by segregation of the primer extended strand, are selected. Selection is made using the mutant primer as a

hybridization probe (Dalbie-McFarland et al Proc. Natl. Acad Sci. USA (1982) 79:6409).

Another method to generate the compound of Example 7 involves swapping the inactive ketoreductase domain from the gene locus of the compound 2(a) (ORF 13 module 12) with an active ketoreductase domain from the same or different locus. Example of domains within the same locus suitable for swapping include the active ketoreductases that occur in the modules that encode the incorporation of methyl malonate extender units, namely ORF 16 modules 19 or 20. Swapping of acyltransferase domains between PKS loci has been demonstrated by Oliynyk *et.al.* Chem Biol, 1996, 3(10):833-9, wherein the gene encoding the acyltransferase domain in 6-deoxyerythronolide (DEBS) module 1 is swapped with the gene encoding the rapamycin module 2 acyltransferase resulting in the synthesis of novel triketides since the two acyltransferases had different acyl specificities. In Hans *et.al.* J Am Chem Soc, 2003, 125(18):5366-74, the kinetic aspects of product formation as a consequence of acyltransferase domain swaps is taught.

Swapping of domains is achieved using techniques developed by Kao *et.al.* Science, 1994, 265:509-512. The genetic strategy utilizes derivatives of pMAK705 to permit in vivo recombination between a temperature sensitive donor plasmid and a recipient shuttle vector by means of a double recombination event in *E.coli.* An Amp^R Tc^R recipient subclone of the regions flanking the domain to be swapped is made, pCK5, containing 1kb of flanking sequence from either flank. Endonuclease restriction sites are introduced at the boundaries of the domain, *Pst*I at 3' end of the left flank and *Xba*I at the 5' end of the right flank. Subclones pCK6 Cm^R of the domains to be swapped are generated and endonuclease restriction sites are introduced into the boundaries of the domain. The restriction site *Pst*I is introduced at the 5' boundary of the KR domain and an *Xba*I site at the 3' boundary of the domain. Restriction sites are introduced into subclones by PCR mutagenesis. The fragment containing the domain is excised and ligated into the temperature sensitive Cm^R donor plasmid, pCK6. The recipient plasmid is generated by in vivo recombination of the plasmid in the host strain using the selection method

outlined by Kao *et.al.*, *supra*. After selection recombinant strains are produced with the domain of interest replacing the original domain.

Example 9   Inactivation of functional domains within the polyketide synthase system

The gene locus encoding Compound 2(a) derived from a *Streptomyces aizunensis* strain is genetically modified to inactivate the enoyl reductase (ER) domain in the ORF 17 module 22. Inactivation of this domain abolishes the conversion the double bond to the single bond between the acyl units incorporated by modules 21 and 22 of Compound 2(a) (as shown in Figure 12e).

Generating the compound of Example 8 is achieved through insertional inactivation by double crossover techniques developed by Oh and Chater, 1997, Journal of Bacteriology 179:122-127. Examples of insertional inactivation of genes involved in polyketide biosynthesis in *Streptomyces* are well known in the art. Arrowsmith *et.al.*, 1992, Mol Gen Genet 234:254-264, used these techniques to identify the role of a cassette of secondary metabolic genes in the production of monensin by *Streptomyces cinnamonensis*. Paradkar, *et.al.*, 2001, Appl Environ Microbiol 67:2292-7, inactivated the *lat* gene encoding for lysine aminotransferase to disrupt the first step in the cephamycin pathway to block production of cephamycin C in *Streptomyces clavuligerus*. Similarly, these authors inactivated the *cvm*1 gene involved in late stage antipodal clavam synthesis.

Methods used to inactivate domains in polyketide systems include domain swapping as described in Example 7 as well as targeted disruption by insertional gene inactivation. For this, a replicative plasmid-mediated homologous recombination is applied to *Streptomyces aizunensis*. Plasmids for homologous recombination are constructed by cloning a kanamycin resistance marker between the left and right flanking regions of the genes to be modified. Such a construct is cloned into a delivery plasmid that is marked with thiostrepton resistance producing a disruption plasmid. This plasmid is

introduced into *Streptomyces aizunensis* by either PEG-mediated protoplast transformation, by electroporation or by natural infection with a phage (Keiser *et al* (2000) Practical Streptomyces genetics, John Innes Foundation, Norwich). The spores from individual transformants or transconjugants are cultured on non-selective plates to induce recombination. The cycle is repeated three times to enhance the opportunity for recombination. Crossovers yielding targeted gene recombinants are then selected and screened using kanamycin and thiostrepton for single crossovers and kanamycin for double crossovers. Replica plating and southern hybridization are used to confirm the double crossover inactivation (Keiser *et al* (2000) *supra*.).

Example 10 Inactivation of the glycosyltransferase activity

Inactivation of the glycosyltransferase gene (GTFA) encoding ORF 9 of the compound 2(a) locus (as shown in Figure 12b) provides for the compound of this example. The inactivation of the GFTA disrupts the transfer of the sugar moiety onto the backbone of Compound 2(a). The absence of the sugar moiety results in a non-glycosylated form of Compound 2(a). Insertional inactivation of GTFA genes in polyketide biosynthesis in *Streptomyces* is known in the art. Blanco *et.al.*, 2000, Mol Gen Genet 262:991-1000, identified two genes of the mithramycin biosynthetic gene cluster as glycosyltransferases by the production of a non-glycosylated mithramycin upon inactivation of these genes. A similar observation was made by Chen *et.al.*, Gene, 2001, 263:255-64 investigating genes responsible for glycosylation in the biosynthetic pathways encoding pikromycin, narbomycin, methymycin and neomethymycin.

Targeted inactivation of the glycosyltransferase activity is achieved using the method of insertional gene disruption as described in Example 8.

Example 11 Elimination of the aminohydroxycyclopentenone unit

Elimination of the terminal aminohydroxycyclopentenone unit may be
accomplished by inactivation of any one of the following three ORFs of the
compound 2(a) locus. First, disruption of ORF 35 results in the inactivation of
the acyltransferase (AYTP) activity (as shown in Figure 12c) that abolishes
condensation of succinyl-CoA and glycine to form 5-aminolevulinate. Second,
disruption of ORF 36 results in the inactivation of acyl CoA ligase (CALB)
preventing the conversion of 5-aminolevulinate to 5-aminolevulinate-CoA
which cyclizes to form aminohydroxycyclopentenone. Third, disruption of
ORF 34 (ADSN) prevents transfer of the aminohydroxycyclopentenone unit to
the polyketide chain. Thus, the compound of Example 10 is provided by
genetically modifying at least one of ORFs 34, 35 and 36. Methods used for
insertional inactivation of all three genes are described in Example 9.

Example 12 Replacement of the terminal amine group with a guanidino group

The replacement of the terminal amine with a guanidino group may be
accomplished by the insertional inactivation of ORF 33 (ADHY) using the
methods described in Example 9. The inactivation of ORF 33 ADHY (as
shown in Figure 12d) disrupts the synthesis of gamma-amino butanamide
leading to the accumulation of 4-guanidino butanamide. The accumulated 4-
guanidino butanamide is converted by ORF 27 CALB to 4-guanidino butyryl-
CoA which is then attached onto the polyketide synthase enzyme (ORF 10,
module 0 as shown in Figure 10b) through the action of ORF 19 (AYTF).

Example 13: Synthesis of Compound 2(b) by epoxidation of Compound 2(a)

Compound 2(b)

To a mixture of Compound 2(a) dissolved in tetrahydrofuran (THF) is added 1 equivalent of *meta*-chloroperbenzoic acid. The reaction is cooled in an ice bath and stirred at 0 °C for 1-2 hours. The reaction mixture is then evaporated to dryness, re-dissolved in methanol and subjected to liquid chromatography on a column of Sephadex LH-20 to isolate the Compound 2(b).

The epoxide group of Compound 2(b) may be hydrolyzed by treatment of Compound 2(b) with small quantity of aqueous hydrochloric acid (1.0 N), thereby forming the corresponding diol of the formula:

Example 14: Synthesis of Compound 2(c) by Reduction of 31-oxo group

Compound 2(c)

A solution of Compound 2(a) in acetonitrile is treated with 1.5 equivalents of NaCNBH$_3$. The reaction is stirred at room temperature for 1 hour. The reaction mixture is then concentrated to dryness and then taken up into methanol. The mixture is filtered and the filtrate is subjected to liquid chromatography on a column of Sephadex LH-20 to isolate the Compound 2(c). Alternatively, the reduction of the oxo group at the 31-position may be done using lithium borohydride (LiBH$_4$).

Example 15: Synthesis of Compound 2(d) by addition of acetal ring at the 31-position

Compound 2(d)

A solution of Compound 2(a) in tetrahydrofuran is treated with 3 equivalents of 2,2-dimethyl-1,3-dioxacyclopentane in the presence of a trace amount of toluene sulfonic acid. The reaction is stirred overnight at room temperature, evaporated to dryness and taken up into dry THF, followed by purification by liquid chromatography on a column of Sephadex LH-20. The 2,2-dimethyl-1,3-dioxacyclopentane may be synthesized by reaction of acetone with ethylene glycol in the presence of a trace of toluene sulfonic acid, over molecular sieves to remove water.

Alternatively, the addition of an acetal ring at the 31-position may be accomplished by reaction of Compound 2(a) with an excess of ethylene glycol in the presence of a trace of toluene sulfonic acid. The reaction may be conducted over molecular sieves to remove water.

Example 16: Synthesis of Compound 2(e)

Compound 2(e)

To a solution of Compound 2(a) in benzene or toluene is added 10 equivalents of benzylamine. The reaction is stirred at room temperature overnight. The reaction may be conducted over molecular sieves to remove water; alternatively, the water may be removed under reflux as an azeotrope with benzene or toluene using a Dean-Stark trap. The reaction mixture is concentrated under vacuum and residual reagent is removed by high vacuum at room temperature overnight.

The carbon-nitrogen double bond of Compound 2(e) may be reduced to the amine by reaction of Compound 2(e) with $NaCNBH_3$ or $LiBH_4$ (1.5 equivalents) in acetonitrile, to form a compound of the structure:

Example 17: Synthesis of Compound 2(f)

Compound 2(f)

To a solution of one equivalent of Compound 2(a) in acetonitrile is added ten equivalents of isobutylamine. The reaction is stirred at room temperature for two hours. Benzene (1/10 volume) is added and the mixture is concentrated to dryness under vacuum on a rotary evaporator.

The Schiff base is then treated with $NaCNBH_3$ or $LiBH_4$ (1.5 equivalents) in acetonitrile, to reduce the carbon-nitrogen double bond of the imine to the amine, to form the compound 2(f).

Example 18: Synthesis of Compound 2(g)

Compound 2(g)

Compound 2(g) may be synthesized biosynthetically as described in Example 9. Alternatively, Compound 2(g) may be prepared by hydrolysis of Compound 2(a). This is accomplished by treatment of Compound 2(a) in diethylether/THF with Meerwein's reagent (triethyloxonium tetrafluoroborate) for two hours at room temperature followed by cooling to –20 °C and dropwise addition of aqueous acetic acid in THF. The reaction mixture is stirred for 20 minutes during which time it is allowed to come to room temperature. The mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is

added. The mixture is stirred for 30 minutes, filtered, the resin is washed well with water, and the product is eluted with 100% ethanol. The elutes are concentrated under vacuum to give compound 2(g).

Example 19: Synthesis of Compound 2(h)

Compound 2(h)

To a solution of 0.1 equivalents of Compound 2(g) in methanol is added 0.5 equivalents of diazomethane in diethyl ether. The reaction mixture is allowed to stand at room temperature overnight, and then the solvent is removed under vacuum to give compound 2(h).

Example 20: Synthesis of Compound 2(i)

Compound 2(i)

A solution of Compound 2(a) in methanol is treated with an equal volume of 0.1N HCl, and the reaction mixture is stirred overnight at room temperature. The mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is added. The mixture is stirred for 30 minutes, filtered, the resin is washed well with water, and the product is eluted with 100% ethanol. The elutes are concentrated under vacuum to give compound 2(i).

Example 21: Synthesis of Compound 2(j)

Compound 2(j)

Compound 2(j) is prepared by hydrolysis of compound 2(g). The hydrolysis may carried out in the same way that compound 2(a) is hydrolysed to compound 2(i) as described in Example 19 above.

Example 22: Synthesis of Compound 2(k)

Compound 2(k)

Compound 2(k) is prepared biosynthetically by inactivation of the enoyl reductase as described in Example 8.

Example 23: Synthesis of Compound 2(l)

Compound 2(l)

A solution of Compound 2(k) in acetonitrile is treated with 1.5 equivalents of NaCNBH₃. The reaction is stirred at room temperature for 1 hour. The reaction mixture is then concentrated to dryness and then taken up into methanol. The mixture is filtered and the filtrate is subjected to liquid chromatography on a column of Sephadex LH-20 to isolate the Compound 2(l). Alternatively, the reduction of the oxo group at the 31-position may be done using lithium borohydride (LiBH₄).

Example 24: Synthesis of Compound 2(m)

Compound 2(m)

A solution of 10 equivalents of Compound 2(a) in acetonitrile is treated with one equivalent of acetaldehyde. The reaction is stirred at room temperature for two hours. Benzene (1/10 volume) is added and the mixture is concentrated to dryness under vacuum on a rotary evaporator to give the compound 2(m).

124

Compound 2(m) may be treated with NaCNBH₃ or LiBH₄ (1.5 equivalents) in acetonitrile, to reduce the carbon-nitrogen double bond of the imine to the amine.

Example 25: Synthesis of Compound 2(n)

Compound 2(n)

A solution of 10 equivalents of Compound 2(a) in acetonitrile is treated with one equivalent of benzaldehyde. The reaction is stirred at room temperature for two hours. Benzene (1/10 volume) is added and the mixture is concentrated to dryness under vacuum on a rotary evaporator to give the compound 2(n).

Compound 2(n) may be treated with NaCNBH₃ or LiBH₄ (1.5 equivalents) in acetonitrile, to reduce the carbon-nitrogen double bond of the imine to the amine.

Example 26: Synthesis of Compound 2(o)

Compound 2(o)

A solution of Compound 2(a) in tetrahydrofuran is treated with one equivalent of cyanamide. The reaction mixture is stirred at room temperature overnight. Solvent is removed from the reaction mixture under vacuum to give compound 2(o).

Example 27: Synthesis of Compound 2(p)

Compound 2(p)

To a solution of 10 equivalents of Compound 2(a) in acetonitrile is added 1 equivalent of acetone. The reaction is stirred at room temperature for two hours. Benzene (1/10 volume) is added and the mixture is concentrated to dryness under vacuum on a rotary evaporator.

The resulting Schiff base imine is then treated with NaCNBH$_3$ or LiBH$_4$ (1.5 equivalents) in acetonitrile, to reduce the carbon-nitrogen double bond of the imine to the amine, to form the compound 2(p).

Example 28: Synthesis of Compound 2(q)

Compound 2(q)

To a solution of 10 equivalents of Compound 2(a) in acetonitrile is added 1 equivalent of 4-nitrobenzaldehyde. The reaction is stirred at room temperature for two hours. Benzene (1/10 volume) is added and the mixture is concentrated to dryness under vacuum on a rotary evaporator.

The resulting Schiff base imine is then treated with NaCNBH$_3$ or LiBH$_4$ (1.5 equivalents) in acetonitrile, to reduce the carbon-nitrogen double bond of the imine to the amine, to form the compound 2(q).

Example 29: Synthesis of Compound 2(r)

Compound 2(r)

To a solution of 10 equivalents of Compound 2(a) in acetonitrile is added 1 equivalent of cyclohexylformaldehyde. The reaction is stirred at room temperature for two hours. Benzene (1/10 volume) is added and the mixture is concentrated to dryness under vacuum on a rotary evaporator.

The resulting Schiff base imine is then treated with NaCNBH$_3$ or LiBH$_4$ (1.5 equivalents) in acetonitrile, to reduce the carbon-nitrogen double bond of the imine to the amine, to form the compound 2(r).

Example 30: Synthesis of Compound 2(s)

Compound 2(s)

To a solution of Compound 2(a) in tetrahydrofuan is added one equivalent of acetic anhydride and two equivalents of triethylamine. The reaction is stirred at room temperature for two hours. The mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is added. The mixture is stirred for 30 minutes, filtered, the resin is washed well with water, and the product is eluted with 100% ethanol. The elutes are concentrated under vacuum to give compound 2(s).

Example 31: Synthesis of Compound 2(t)

Compound 2(t)

To a solution of Compound 2(a) in is added one equivalent of isobutyrl anhydride and two equivalents of triethylamine. The reaction is stirred at room temperature for two hours. The mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is added. The mixture is stirred for 30 minutes, filtered, the resin is washed well with water, and the product is eluted with 100% ethanol. The elutes are concentrated under vacuum to give compound 2(t).

127

Example 32: Synthesis of Compound 2(u)

Compound 2(u)

To a solution of Compound 2(a) in is added one equivalent of benzoic anhydride and two equivalents of triethylamine. The reaction is stirred at room temperature for two hours. The mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is added. The mixture is stirred for 30 minutes, filtered, the resin is washed well with water, and the product is eluted with 100% ethanol. The elutes are concentrated under vacuum to give compound 2(u).

Example 33: Synthesis of Compound 2(v)

Compound 2(v)

To a solution of Compound 2(a) in is added one equivalent of p-nitrobenzoic anhydride and two equivalents of triethylamine. The reaction is stirred at room temperature for two hours. The mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is added. The mixture is stirred for 30 minutes, filtered, the resin is washed well with water, and the product is eluted with 100% ethanol. The elutes are concentrated under vacuum to give compound 2(v).

Example 34: Synthesis of Compound 2(w)

Compound 2(w)

A solution of Compound 2(a) is reacted with 1 equivalent of N-
protected alanine active ester. The amino group of alanine is protected by
reacting alanine with DCC (dicyclohexyldicarbodiimide) or EDC (1-ethyl-3-(3-
dimethylaminopropyl)-carbodiimide) and the carboxylic acid group is
converted to an active ester such as an N-hydroxysuccinimide ester. The N-
protected active ester is added to Compound 2(a) in an inert solvent such as
tetrahydrofuran. The mixture is warmed under reflux for one hour. The
mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is
added. The mixture is stirred for 30 minutes, filtered, the resin is washed well
with water, and the product is eluted with 100% ethanol. The elutes are
concentrated under vacuum to give compound 2(w).

Example 35: Synthesis of Compound 2(x)

Compound 2(x)

A solution of Compound 2(a) is reacted with 1 equivalent of N-
protected para-hydroxyphenyl glycine active ester. The amino group of the
para-hydroxyphenyl glycine is protected by reacting alanine with DCC
(dicyclohexyldicarbodiimide) or EDC (1-ethyl-3-(3-dimethylaminopropyl)-
carbodiimide) and the carboxylic acid group is converted to an active ester
such as an N-hydroxysuccinimide ester. The N-protected active ester is
added to Compound 2(a) in an inert solvent such as tetrahydrofuran. The
mixture is warmed under reflux for one hour. The mixture is then diluted with
water (2 volumes) and HP-20 polystyrene resin is added. The mixture is
stirred for 30 minutes, filtered, the resin is washed well with water, and the
product is eluted with 100% ethanol. The elutes are concentrated under
vacuum to give compound 2(x).

Example 36: Synthesis of Compound 2(y)

Compound 2(y)

A solution of Compound 2(a) is reacted with 1 equivalent of N-protected tyrosine active ester. The amino group of tyrosine is protected by reacting alanine with DCC (dicyclohexyldicarbodiimide) or EDC (1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide) and the carboxylic acid group is converted to an active ester such as an N-hydroxysuccinimide ester. The N-protected active ester is added to Compound 2(a) in an inert solvent such as tetrahydrofuran. The mixture is warmed under reflux for one hour. The mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is added. The mixture is stirred for 30 minutes, filtered, the resin is washed well with water, and the product is eluted with 100% ethanol. The elutes are concentrated under vacuum to give compound 2(y).

Example 37: Synthesis of Compound 2(z)

Compound 2(z)

A solution of Compound 2(a) is reacted with 1 equivalent of N-protected valine active ester. The amino group of valine is protected by reacting alanine with DCC (dicyclohexyldicarbodiimide) or EDC (1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide) and the carboxylic acid group is converted to an active ester such as an N-hydroxysuccinimide ester. The N-protected active ester is added to Compound 2(a) in an inert solvent such as tetrahydrofuran. The mixture is warmed under reflux for one hour. The mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is added. The mixture is stirred for 30 minutes, filtered, the resin is washed well

with water, and the product is eluted with 100% ethanol. The elutes are concentrated under vacuum to give compound 2(z).

Example 38: Synthesis of Compound 2(aa)

Compound 2(aa)

A solution of Compound 2(a) is reacted with 1 equivalent of N-protected proline active ester. The amino group of proline is protected by reacting alanine with DCC (dicyclohexyldicarbodiimide) or EDC (1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide) and the carboxylic acid group is converted to an active ester such as an N-hydroxysuccinimide ester. The N-protected active ester is added to Compound 2(a) in an inert solvent such as tetrahydrofuran. The mixture is warmed under reflux for one hour. The mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is added. The mixture is stirred for 30 minutes, filtered, the resin is washed well with water, and the product is eluted with 100% ethanol. The elutes are concentrated under vacuum to give compound 2(aa).

Example 39: Synthesis of Compound 2(ab)

Compound 2(ab)

A solution of Compound 2(a) is reacted with 1 equivalent of N-protected serine active ester. The amino group of serine is protected by reacting alanine with DCC (dicyclohexyldicarbodiimide) or EDC (1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide) and the carboxylic acid group is converted to an active ester such as an N-hydroxysuccinimide ester. The N-protected active ester is added to Compound 2(a) in an inert solvent such as tetrahydrofuran. The mixture is warmed under reflux for one hour. The mixture is then diluted with water (2 volumes) and HP-20 polystyrene resin is

added. The mixture is stirred for 30 minutes, filtered, the resin is washed well with water, and the product is eluted with 100% ethanol. The elutes are concentrated under vacuum to give compound 2(ab).


Example 40: **Compound 2(a) for the treatment of cardiovascular disorders**

Polyene compounds are not generally absorbed from the gastrointestinal tract and exhibit hypocholesterolemic properties by binding cholesterol in the gastrointestinal tract following oral administration. The hypocholesterolemic properties of polyene compounds was first demonstrated by studies in dogs (Schaffner,C.P. and Gordon H.W. The hypocholesterolemic activity of orally administered polyene macrolides. P.N.A.S. 61:36-41, 1968.). In another study with chickens, small amounts of polyene compounds in the diet led to the inhibition of enterohepatic cholesterol circulation, increased fecal lipid excretion and reduced atherogenesis (Fisher, H., Griminger P. and Siller W. Effect of candicidin on plasma cholesterol and avian atherosclerosis. Proceedings of the Society for Experimental Biology and Medicine, 145: 836-839, 1974). The beneficial effects of orally administered polyene compounds on cholesterol-lipid metabolism is not species-dependent as it was demonstrated in several species including humans, rats, dogs and chickens (Pagliano FM, Correction of hyperdyslipidemia using polyene-structure substances. Controlled clinical trial. Arch Sci Med (Torino). 136: 303-308, 1979; Barbaro A. and Casella G. Action of a polyene macrolide on hyperdislipidaemic disorders. Archivio per Scienze Mediche 137: 211-216, 1980; Singhal, A.K., Mosbach, E.H. and Schaffner, C.P. Effect of candicidin on cholesterol and bile acid metabolism in the rat. Lipids, 16: 423-426, 1981.).

The therapeutic potential of compound 2(a) for the treatment of cardiovascular disorders such as high cholesterol, dyslipidemia and atherosclerosis is demonstrated by measuring the effects of oral administration of compound 2(a) to rabbits. New Zealand rabbits are maintained under controlled light and temperature conditions and fed for several weeks with two different diets: normal rabbit chow (control) and a diet

containing 0.5 to 1% cholesterol to induce hypercholesterolemia. Rabbits are administered compound 2(a) (3, 10, 30 mg/kg) or vehicle by oral gavage daily for up to one month. Food intake and rabbit weight is measured daily for the duration of the experiment. Blood samples to measure cholesterol, lipoproteins and triglycerides are collected through a catheter inserted in the ear artery in the beginning and at the end of the experiment as well as every 4 days for the duration of the experiment. Serum cholesterol, lipoproteins and triglycerides are measured by enzymatic assays employing commercial kits as specified by the manufacturer (Sigma Chemical Co) and as described in Staprans I, Pan X-M, Rapp JH, Feingold KR. Oxidized cholesterol in the diet accelerates the development of aortic atherosclerosis in cholesterol-fed rabbits. Arteriosclerosis, Thrombosis and Vascular Biology, 18: 977-983, 1998. At the end of the experiment, after collecting the final blood sample, animals are anesthetized and the descending aorta is exposed, excised and processed for histological examination following fixation in formalin. Briefly, paraffin longitudinal or cross sections (five micron) are stained with Sudan black (dying lipids) and counterstained with Masson trichrome. Morphometric quantitative determination of the area of the intima, media and adventitia layers is performed by image analysis. Lipid deposition in the aorta is determined by evaluation of the percentage of the aorta covered by lesions visualized by fat staining. Arterial concentration of cholesterol is measured after extraction of lipids as described in Thiery J, Nebendahl K, Rapp K, Kluge R, Teupser D and Seidel D. Low atherosclerotic response of a strain of rabbits to diet-induced hypercholesterolemia. Arteriosclerosis, Thrombosis and Vascular Biology, 15: 1181-1188, 1995.

What is Claimed is:

    1. A compound of Formula I,

Formula I

or a pharmaceutically acceptable salt thereof;

wherein,

    A is selected from the group consisting of $-NR^1R^2$, $-N=CR^1R^2$,

    R^1, R^2, R^3 and R^4 are each independently selected from the group consisting of H, C_{1-6} alkyl, C_{2-6} alkenyl, C_{3-6} cycloalkyl, C_{2-6} heterocycloalkyl, aryl, heteroaryl and amino acid, wherein said alkyl, alkenyl, aryl and heteroaryl groups are optionally substituted with a group selected from halogen, OH, NO_2, NH_2 or aryl, said aryl being optionally further substituted with one or more groups independently selected from halogen, OH, NO_2 or NH_2;

    B is selected from: ethene-1,2-diyl or   ;

    wherein R^{10} is oxo or OR^{11};

    wherein R^{11} is H or a heterocycloalkyl, the heterocycloalkyl being optionally substituted with 1-4 substituents selected from OX, C_{1-3} alkyl and $-O-C(O)R^1$, wherein X is H or, when there are at least two neighboring

substituent groups that are OX, then the X can be a bond such that the two
neighboring oxygen groups form a five-membered acetal ring of the formula:

; wherein R^5 and R^6 are each
independently selected from the group consisting of H,
C_{1-6} alkyl, and C_{2-7} alkenyl;

D is selected from:

, $-NR^{12a}R^{12a}$, and OR^{12}, wherein
R^{12} is selected from H, C_{1-6} alkyl optionally substituted with 1 to 2
phenyl groups, wherein the phenyl group is optionally substituted with C_{1-6}
alkyl or halo;

R^{12a} and R^{12a} are each indepedently selected from H, C_{1-6} alkyl, C_{2-6} alkenyl,
C_{3-6} cycloalkyl, C_{2-6} heterocycloalkyl, aryl, heteroaryl and amino acid, wherein
said alkyl, alkenyl, aryl and heteroaryl are optionally substituted with a group
selected from halogen, OH, NO_2, NH_2 or aryl, said aryl being optionally further
substituted with one or more groups independently selected from halogen,
OH, NO_2 or NH_2;

W^1 is

;

W^2 is :

;

W^3 is

;

W^5 is

;

X^1, X^2, X^3, X^4, X^5, X^6, X^7, X^8, X^9, X^{12} and X^{13} is each independently selected from H, -C(O)-R^7 and a bond such that when any of two neighboring X^1, X^2, X^3, X^4, X^5, X^6, X^7, X^8, X^9, X^{12} and X^{13} is a bond then the two neighboring oxygen atoms and their attached carbon atoms together form a six-membered acetal ring of the formula:

wherein R^5, R^6 and R^7 are each independently selected from H, C_{1-6} alkyl, C_{2-7} alkenyl;

Y^1, Y^2, Y^3, Y^4, Y^5, Y^6, Y^7, Y^9, Y^{10}, Y^{11}, Y^{12}, Y^{13} and Y^{15} are each independently selected from the group consisting of ethene-1,2-diyl,

ethane-1,2-diyl and , wherein said ethene-1,2-diyl and ethane-1,2-diyl groups are optionally substituted with a methyl group;

Z is selected from OH, NHR^8, and and when the dotted line is a bond then Z is oxo, or NR^9;

R^8 is independently selected from H, C_{1-6} alkyl, C_{2-6} alkenyl;

R^9 is C_{1-6} alkyl optionally substituted with aryl.

2. The compound of claim 1, wherein Z is oxo, or a pharmaceutically acceptable salt thereof.

3. The compound of claim 1 or 2, wherein D is , or a pharmaceutically acceptable salt thereof.

4. The compound of claim 1,2 or 3, wherein B is or a pharmaceutically acceptable salt thereof.

5. The compound of claim any one of claims 1 to 4, wherein A is -NR^1R^2, or a pharmaceutically acceptable salt thereof.

6. The compound of claim 4, wherein A is or a pharmaceutically acceptable salt thereof.

7. The compound of any one of claims 1, 2, 4, 5 or 6, wherein D is

, or a pharmaceutically acceptable salt thereof.

8. A compound of the fomula:

Compound 2(a)

9. A compound of the formula II:

Formula II

wherein A^1 is $-NH_2$, $-N=CH-R^{13}$, amino acid or $-NH-R^{14}$, wherein R^{13} is hydrogen or phenyl and R^{14} is selected from the group consisting of isopropyl, 1-(4-nitrophenyl)methyl, cyclohexyl, and wherein said amino acid is attached via its nitrogen atom;

wherein R^{15} is selected from the group consisting of methyl, isopropyl, phenyl, 4-nitrophenyl, 1-aminoethyl, 1-amino-1-(4-hydroxyphenyl)methyl, 1-amino-2-(4-hydroxyphenyl)ethyl, 1-amino-2-methylpropyl, 2-pyrrolidinyl and 1-amino-2-hydroxyethyl;

Y^{20} is selected from the group consisting of ethene-1,2-diyl and

Z^1 is selected from the group consisting of:

R^{20} is selected from the group consisting of hydrogen and

Y^{30} is ethene-1,2-diyl or ethane-1,2-diyl; and

D^1 is hydroxy, methoxy or

and pharmaceutically acceptable salts thereof.

10. A compound selected from the group consisting of:

Compound 2(b)

Compound 2(c)

Compound 2(d)

Compound 2(e)

Compound 2(f)

Compound 2(g)

Compound 2(h)

Compound 2(i)

Compound 2(j)

Compound 2(k)

Compound 2(l)

Compound 2(m)

140

Compound 2(n)

Compound 2(o)

Compound 2(p)

Compound 2(q)

Compound 2(r)

Compound 2(s)

Compound 2(t)

Compound 2(u)

Compound 2(v)

Compound 2(w)

Compound 2(x)

Compound 2(y)

Compound 2(z)

Compound 2(aa)

Compound 2(ab)

11. A method for producing the compound of claim 8, comprising the steps of cultivating cells derived from a *Streptomyces aizunensis* strain, incubating said cultured cells aerobically in a growth medium for such time as is required for production of said compound of claim 8, extracting said medium with a solvent and purifying the compound of claim 8 from the crude extract.

12. The method of claim 11 wherein said *Streptomyces aizunensis* strain is NRRL B-11277 or a mutant thereof.

13. The method of claim 12 wherein said mutant is strain [C03]023 (deposit accession number IDAC 070803-1) or [C03U03]023 (deposit accession number IDAC 231203-02).

14. The strain of *Streptomyces aizunensis* identified by deposit accession number IDAC 070803-1.

15. The strain of *Streptomyces aizunensis* identified by deposit accession number number IDAC 231203-02.

16. A pharmaceutical composition comprising a therapeutically effective amount of a compound of any one of claims 1 to 10, and a pharmaceutically acceptable carrier.

17. A pharmaceutical composition comprising a therapeutically effective amount of the compound of claim 8, and a pharmaceutically acceptable carrier.

18. A pharmaceutical composition comprising a therapeutically effective amount of a compound of claim 9, and a pharmaceutically acceptable carrier.

19. A method of treating a fungal infection in a mammal, comprising administering to said mammal suffering from said infection, a therapeutically effective amount of a compound of any one of claims 1 to 10.

20. The method of claim 19 wherein said fungal infection is caused by *Candida albicans*.

21. The method of claim 19 wherein said fungal infection is caused by a *Candida sp.*, wherein said *Candida sp.* is selected from the group consisting of *C. glabrata, C. lusitaniae C. parapsilosis, C. krusei* and *C. tropicalis*.

22. The method of claim 19 wherein said fungal infection is caused by an *Aspergillus sp.*, wherein said *Aspergillus sp.* is selected from the group consisting of *A. fumigatus, A. niger, A. terreus* and *A. flavus*.

23. The method of claim 19 wherein said fungal infection is caused by *Fusarium spp.; Scedosporium spp.; Cryptococcus spp.; Mucor ssp.; Histoplasma spp.; Trichosporon spp.; Blaspomyces spp.;* or *S. cerevisiae*.

24. A method of treating a fungal infection in a subject, comprising administering to said subject suffering from said infection, a therapeutically effective amount of a compound of any one of claims 1 to 10.

25. The method of claim 24 wherein said fungal infection is caused by a fungus selected from the group consisiting of *Candida albicans, Candida sp., Aspergillus sp., Fusarium spp.; Scedosporium spp.; Cryptococcus spp.; Mucor ssp.; Histoplasma spp.; Trichosporon spp.; Blaspomyces spp.;* and *S. cerevisiae.*

26. The method of claim 24 wherein said *Candida sp.* is selected from the group consisting of *C. glabrata, C. lusitaniae, C. parapsilosis, C. krusei* and *C. tropicalis.*

27. The method of claim 24 wherein said *Aspergillus sp.* is selected from the group consisting of *A. fumigatus, A. niger, A. terreus* and *A. flavus.*

28. A method of treating cancer in a subject, comprising administering to said subject suffering from said cancer, a therapeutically effective amount of a compound of any one of claims 1 to 10.

29. The method of claim 28, wherein said cancer is selected from the group consisting of leukemia, non-small cell lung cancer, colon cancer, CNS cancer, melanoma, ovarian cancer, renal cancer, prostate cancer and breast cancer.

Figure 1

Gene Cluster for Production
of Compound 2(a)

Figure 2a

```
ORF10_pKS01    PIAIVGIGCHFPGGVQSPEALWNLVETGTDAISAFPTGRGWDLDALYDPDPDRAGTSYAR
ORF10_pKS02    PIVIVSMSCRFPGGVRTPEDLWQLLADGTDTVAAFPADRGWDLDGLYSADPERSGTSYTR
ORF10_pKS03    PIAIVSMSCRFPGGVRTPEDLWRLLVDGTDAVGAFPADRGWDLDRLYSPDPDQPGTSYTR
ORF10_pKS04    PIVIVGMGCRFPGGVRSPEDLWQLVATGGDGITGFPSDRGWNVEALYHPDPDHAGTSYTR
ORF10_pKS05    PIAIVAMSCRFPGGVRTPEDLWRLLSTGGDAIGEFPADRGWDLSRLYSPDPDKQGTFYAR
ORF11_pKS01    PIAIVAMSCRFPNGVGSPEDLWRLVDEGGDAITGFPADRGWDIESLADPDPDRKGTFYNT
ORF11_pKS02    PIAIVAMSCRYPGGVRTPEELWRLVETGGDAIAGLPGNRGWDTDALH---ADEDGRTFA-
ORF12_pKS01    PIAIVGMSCRFPGGVSSPEDLWRLVESGGDAISGFPVNRGWDIESLYDPDPDHEGTTYAR
ORF12_pKS02    PIAIVAMSCRFPGGIASPEDLWQLLVTGRDGITGFPADRGWDLDSLYSDDPDREGTSYAR
ORF12_pKS03    PIAIVSMSCRFPGGVRTPEDLWELLSTGGDAISDLPLDRGWDIDALYDADPSTQGTSYAR
ORF12_pKS04    PIAIVAMSCRFPGGVRTPEDLWQLLATGRDAIGEFPEDRGWDAEALFGP-QFEQDAPYAR
ORF13_pKS01    PIAITAMSCRFPGGVRSPEELWELLRTGGDALTAFPADRGWDLDNLFSDDPDDHNTSVTR
ORF14_pKS01    PIAIVGMGCRYPGGVTSPEELWQLVVDGGDAISGFPADRGWDMETVYHPDPEHPGTSYAN
ORF14_pKS02    PIAIVAMSCRFPGGVQSPEDLWQLLSTGRDAISGFPGDRGWDLDGLYDPESAGENTSYVR
ORF14_pKS03    PIAIVAMSCRYPGDVRTPEDLWQLLTAGADGITRLPENRGWDTEGLYDPDPESQGTSYAR
ORF15_pKS01    PIAVVAMSCRYPGGIDTPEKLWDLVAHGRDAVSAYPTDRGWDAEVLFDPDPETGIEAYEQ
ORF15_pKS02    PIAIVAMSCRYPGGVTTPEELWQLLAGGGDAISGFPADRGWDVESLYDPDPDHPGTSYTR
ORF15_pKS03    PIAIVGLGCRYPGGVESPDDLWRLVLEGRDAITEFPEDRGWDVDALFDADPDQQGTSYAR
ORF16_pKS01    PIAIVAMSCRYPGGVRSPEDLWRLVENGDDAVSGFPVDRGWDVEALYDADPDSSGSSYVS
ORF16_pKS02    PIAIVAMSCRFPGGVRNPEELWQLLTSEGDGLSQFPLDRGWDVDALYDPNPDAQGTSYTR
ORF17_pKS01    PIAIVGMSCRFPGGIESPEGLWDLVAGGRDAITDFPTDRGWDIESLYDADPDQQGTSYTR
ORF17_pKS02    PIAIVGMSCRYPGGVTTPEELWQLVAGSVDAISPFPTDRGWNLDALYDADPGRAGTSYTR
ORF17_pKS03    PIAIVAMSCRFPGDVRTPEDLWELLAEGRDGISDLPDDRGWDTEALYDPDPDSPGTSYAR
ORF17_pKS04    PIAIVGMSCRYPGGVETPEDLWRLVVGGGDAISEFPQGRGWDLESLYDPDPDGKGTSYTR
ORF18_pKS01    PIAIVGMSCRYPGDVESPEDLWRLVSEETDAISPFPTDRGWDMGRLFDADPDGRGTSYVQ
ORF18_pKS02    PIAIVAMSCRFPGGVRSPEDLWGLVLDGRDAISDMPDDRGWDVEGLFDPDPDRPGTSYSR
               **.:..:.*::*..:  .*: ** *:     * :    *  .***:      :
```

```
ORF10_pKS01    EGGFLHDADADFDAAFFGISPREALAMDPQQRLLLEASWEAFDRAGVDPAALRGGQVGVFV
ORF10_pKS02    EGGFLYDAADFDADFFGISPREALAMDPQQRLLLETAWETFERAGIDPASLRGSQAGVFV
ORF10_pKS03    EGGFFDGAADFDPGFFGISPREALAMDPQQRLLLETSWEAIERAGIDPSSLRGSQAGVFV
ORF10_pKS04    EGGFLHDAADFDPGFFGISPREALAMDPQQRLLLETSWEAFERAGIDPATLRGSRTGVFA
ORF10_pKS05    AGGFLYDAADFDADFFGISPREALAMDPQQRLLLETSWEAFERAGIDPSSLRGSQAGVFV
ORF11_pKS01    GGGFLDGATAFDPGFFGISPREALAMDPQQRQLLETSWEVFERAGIDPAAVRGSRTGVYV
ORF11_pKS02    -GGFLYDADSFDADFFGISPREALAMDPQQRLLLETSWEAIERAGIDPSSLRGSRAGVFV
ORF12_pKS01    DGGFLHEAADFDPAFFGISPREALAMDPQQRLLLETTWEVFERAGIDPASLRGSRAGVFV
ORF12_pKS02    EGGFLHEAAEFDASFFGISPREALAMDPQQRLLLETTWETFERAGIDPTSLRGSRTGVFV
ORF12_pKS03    AGGFLYDAADFDADFFGISPREALAMDPQQRLLLETSWEAFERAGIDPETLRGSQAGVFV
ORF12_pKS04    EGGFLYDVADFDPAFFGISPREALAMDPQQRLLLETSWEAFERAGIDPLSVRGSQAGVFV
ORF13_pKS01    EGGFLGEASSFDAAFFGISPREAMAMDPQQRLLLETSWEAFERAGIDPQALRGSQSGVFV
ORF14_pKS01    QGGFVRDFARFDPSLFGISPREALAMDPQQRLLLETSWEAFERAGIDPTSMRGKQVGVFV
ORF14_pKS02    EGGFLAGATEFDPAFFGISPREALAMDPQQRLLLETSWEAFERAGIDPATVRGEQIGVFT
ORF14_pKS03    DGGFLHDAAEFDASFFGISPREALAMDPQQRLLLETTWEVFERAGIAPSAVRGSRTGVFA
ORF15_pKS01    VGGFLHDAADFDPAFFGISPREALAMDPQQRLLLETSWEAFERAGIDPATLRGSRTGVFA
ORF15_pKS02    HGGFLRDAAAFDPTFFGISPREAVGTDPQQRLLLETTWEAFERAGIDPATVRGSRTGVFA
ORF15_pKS03    EGGFVRDAGHFDPAFFGISPREAVAMDPQQRLLLETSWEAFERAGIDPAALRGSRTGVFA
ORF16_pKS01    EGGFLYDASFDPAPFGISPREALAMDPQQRLLLEASWEAFERAGIDPSSVRGSRTAVFA
ORF16_pKS02    EGGFLSDAAAFDSSFFGISPREALAMDPQQRLLLETSWEAFERAGIDPQTLRGSQSGVFV
ORF17_pKS01    EGGFLDGVGKFDASFFGISPRETLGMDPQQRLLLETSWEAFERAGIDAATLRGSKAGVFI
ORF17_pKS02    EGGFLHDAADFDPDVFGINPREALAMDPHQRLLLETSWEAFEQAGIAPSSMRGSRTGVFA
ORF17_pKS03    EGGFFYDAHHFDPAFFGINPREALAMDPQQRLLLETSWEAFERAGIDPTGLRGKQVGVFV
ORF17_pKS04    SGGFLHDAGRFDPAFFGISPREAVAMDPQQRLLLETSWEAFERAGIDPASMRGSRTGVFA
ORF18_pKS01    EGGFLHSANRFDPAFFGISPREALAMDPQQRLLLETSWEAFERAGIDPTSLRGSRTGVFA
ORF18_pKS02    AGGFLHDAHHFDPTFFGISPREALATDPQQRLLLETSWEAFERAGIDPATVRGSRTGVFA
               ***.      **.  ***.***::. **:** ***::**.:::**: .  :**  : .*:
```

Figure 2b

```
ORF10_pKS01    GAETQEYGPRLQ------DATDGFEGYLVTGNAASVASGRIAYTFGFEGPTVTVDTACSS
ORF10_pKS02    GTNGQDYLSLVTREGDG---LDGLEGHVGTGNAASVVSGRLSYVFGLEGPAITVDTACSS
ORF10_pKS03    GTNGQDYLSLITRESE------GLEGHLGTGNAGSVMSGRVSYVLGLEGPAVTVDTACSS
ORF10_pKS04    GVMYHDYVTGIGDGGSAVELPEGVEGYLGTGNAGSIASGRIAYTFGLEGPAVTVDTACSS
ORF10_pKS05    GTNGQDYGAMLQTIPD------GIEGFLGTGNAASVVSGRLSYAFGLEGPAVTVDTACSA
ORF11_pKS01    GAGAMGYGADLKEA------PEGLEGLLLTGGATSVLSGRVSYVFGLEGPAATVDTACSS
ORF11_pKS02    GAAYSGYDAQLEQSG-----VDGVLGHVMTGNAGSVMSGRVSYALGLEGPAVTVDTACSS
ORF12_pKS01    GASANAYGAGSHDL------PDGVEGHLLTGTASSVLSGRLAYVFGLEGPAATIDTACSS
ORF12_pKS02    GSNAQDYLQLWLNDAD------GLEGHLGTGNAASVVSGRLSYTFGLEGPAVTVDTACSS
ORF12_pKS03    GTNGQDYLSVLLEEPE------GLEGHLGTGNAASVVSGRLSYVFGLEGPAVTVDTACSS
ORF12_pKS04    GTNGQDYLSLVLNSAD------GGDGFMSTGNSASVVSGRLSYVFGLEGPAVTVDTACSA
ORF13_pKS01    GINGSDYLTPLLEAAE------DYAGHLGTGNAASVMSGRLSYTFGLEGPAVTVDTACSA
ORF14_pKS01    GTSNHDYLSALLSS------SENVEGYLGTGNAASVASGRLSYTFGLEGPAVTVDTACSS
ORF14_pKS02    GTNGQDYLNVILAAPD------GVEGFLGTGNAASVVSGRVSYVLGLEGPAVTVDTACSS
ORF14_pKS03    GVMYHDYGARLH------AVPDGVEGYLGTGSSSSIVSGRVAYTFGLEGPAVTVDTACSS
ORF15_pKS01    GLMYHDYAARLF------SVPEEIEGFLGNGSSSGSIASGRIAYTLGLEGPAVTVDTACSS
ORF15_pKS02    GVMYHDYAALLE------RSKDGADGSLGSGSTGSIASGRVSYTFGLEGPAVTIDTACSS
ORF15_pKS03    GVMYHDYASRLT------ALPEGVEGFLGTGNAASVISGRLSYAFGLEGPAITVDTACSS
ORF16_pKS01    GVMYHDYTARLD------SVPEGVEGFLGTGSSSSIASGRVAYTFGLEGPAVTVDTACSS
ORF16_pKS02    GTNGSDYSNLVRAGAD------GLEGHLATGNAGSVVSGRLSYTFGLEGPAVTVDTACSA
ORF17_pKS01    GTNGQDYPELLREVPK------GVEGYLLTGNAASVVSGRISYTFGLEGPAVTVDTACSA
ORF17_pKS02    GVMYHDYLTRLP------AVPEGLEGYLGTGTAGSVASGRISYTFGLEGPAVTVDTACSS
ORF17_pKS03    GQMHNDYVSRLN------TVPEGVEGYLGTGGSSSIASGRVSYTFDFEGPAVTVDTACSS
ORF17_pKS04    GIMYHDYATRIT------SVPDGVEGYLGTGNSGSIASGRVSYAFGLEGPAVTVDTACSS
ORF18_pKS01    GVMYHDYASRLR------AVPEEVEGYLGTGGSSSIASGRVSYTFGLEGPALTVDTACSS
ORF18_pKS02    GVMYNDYGTLLH------RAPEGLEGYMGTSSSGSVASGRVSYTFGLEGPAVTVDTACSS
               *         *              * :  .. :  *:  ***::*.:.:***:  *:****:
```

```
ORF10_pKS01    SLAAALHLAVQALRTGECSLALAGGVAVMASPGSFVSFSRQRGLAPDGRCKPFAAAADGTA
ORF10_pKS02    SLVALHLAVQALRQGECTLALAGGVTVMSTPDAFVDFSRQRGLAEDGRIKAFASAADGTG
ORF10_pKS03    SLVALHWAIQALRQGECSMALAGGVTVMSTPENFVDFSRQRGLAEDGRIKAFASAADGTG
ORF10_pKS04    SLVALHWAVQALRSGECTMALAGGVAVMSTPETFVDFSRQRGLSADGRCKSFAAAADGTG
ORF10_pKS05    SLVALHWAVQALRSGECSLALAGGVTVMSSPGAYIDFSRQRGLAEDGRIKAFAAAADGTG
ORF11_pKS01    SLVALHLATQALRQRECSLALVGGVCVMPSPDVFVEFSRQRGLSPDGRCKSFAASADGTG
ORF11_pKS02    SLVALHWAIQALRNGECSLALAGGVTVMSTPGTFSEFSQQGGLSPDGRCKAFASAADGTG
ORF12_pKS01    SSVALHMAVQALRQGECSLALAAGVTVLAGPDVFVEFSRQRGLSPDGRCRSFAESADGTG
ORF12_pKS02    SLVTLHLAAQALRRGECSMALAGAVTIMSTPGAFTEFSRQRGLAADGRIKAFAAAADGTS
ORF12_pKS03    SLVALHWAIQALRNGECSLALAGGVTVMSTPGTFIEFSRQRGLAEDGRIKAFAAAADGTG
ORF12_pKS04    SLVALHWAIQALRNGECSLALAGGVTVMSTPGAFAEFSRQRGLAEDGRIKAFAAAADGTG
ORF13_pKS01    SLVALHLAVQALRAGECSLAVAGGVHVMSTPGLVVEFSKQRGLSTDGRCKAFAAGADGFG
ORF14_pKS01    SSVALHLAVQALRNGECSLALAGGATLMSAPGTFIDYSKQRGLATDGRCKAFSPDADGFS
ORF14_pKS02    SLVALHWAIQALRQGECTMALAGGVTVMSTPASFIDFSRQRGLAEDGRIKAFAAAADGTG
ORF14_pKS03    SLVALHLAAQALRNGECSLALAGGVTVMFTPGTFIEFSRQRGLAADGRCKSFAAAADGTG
ORF15_pKS01    SLVAVHLAAQALRNGECTLALAGGVTVMSTPGTFTEFSRQRGLAADGRCKSFAAAADGTG
ORF15_pKS02    SLVALHMAIQALRTGECDMALAGGVTVMATPGTFIGFSRQRGLSADGRCRAFSADADGTG
ORF15_pKS03    SLVALHWAIQALRNGECSLALAGGVTVMATPAAFVEFSRQRGLAADGRCKAFSAGADGTG
ORF16_pKS01    SLVTLHLAVQALRAGECSMALAGGVTVMATPATFTEFSRQRGLAPDGRCKPFAAAADGTG
ORF16_pKS02    SLVALHLAVQALRSGECSLALAGGVTVMSTPGTFIEFSRQRGLSTDGRCKAFSSDADGFS
ORF17_pKS01    SLVALHLAVQALRNDECSLALAGGVTVMSSPRAFVQFSRQRGLAPDGRCKPFADGADGTG
ORF17_pKS02    SLVALHLAAQALRNGECDMALAGGVTVMSTPDTFIDFSRQRGLSGNGRCKSFSADADGTG
ORF17_pKS03    SLVALHLAAQALRNGECTLALAGGVTIITTPDVFTEFSRQRGLASDGRCKPFAEAADGTA
ORF17_pKS04    SLVALHWAIQALRNGECTMALAGGVTVMSTPGTFTEFSRQRGLAADGRIKSFAAAADGTS
ORF18_pKS01    SLVTLHLAMQALRKGECSLALAGGVTVMATPGTFTEFSRQRGLSFDGRCKSFADSADGTG
ORF18_pKS02    SLVTLHLAVQALRNGECDLALAGGVTVMATPGTFVAFSRQRGLASDGRCKPFAAAADGTA
               * .::* * **** ** :*:.... :: * : :*:* **: :** :.*: ***
```

Figure 2c

```
ORF10_pKS01    WGEGVGMLLVERLSDARAKGHRILAVVRGSAINQDGASNGLTAPSGPSQQRVIRQALANA
ORF10_pKS02    WGEGVGMLLVERLSDARRNGHPVLAVVRGSAINQDGASNGLTAPNGPSQQRVIRQALAGA
ORF10_pKS03    WGEGVGMLLVERLSDARRNGHPVLAVVRGSAVNQDGASNGLTAPNGPSQQRVIRAALASA
ORF10_pKS04    WAEGAGMLLVERLSDAERNGHPVLAVVRGSAINQDGASNGLTAPNGPSQQRVIREALASA
ORF10_pKS05    WGEGVGMLLVERLSDARRNGHPVLALVRGSAINQDGASNGLTAPNGPSQQRVIRQALANA
ORF11_pKS01    WSEGVGVLLVERLSDARRNGHPVLAVVRGSAVNQDGASNGLTAPNGPAQQRVIRQALENA
ORF11_pKS02    WGEGVGMLLVERLSDARRNGHPVLAVVRGSAVNQDGASNGLTAPNGPSQQRVIRAALASA
ORF12_pKS01    WSEGAGVLLVERLSDARRNGHHILAVVRGSAVNQDGASNGLTAPNGPAQQKVIRQALESA
ORF12_pKS02    WSEGVGLLLVERLSDARRNGHPVLAVVRGTAVNQDGASNGLTAPNGPSQQRVIREALADA
ORF12_pKS03    WGEGVGMLLVERLSDAERNGHPVLAIVRGSAINQDGASNGLTAPNGPSQQRVIRAALASA
ORF12_pKS04    WGEGVGMLLVERLSDARRNGHPVLALVRGSAINQDGASNGLTAPNGPSQQRVIRAALASA
ORF13_pKS01    PAEGVGVLLLERLSDARKNGRPVLAVVRGSAVNQDGASNGLTAPNGPSQQRVIRQALANA
ORF14_pKS01    LAEGVGILLVERLSDARRKGHPVLAVVRGTAVNQDGASNGLTAPNGPSQQRVILQALSNA
ORF14_pKS02    WGEGVGILLVERLSDAQRNGHPVLAIVRGSAINQDGASNGLTAPNGPSQQRVIRQALASG
ORF14_pKS03    WGEGAGMLLLERLSDARRNGHQVLAVVRGSAVNQDGASNGLTAPNGPSQQRVIRQALANA
ORF15_pKS01    WGEGAGMLVLERLSEARRNGHPVLALVRGSAVNQDGASSGLTAPNGPSQQRVIRQALAGA
ORF15_pKS02    WGEGVGMLLVERLSDARRNGHPVLAVVRGSAINQDGASNGLTAPNGPSQQRVIRAALASA
ORF15_pKS03    WSEGAGVLLVERLSDARRNGHPVLAVVRGSAINQDGASNGLTAPNGPSQQRVIRQALASA
ORF16_pKS01    WGEGVGMLLVERLSDAQRNGHPILAVVRGSAINQDGASNGLTAPNGPSQQRVIHQALTNA
ORF16_pKS02    PAEGVGVLLVERLSDARRNGHPILAVVRGSAINQDGASNGLTAPNGPSQQRVIRQALANA
ORF17_pKS01    WGEGVGMLLVERLSDARRNGHPVLALVRGSAINQDGASNGLTAPNGPSQQRVIRQALTNA
ORF17_pKS02    WAEGAGMILVERLSDARRNGHQVLAVVRGTAVNQDGASNGLTAPNGPSQQRVIRQALANA
ORF17_pKS03    WGEGVGMLLVERLSDARRNGHQVLAVVRGTAVNQDGASNGLTAPNGPSQQRVIRQALANA
ORF17_pKS04    WAEGAGMLLVERLSEARAKGHPVLAIVRGSAINQDGASNGLTAPNGPSQQRVIRQALAGA
ORF18_pKS01    WAEGAGMLLVERLSDARKNGHTVLAVVRGSAVNQDGASNGLTAPNGPSQQRVIRQALADA
ORF18_pKS02    WGEGVGMLLVERLSDARAKGHPVLAVVRGSAINQDGASNGLTAPNGPSQQRVIRQALASA
               .**.*:::::****:*. :*: :**:***:*:******.*****.**:**:**   ** ..
```

```
ORF10_pKS01    GLSAAEVDVVEAHGTGTRLGDPIEAQALLATYGQEHTDDRPLWLGSLKSNIGHTQAAAGV
ORF10_pKS02    GLSAADVDAVEAHGTGTRLGDPIEAQALLATYGQGRPADRPLWLGSVKSNIGHTQAAAGV
ORF10_pKS03    GLSAADVDAVEAHGTGTKLGDPIEAQALLATYGQDRPAGRPLWLGSIKSNIGHTQAAAGV
ORF10_pKS04    DLSAADIDAVEAHGTGTRLGDPIEAQALLATYGREREAGRPLWLGSIKSNIGHTQAAAGV
ORF10_pKS05    GLSAAEVDVVEAHGTGTRLGDPIEVQALLATYGREREADQPLWLGSIKSNIGHTQAAAGV
ORF11_pKS01    RLSAAEVDVVEAHGTGTTLGDPIEAQALLATYGQDRPEGRPLRLGSLKSNIGHTQAAAGV
ORF11_pKS02    GLSAADVDVVEAHGTGTKLGDPIEAQALLATYGQDRPDGRPLWLGSIKSNIGHTQAAAGV
ORF12_pKS01    RLTPADIDAVEAHGTGTTLGDPIEAQALLATYGQGRTDGRPLWLGSLKSNLGHTQNAAGV
ORF12_pKS02    GLSAAEVDAVEAHGTGTTLGDPIEAQALLATYGQGRPDDQPLWLGSVKSNIGHTQAVAGA
ORF12_pKS03    GLSAADVDAVEAHGTGTTLGDPIEAQALLATYGQDRPADRPLQLGSIKSNIGHTQAAAGV
ORF12_pKS04    GLAPGDIDAVEAHGTGTKLGDPIEAQALLATYGQDRPADRPLQLGSIKSNIGHTQAAAGV
ORF13_pKS01    RLSTDQVDVVEAHGTGTSLGDPIEAQALIATYGQDRPADQPLLLGSVKSNIGHTQAAAGV
ORF14_pKS01    RLTPDQVDAVEAHGTGTGLGDPIEAQALIATYGQDRPDGRPLWLGSLKTNIGHAQAAAGV
ORF14_pKS02    GLTTMDVDAVEAHGTGTKLGDPIEAQALLATYGQDRPEGRPLLLGSIKSNLGHTQAAAGV
ORF14_pKS03    GVAAGHVDAVEAHGTGTTLGDPIEAQALLATYGQEHTDDRPLLLGSVKSNLGHTQAASGV
ORF15_pKS01    RLSATQVDAVEAHGTGTTLGDPIEAQALLATYGQDRPDGRPLWLGSIKSNMGHTQAAAGI
ORF15_pKS02    GLSAAEVDAVEAHGTGTTLGDPIEAQALLATYGREHTEDSPLWLGSIKSNMGHTQAAAGV
ORF15_pKS03    GLSAADVDAVEAHGTGTTLGDPIEAQALLATYGQEHTDEQPLLLGSIKSNFGHTQAAAGV
ORF16_pKS01    RLSAADVDVVEAHGTGTTLGDPIEAQALLATYGQDRPAGRPLLLGSIKSNIGHTQAAAGV
ORF16_pKS02    RLSAADVDAVEAHGTGTTLGDPIEAQALLATYGQDRPAGRPLLLGSIKSNIGHAQAAAGV
ORF17_pKS01    GLTPAQVDVVEAHGTGTTLGDPIEAQALLATYGQNRPEGRPLWLGSVKSNIGHTQAAAGV
ORF17_pKS02    GLTTAEVDVVEAHGTGTTLGDPIEAQALLATYGQDRPAGQPLRLGSIKSNIGHTQAAAGA
ORF17_pKS03    GLTAAEVDAVEAHGTGTRLGDPIEAQALLATYGQDRPEGSPLWLGSIKSNFGHTQAAAGV
ORF17_pKS04    RLTSDQIDVVEAHGTGTTLGDPIEAQALLATYGREREADQPLWLGSIKSNLGHTQAAAGV
ORF18_pKS01    RLTAADVDVVEAHGTGTTLGDPIEAQALLATYGQREHTEDSPLWLGSVKSNLGHTQAAAGV
ORF18_pKS02    GLSAADVDVVEAHGTGTTLGDPIEAQALLATYGQEHTDDSPLWLGSIKSNFGHTQAAAGV
               ::. .:*.****H**** ******.***.****: :   ** ***:*:*:*H:* .:*
```

Figure 2d

```
ORF10_pKS01    AGIIKMIMAMRHGVLPRTLHVDAPTPHVDWEAGAVTLLTEAVEWPESDRPRRAGVSSFGM
ORF10_pKS02    AGVMKMVMAMRHGVLPRTLHVDGPTPHVDWSAGDVALLTEQREWPATGHPRRAGVSSFGL
ORF10_pKS03    AGIIKMVLAMQHGVLPQTLHVDEPTPHVDWSAGEVTLLTEQTAWPTVDRPRRAGVSSFGI
ORF10_pKS04    AGIIKMVLAMQHGVLPQTLHVDEPSPQVDWEAGEVSLLTGAMPWPQTGRPRRAGVSSFGI
ORF10_pKS05    AGVIKMVLAMEHGVLPQTLHVDEPTPHVDWSAGDVALLTDAVEWPETGRPRRAGVSSFGF
ORF11_pKS01    AGIIKMVMAMRHGVLPQTLHVDEPTPNVDWTAGAVSLLTEPMPWPETGAPRRAVSAFGV
ORF11_pKS02    AGIIKMVMAMRHGVLPRTLHVDEPTSHVDWSAGEVSLLSESAEWPLTERPRRAGVSSFGI
ORF12_pKS01    AGIIKMVMAMRHGVLPRTLHVDEPTSHVDWSTGAVALLTEPVEWPETGRPRRVGVSAFGV
ORF12_pKS02    AGIIKMVMAMRHGVLPQTLHIDEPTPYVDWSAGDIALLTEQRAWPETGRPRRAGVSSFGY
ORF12_pKS03    AGVIKMVLAMEHGVLPQSLHIDAPSPQVDWEAGDIALLTEQRQWPETGRPRRAGVSSFGF
ORF12_pKS04    AGLMKMVLAMQHGVLPQTLHVDEPTPHVDWSAGDIALLTERREWPETGRPRRAGISSFGV
ORF13_pKS01    AGVIKMVLAMQHGVLPQSLHIDEPSPHVDWESGAVSLLTEQTAWPETTHPRRAGVSSFGF
ORF14_pKS01    AGVIKSVMAMRHGVLPRTLHVDEPTPEVDWSAGDVSLLTEARPWPLGDQPRRIGVSSFGM
ORF14_pKS02    AGVMKMVLAMQHGVLPQTLHVDEPTPHVDWSAGDVALLADAVAWPETGRPRRAGVSSFGI
ORF14_pKS03    AGVIKMVMSMRHGVLPKTLHVDEPTPHVDWSAGAVSLLTEQTPWPETGRPRRAGVSSFGI
ORF15_pKS01    AGIIKMVMAMRHGILPKTLHVDEPTPNVDWSEGAVSLLTESVPWPETGAPRRAGVSSFGI
ORF15_pKS02    AGVIKMVLAIQHGVLPRTLHADRPSPHVDWSQGAVSLLTESVPWPETGRPRRAGVSSFGI
ORF15_pKS03    AGIIKIVQAMRHGVVPKTLHVDEPTPHVDWSAGAVSLLTEQVAWPETGRPRRAAISSFGF
ORF16_pKS01    ASIIKMVEAMRHGVVPKTLHLDEPTPHVDWEAGAVSLIGEKIAWPETGELRRAGVSSFGF
ORF16_pKS02    AGVMKMVLAMQHGVLPQSLHIAEPTPHVDWSAGEVALLTEERAWPETGRPWRAGVSSFGF
ORF17_pKS01    AGIIKMVLAMQHGVLPESLHIDQPSGNVDWAAGDVKLLTEAVPWPQTGQPRRAGVSSFGV
ORF17_pKS02    AGIIKMILAMRHGVMPPSLHIGEPSPHIDWTAGAVSLLTEAAEWPDAGRPRRAGISSFGV
ORF17_pKS03    AGIIKMVQAMHHGVLPKTLHVDAPSPHVDWSAGAVSLLTEQMAWPETGRPRRAGVSSFGM
ORF17_pKS04    AGIIKMIMAIRHGVLPKTLHVDEPTPHVDWEAGAVSLLTESVPWPETGRPRRAGVSSFGI
ORF18_pKS01    AGIIKMVMAIRHGRIPKTLHVDEPSTNVDWSAGAVSLLRESVEWPETGRPRRAISSFGI
ORF18_pKS02    AGIIKMVQAMHHGVVPKTLHVDEPSPHVDWSAGAVSLLTEQMAWPETGRPRRAAISSFGI
               *.::*  :  ::.**  :*  :**      *:   :**    *  :  *:        **        *  .:*:**


ORF10_pKS01    SGTNAHVIVEEP
ORF10_pKS02    SGTNAHTIIEEA
ORF10_pKS03    SGTNAHTIIEQA
ORF10_pKS04    SGTNAHTIIEQP
ORF10_pKS05    SGTNAHTVLEQA
ORF11_pKS01    SGTNAHTIIEQA
ORF11_pKS02    SGTNAHTIIEQA
ORF12_pKS01    SGTNVHTIIEQA
ORF12_pKS02    SGTNAHAVIEQA
ORF12_pKS03    SGTNAHTIIEQA
ORF12_pKS04    SGTNAHTILEQA
ORF13_pKS01    SGTNAHVIVEQA
ORF14_pKS01    SGTNAHIILESA
ORF14_pKS02    SGTNAHTIIEQA
ORF14_pKS03    SGTNAHAIIEQA
ORF15_pKS01    SGTNAHTILEQA
ORF15_pKS02    SGTNAHTIIEQA
ORF15_pKS03    SGTNAHAIIEQA
ORF16_pKS01    SGTNAHVIVEQA
ORF16_pKS02    SGTNAHAIIEQA
ORF17_pKS01    SGTNAHTVIEQA
ORF17_pKS02    SGTNAHVIIEQP
ORF17_pKS03    SGTNAHAIIELA
ORF17_pKS04    SGTNAHTIIEQA
ORF18_pKS01    SGTNAHTIIEQA
ORF18_pKS02    SGTNAHTIIEQA
               ****.*  ::*  .
```

Figure 3a

```
ORF10_pAT01    VLLPWALSAKTPEALRAQAR-------RLGTLIAAQP--HVTPL---DIGHSLATTRGRF
ORF10_pAT02    SVLPLLISAKSDAGLRAQSE-------QLATHLVGNP--DVPIG---DIAYSLTTGRSGL
ORF10_pAT03    LPLPYVLSAKSPEALRAQAS-------VLRTHLEATD--HNGPG-SDDLAFSLATARAHL
ORF10_pAT04    PVVPWVLSGKGEEALRAQAR-------QLQSYVLRAP--ELRPV---DIAGSLAVGRASF
ORF10_pAT05    GVMPWTLSAKSEAALRVQAE-------RLRTRIA-----SDPLLQPVDVAYSLATSRAAL
ORF11_pAT01    AVLPWTLSGRSTAALRAQAA-------RLLTTQGQDG--ATEPGRPLDIGYSLATTRAAL
ORF11_pAT02    GTVPYVLSAKSSDALRAQAR-------QLLAVVEAAE--SPRVA---DLAYSLATSRAGL
ORF12_pAT01    KALPWLLSAKGRDALRDRAA-------QLLAYAEEHP--DLRPV---DIAGSLAVGRPSF
ORF12_pAT02    PVLPLLVSGRTAPALRAQAERLRPAATALATGTVTNSG-ALEAL---DLGYSLATSRAAL
ORF12_pAT03    DFVPLMLSAKSDVALRAQAA-------SLRARLIAAP--DMRLS---DVGSTLTTGRSAF
ORF12_pAT04    AVSAWPLAGKTEAGLREQAE-------RLLAHIDAHS--ELR---PVDVGHSLATGRAAF
ORF13_pAT01    -VVPWVLSGKSAGALRAQAE-------RLSGFLAGASAVDVPSV---DVGWSLASSRAGL
ORF14_pAT01    GALPVVLSGRTEPALRAQAA-------ALHAHLAAHP--GLGIA---DLAFSQALTRAAL
ORF14_pAT02    GPQPWLLSAKTRDALHDQAR-------RLHAHAELNP--ELSPA---DLGLSLAAGRSAF
ORF14_pAT03    SSVPLIVSARGEDALRAQAR-------RLHAHVHADP--GLRAV---DLGLSLATTRSAL
ORF15_pAT01    VPPLWTLSAKSPAALRAQAG-------KLHAHLTAHP--GLRPG---DIAHSLAVGRTDF
ORF15_pAT02    SALPLQLAGRSAEALSAQAR-------ALSAHLT-----AHPDVPLADLAYSLATSRATF
ORF15_pAT03    GSLPWLLSAKGDALRDQAA--------RLRAHAIGHP--ELSLA---DIGYALATSRTAL
ORF16_pAT01    -VVPWVLSGKSAGALRAQAE-------RLSGWLAGASAAGVASV---DVGWSLASSRAGL
ORF16_pAT02    -VLPWTLTAKTEKALQGQAE-------RLLTQLT--TRSDLRLV---DVGHSLATTRTAL
ORF17_pAT01    GPVPVLVSGQSDAALRAQAE-------RLAAHLRAHPGLGADTGTLTDLGFSLATSRSSL
ORF17_pAT02    TPLPFALSGRTPAALRAQAA-------RLIGHLAPRP--EAAPA---DVALSLATTRTAL
ORF17_pAT03    AALPWNLSARTPDALRAQGE-------RLLSHLETHCE-THPETVLADIGHSLTTGRALF
ORF17_pAT04    RVLPFVLSAKSAGALRGQAV-------RLKAHVEASP--EVSGAGAVDVAYSLATRRAVF
ORF18_pAT01    PVLPWPVSARTEEALHAQAE-------RLLAHVR-----TNPDQAPVGVALSLATGRAAL
ORF18_pAT02    RVLPFVLSAKSAGALRGQAV-------RLKAHVEASP--EVSGAGAADVAYSLATRRAVF
                   ::.:     .*  :.          *                   '.:. : :  *   :



ORF10_pAT01    EQRAIVLGDD---REAFLDALHALAEGN--------DTPSVVQGAA-APGKLAFLFTGQG
ORF10_pAT02    ETRAILVGDADN-RTGLAAALRSLAAGE--------QAPGLVQGTV-TEGGLAFLFTGQG
ORF10_pAT03    EHRAVLT-ADD--PQEFREALARLADGD--------PSPRITTGAV-SDGRTAFLFTGQG
ORF10_pAT04    EDRAAVV--AAD-REGLLAALAALADGG--------SATGAVEGSA-VGGKLAFLFTGQG
ORF10_pAT05    ERRAVVVATE---RDEFLAGLKALASGQ--------PAPGLVQGR-VTEGGLAFLFTGQG
ORF11_pAT01    EHRAVLL-GRT--EDDFAAALSALAEGA--------ESAGLVQGRV-TEGGLAFLFTGQG
ORF11_pAT02    DHRAALVADD---RENLTRALAALAADE--------QVPGLVRGTA-TGGGLAFLFTGQG
ORF12_pAT01    EDRAAVV-AAD--REGLLAGLAALADGG--------SATGLVKGSSQLVGKLAFLFTGQG
ORF12_pAT02    EHRAVLIGTPSD-GQALASRLDALAAGE--------QVPGLVQGTA-SGGGLAFLFTGQG
ORF12_pAT03    ERRAALV--AGG-REGLLAGLEALADGG--------SAAGLVEGSP-VSGKLAFLFTGQG
ORF12_pAT04    DHRAVLVAGDD--RSEFRRALAALASGE--------SVAQVVQGIARPDQQVAFLFTGQG
ORF13_pAT01    EHRAVVLG-------DHAAGVAAVASGV--------MAAGVVTGSV-VGGKTAFVFPGQG
ORF14_pAT01    DRRAAVVADD---RDALLAGLAALAEGR--------PSADVVEGSA-TDGKLAFLFTGQG
ORF14_pAT02    ERRAAVI-AAD--RDGLLAGLAALADGG--------AAAGLVEGSP-VAGKLAFLFTGQG
ORF14_pAT03    EQRAALVAGD---RAELLRGLDALARGE--------DTAGLVRGTA-REGQVAFLFTGQG
ORF15_pAT01    EHRAVLT-SADG-PVGLVRALEALADSAPEDTAPADRAPGVTRGRP-VAGKLAFLFTGQG
ORF15_pAT02    DHRAVLVATEGTTAATAVTALDALADRR--------TAPGLVRGTASKGGRTAFLFTGQG
ORF15_pAT03    DRRAAVVAGD---REEFLAGLAALAEGA--------TAAGLTEGSP-AGGKLAFLFTGQG
ORF16_pAT01    EHRAVVLG-------DHAAGVGAVASGV--------MAAGVVTGSV-VGGKTAFVFPGQG
ORF16_pAT02    DQRAVLIGRDRP---DYLGALTALAAGD--------TSPLLVQGAV-VGGKTAFVFPGQG
ORF17_pAT01    DRRAVLFGDR----DSLLADLSALAEGE--------QPAGPVLGAV-GEGKTAFLFTGQG
ORF17_pAT02    DRRAAVIAHD---RTELLAGLTALAEGH--------DSARLVQHTA-ADGRTAILFTGQG
ORF17_pAT03    EHRATVVAGD---RDGFRAGLAALAEGR--------TAAGLIQGSSSTGGRTAFLFTGQG
ORF17_pAT04    DHRAVVVAGD---REELLRSLAAVESEG--------AAAGVTRGAVG-GGKLAFLFTGQG
ORF18_pAT01    EHRAVVVATD---RETALADLAALASGE--------TSARVVLGEPGARGKTAFLFTGQG
ORF18_pAT02    DHRAVVVAGD---REELLRALAAVESEG--------TAAGVTRGTAG-GGKLAFLFTGQG
                : **  :              :   :           .           *:.*.**.**
```

Figure 3b

```
                                                                              M1
ORF10_pAT01    SQRLGMGRELYETHPVFADALDDACWYLDDQLELPL--LDVLFADEGSPEAALLHQTAYT
ORF10_pAT02    SQRLGMGRELYETYPVFADALDAVCARMD--LEVPL--RDVLFGAY----AGLLDETAYT
ORF10_pAT03    SQRLGMGRELYEAYPVFADALDAVCAHVDAHLEVPL--KDVLFGAD----AGLLDQTAYT
ORF10_pAT04    SQRLGMGRELYEAYPVFAEALDAVCAR----LELPL--KDVLFGAD----AGLLDETAYT
ORF10_pAT05    SQRLGMGRELYETYPVFADALDAVCVR----LELPL--MDVLFGTE----RDALDETGYT
ORF11_pAT01    SQRLGMGRELYEAYPVFADALDAVCAR----LELPL--KDVLFGAD----AGLLDETAYT
ORF11_pAT02    SQRLGMGRELYETYPVFARALDAV----DARLELPM--KEVLFGAD----ADLLNETAHT
ORF12_pAT01    SQRLGMGRELYETYPVFAQALDAVCER----LELPL--KNVLFGTD----SAALDETSYT
ORF12_pAT02    SQRLGMGRELYETYPVFAEALDAVCAR----LELPL--KEVLFGAD----GAALDQTAVT
ORF12_pAT03    SQRLGMGRELYEAYPVFADALDAVCVR----LELPL--MDVLFGAD----AGLLNETAYT
ORF12_pAT04    SQRLGMGRELYETYPVFADALDAVCAR----LELPL--KDVLFGGD----ADRLNETAYT
ORF13_pAT01    SQWVGMAVGLLDSSPVFAARVEECAKALEPFTDWSL--VDVLRGVEG---APSLERVDVV
ORF14_pAT01    SQRPGMGRELYATYPVFAQALDAVCER----LELPL--KDVLFGTDGAA-GAALDETAYT
ORF14_pAT02    SQRLGMGRELYDTYPVFADALDAVCAHVDAHLEVPL--KDVLFGAD----TGLLDQTAYT
ORF14_pAT03    SQRPGMGRELYDAHPVFADALDEICGELDRHLEVPL--KGVLFATE----GDLIHQTAYT
ORF15_pAT01    SQRLGMGRELYETYPVFAQALDAVCERLN--LEVPL--RDVLFGAD----AGLLDQTVYT
ORF15_pAT02    SQRLGMGRELYEAHPVFARALDAVCDR----LELPL--KDVLFGTD----AGLLNETVYT
ORF15_pAT03    SQRLAMGRELYSAHPVFARALDAVCDG--LALDVPL--KQVLFGSD----ADLLDRTAYT
ORF16_pAT01    SQWVGMAVGLLDSSPVFAARVDECAKALEPFTDWSL--VDVLRGVEG---APSLERVDVV
ORF16_pAT02    SQWVGMAVALLDASPVFAARVDECAKALEPFTDWSL--RDVLRGVTG---APSLDRVDVV
ORF17_pAT01    SQRLGMGRELYATHPGFARALDEVRAELDQHLERPL--FDVLFAAEGTPEADLLDETAYT
ORF17_pAT02    SQRPGMGRELYETYPAFAEALDAVCAELDPHLEQPL--KEVLFTAD----GDLLNRTGRT
ORF17_pAT03    SQRLGMGRELYEAYPVFARALDEVCAR----LELPLPLKDVLFGTD----TGLLNETAYT
ORF17_pAT04    SQRLGMGRELYETYPVFARALDAACAR----LELPL--KDALFGTD----AGLLGETAYT
ORF18_pAT01    SQRLGMGRELYEEYPVFADALDAVCAR----LELPL--KDVLFGAD----ARLLDETAYT
ORF18_pAT02    SQRLGMGRELYETYPVFARALDAACAG----LELPL--KDALFGAD----AGLLDETAYT
               **   .*.   *     * **  ::          :  .:      .*       :  ..   .
```

```
                          M2                  M3
ORF10_pAT01    QPALFAVEVALFRLVDSWGLKPDFVAGHSIGEIAAAHVAGVFSLEDACMLVAARGRLMQA
ORF10_pAT02    QPALFAVEVALFRLVESWGLRPDFVAGHSIGEIAAAHVAGVLSLDDACALVEARGRLMGA
ORF10_pAT03    QPALFAVEVALFRLVESWGVKPDFVAGHSIGEIAAAHVAGVFSLQDASELVFARGRLMGA
ORF10_pAT04    QPALFAVEVALFRLVESWGLRPDFVAGHSIGEIAAAHVAGVFSLDDACALVEARGRLMGA
ORF10_pAT05    QPALFAVEVALFRLVESWGVRPDFLAGHSIGEIAAAHVAGVFSLDDACALVEARGRLMGA
ORF11_pAT01    QPALFAVEVALFRLVESWGVKPDFVAGHSIGEIAAAHVAGVFSLEDACALVSARGRLMGA
ORF11_pAT02    QPALFAVEVALFRLLESWGVRPDVLAGHSIGEIAAAHVAGVFSLDDACTLVEARGRLMQA
ORF12_pAT01    QPALFAVEVALFRLVESWGLKPDFLAGHSIGEIAAAHVAGVFSLDDACALVSARGRLMGA
ORF12_pAT02    QPALFAIEVALFRLVESWGLRPDFVAGHSIGEIAAAHVAGVFSLEDACRLVEARGRLMGA
ORF12_pAT03    QPALFAVEVALFRLVESWGLRPDFLAGHSIGEIAAAHVAGVLSLDDACALVEARGRLMGA
ORF12_pAT04    QPALFAVEVALFRLVESWGVRPDFLAGHSIGEIAAAHVAGVFSLDDACALVEARGRLMGA
ORF13_pAT01    QPALFAVMVSLAEVWRAAGVRPGAVIGHSQGEIAAACVAGILSLEDAARVVALRSQAIGR
ORF14_pAT01    QPALFAVEVALFRLVESWGLKPDYLAGHSIGEIAAAHVAGVFSLEDACTLVEARGRLMQA
ORF14_pAT02    QPALFAVEVALFRLVESWGLRPDFLAGHSIGEIAAAHVAGVFSLQDASELVVARGRLMQA
ORF14_pAT03    QPALFAVEVALFRLLESWGVQPDFLAGHSIGEIAAAHVAGVFSLQDASELVVARGRLMQA
ORF15_pAT01    QTALFAVEVALFRLVESWGLKPDFLAGHSIGEIAAAHVAGVFSLEDACALVSARGRLMGA
ORF15_pAT02    QPGLFAVEVALFRLLESWGVKPDFLAGHSIGEIAAAHVAGVLSLDDVCALVEARGRLMGA
ORF15_pAT03    QPALFAVEVALFRLVESWGLKPDFLAGHSIGEITAAHVAGVLSLDDACTLVAARGRLMGA
ORF16_pAT01    QPALFAVMVSLAEVWRAAGVRPGAVIGHSQGEIAAACVAGILSLEDAARVVALRSQAIGR
ORF16_pAT02    QPALFAVMVSLAEVWRAAGVRPDAVIGHSQGEIAAACVAGILSLEDAARVVALRSQAIGR
ORF17_pAT01    QSALFAVEVALFRQLEQWGVGADFLIGHSIGELAAAHVSGVFTLADAAKLVAARGRLMQA
ORF17_pAT02    QPALFALETALYRLVESWGVRPDFVAGHSIGEITAAHVAGVLSLPDAATLVAARGRLMQE
ORF17_pAT03    QPALFAVEVALFRLVESWGLKPDFLAGHSIGEIAAAHVAGVLSLEDACALVSARGRLMGA
ORF17_pAT04    QPALFAVEVALFRLLESWGVRPDFLAGHSIGEIAAAHVAGVLSLDDACALVEARGRLMQA
ORF18_pAT01    QPALFAVEVALFRLVESWGLKPDFLAGHSIGEIAAAHVAGVFSLEDACALVSARGRLMGA
ORF18_pAT02    QPALFAVEVALFRLLESWGVRPDFLAGHSIGEIAAAHVAGVLSLDDACALVAARGRLMGA
               *..***: .:*  .       *: .. : ** ** **::** *:*::.:* *.. :*  ** .: :
```

Figure 3c

```
ORF10_pAT01    LPAG-GVMIALQASEDEVLPLLT----DRVSIAAINGPQAVVIAGDEDAAAAIAETFQAA
ORF10_pAT02    LPGG-GVMIAVQAPEAEVLPLLT----ERVSIAAINGPQSVVIAGDEADAVAIVESFTG-
ORF10_pAT03    LPTG-GVMIAVQASEDEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIAESFTD-
ORF10_pAT04    LPAG-GVMIAVQASEDEVLPLLT----DRVSIAAINGPRSVVIAGDEADAVAIVESFTG-
ORF10_pAT05    LPTG-GVMIAVQASEAEVLPLLT----ERVSIAAINGPQSVVIAGDEADAVALVESFTG-
ORF11_pAT01    LPAG-GVMIAVQASEAEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIAGSFAD-
ORF11_pAT02    LPTG-GVMIAVQASEDEVLPLLT----GQVSIAAINGPQSVVIAGDEADAVAIAESFTD-
ORF12_pAT01    LPGG-GVMIAVQASEDEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIAESFAD-
ORF12_pAT02    LPGG-GVMIAVQASEDEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIAESFTG-
ORF12_pAT03    LPAG-GVMIAVQASEDEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIVESFTG-
ORF12_pAT04    LPTG-GVMIAVQASEAEVLPLLT----ERVSIAAINGPQSVVIAGDEADAVAIVDAFND-
ORF13_pAT01    VLAGLGGMVSVPLPAKAVRELIAPWGEGRISVAAVNGPSSVVVSGEAAALDELLVSCESE
ORF14_pAT01    LPTG-GVMIAVEASEDEVLPLLT----DWVSIAAVNGPRSVVVAGDEDAAVAIAEAFAAQ
ORF14_pAT02    LPTG-GVMIAVQASEDEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIAESFTG-
ORF14_pAT03    LPTG-GVMIAVQASEDEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIAESFTD-
ORF15_pAT01    LPGG-GVMIAVQASEDEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIAESFAD-
ORF15_pAT02    LPGG-GVMIAVQASEAEVLPLLT----DRVSIAAINGPRSVVIAGDEADAVAIAESFTD-
ORF15_pAT03    LPTG-GVMIAVEASEDEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIAESFTG-
ORF16_pAT01    VLAGLGGMVSVPLPAKAVRELIAPWGEGRISVAAVNGPSSVVVSGEAAALDEMLASCESE
ORF16_pAT02    VLAGLGGMVSVALPAKAVRELIAPWGEDRISVAAVNGPSSVVVSGETAALDELLASCESD
ORF17_pAT01    .LPAD-GAMIAVEATEDEVAPLLT----GRVSIAAVNGPRSVVVSGDEDAATALAETLRAR
ORF17_pAT02    LPEG-GAMIALTATEDEVLPLLAGH-EDRIGIAAVNSASSVVISGEEGLALEIAAEFERR
ORF17_pAT03    LPGG-GVMIAVQASEGEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIVESFSD-
ORF17_pAT04    LPTG-GVMIAVQASEAEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIVESFSG-
ORF18_pAT01    LPAG-GVMIAVQASEDEVLPLLT----ARVSIAAINGPQSVVIAGDEADAVAIVESFTG-
ORF18_pAT02    LPTG-GVMIAVQASEDEVLPLLT----DRVSIAAINGPQSVVIAGDEADAVAIVESFSG-
               :  . * *:::   .   *   *:::       :.:**:*.. :**::*:        :
```

```
                                      M4
ORF10_pAT01    GRKTKRLTVSHAFHSPHMDAMLEEFLRVAQVLDYAKPTLPVVSLLTGTTATPAELATPAY
ORF10_pAT02    -RKSKRLTVSHAFHSPHMDGMLEDFRAVAEGLSYEAPRIPVVSNLTGALVS-DEMGSAEF
ORF10_pAT03    -RKSKRLTVSHAFHSPHMDGMLDAFREIAEGLSYEPSRIPVVSNLTGALVS-DEMGSAEF
ORF10_pAT04    -RKSKRLTVSHAFHSPHMDGMLEDFRAVAEGLSYEAPRIPVVSNLTGTLVT-DEMGSAEF
ORF10_pAT05    -RKSKRLTVSHAFHSPHMDGMLADFRKVAEGLSYEAPRIPVVSNLTGALVT-DEMGSADF
ORF11_pAT01    -RKSKRLTVSHAFHSPHMDGMLEDFRLVAEGLSYEAPRIPVVSNLTGALVS-DEMGSAEF
ORF11_pAT02    -RKSKRLTVSHAFHSPHMDGMLADFRKVAEGLVYENPRIPIVSNLTGTLVT-DEMASADF
ORF12_pAT01    -RKSKRLTVSHAFHSPHMDGMLEDFRAVAEGLSYEAPRIPVVSNLTGALVS-DEMGSADF
ORF12_pAT02    -RKSKHLAVSHAFHSPHMDGMLEDFRAVAEGLSYEAPRIAVVSNLTGALVS-DEMSSAEF
ORF12_pAT03    -RKSKRLSVSHAFHSPHMDGMLEDFRVVAEGLSYDAPRIPVVSNLTGALVT-DEMGSADF
ORF12_pAT04    -RKSKRLAVSHAFHSPHMDGMLADFRKVAEELSYEAPRIPIVSNLTGALVT-DEMGSADF
ORF13_pAT01    GVRAKRIAVDYASHSAQVELLREELAELLAPIVPRAAEVPFLSTVTGEWVRGPELDGG-Y
ORF14_pAT01    GRKTKKLTVSHAFHSPHMDGMLDAFRTVAQGLSYGTPRIPVVSNLTGALVT-DEMGSADF
ORF14_pAT02    -RKSKRLTVSHAFHSPHMDGMLEDFRAVAEGLSYEAPRIPVVSNLTGALIS-DEMGSAEF
ORF14_pAT03    -RKSKRLTVSHAFHSPHMDGMLADFRKVAEGLVYENPRIPIVSNLTGALVT-DEMGSADF
ORF15_pAT01    -RKSKRLTVSHAFHSPHMDAMLEDFRAVAEGLSYEAPRIPVVSNLTGALVS-DEMGSADF
ORF15_pAT02    -RKSKRLTVSHAFHSPHMDGMLDAFREIAEGLSYEAPRIPVVSNLTGALVS-DEMGSADF
ORF15_pAT03    -RKSKRLTVSHAFHSPHMDGMLDAFREVAEGLSYGTPLIPVVSHLTGTLVT-DEMRSPDF
ORF16_pAT01    GVRAKRIAVDYASHSAQVELLREELAELLAPIVPRAAEVPFLSTVTGEWVRGPELDAG-Y
ORF16_pAT02    GVRAKRIAVDYASHSAQVELLREELAELLAPIVPRAAEVPFLSTVTGEWVRGPELDGG-Y
ORF17_pAT01    GRRTKRLTVSHAFHSPLMDGMLDAFREVAESVAYAPPVIPIVSNLTGASVTAEEICAADY
ORF17_pAT02    GRRTKRLTVSHAFHSPLMDGMLDAFREVAESLTYRAPAIPVVTLLTGTVAG-DELRTAEH
ORF17_pAT03    -RKSKRLTVSHAFHSPHMDGMLDDFRAVAEGLSYGAPRIPVVSNLTGALVS-DEMGSADF
ORF17_pAT04    -RKSKRLTVSHAFHSPHMDGMLAGFRKVAEGLSYEAPRIPVVSNLTGALVT-DEMGSADF
ORF18_pAT01    -RKSKRLTVSHAFHSPHMDGMLEDFRVVAEGLSYEAPRIPVVSNLTGALVS-DEMGSADF
ORF18_pAT02    -RKSKRLTVSHAFHSPHMDGMLAGFRKVAESLSYEAPRIPVVSNLTGALVT-DEMGSADF
               ::*:::*.:* *.:: :   :   :     :     . :...:: :**      *:  . .
```

Figure 3d

```
ORF10_pAT01    WVRHVRDAVRYLDGVRTLHQRGVRTFLELGPDAVLTAMAQDCVDP-----QGAAFAPALR
ORF10_pAT02    WVRHVREAVRFLDGMRVLEAAGVTTYVELGPGGVLSALAQECVSG-----DGAAFVPVLR
ORF10_pAT03    WVRHVREAVRFLDGIRTLEAAGVTKYVELGPDGVLSAMAQDCVSG-----EGSVFIPVLR
ORF10_pAT04    WVRHVREAVRFLDGIRALEAAGVTTYVELGPGGVLSALAQECVSG-----DGAAFVPVLR
ORF10_pAT05    WVRHVREAVRFLDGTRTLEALGVTTYVELGPDGVLSAMAQECVTG-----EDSVFVPVLR
ORF11_pAT01    WVRHVREAVRFLDGIRTLEAAGVTKYVELGPDGVLSAMAQDCVSG-----EGSVFIPVLR
ORF11_pAT02    WVRHVREAVRFLDGIRALESRGVTTYIELGPDGVLSALAQDCLTAGTG-TGTAIFAPVLR
ORF12_pAT01    WVRHVRETVRFLDGIRTLEAAGVTKYVELGPDGVLSALAQDCVSG-----EDSVFIPVLR
ORF12_pAT02    WVRHVREAVRFLDGIRALEAAGVTTYVELGPGGVLSALAQECVSG-----DGAAFVPVLR
ORF12_pAT03    WVRHVREAVRFLDGIRALEAAGVTTYVELGPDGVLSAMAQECVTE-----GGAAFVPVLR
ORF12_pAT04    WVRHVREAVRFLDGIRALEAAGVTVYVELGPDGVLSAMAQECVTG-----EGAAFVPALR
ORF13_pAT01    WFQNLRRTVELEEATRTLLEQGFGVFVESSPHPVLSVGMQETVEDAG---REAAVLGSLR
ORF14_pAT01    WVRHVREAVRFLDGIRWLESRGVTTYIELGPGGVLSALGQDCQTATG--PRAAAFLPALR
ORF14_pAT02    WVRHVREAVRFLDGIRTLEAAGVTKYVELGPDGVLSAMAQDCVSG-----EGSVFIPVLR
ORF14_pAT03    WVRHVREAVRFLDGIRALEAAGVTTHIELGPDGVLCAMAQECVSG-----EDTVFVPVLR
ORF15_pAT01    WVRHVRETVRFLDGIRALTERNVVHFVELGPDAVLSAMAQDCPSA-----DTAAFVPVLR
ORF15_pAT02    WVRHVREAVRFLDGIHALEAAGVTTYVELGPDGVLSAMAQECVTG-----EDSVFVPVLR
ORF15_pAT03    WVRHVREAVRFLDGIRTLEDAGVTTYIELGPGGVLSAMGQSCVTR-----DDAAFLPALR
ORF16_pAT01    WFQNLRRTVELEEATRTLLEQGFGVFVESSPHPVLSVGMQETVEDAG---REAAVLGSLR
ORF16_pAT02    WFQNLRRTVELEEATRTLLEQGFGVFVESSPHPVLTMGVQETVEDAG---RDAAVLGSLR
ORF17_pAT01    WVRHVREAVRFLDGVRKLSAQGVTTFVEVGPGGVLTALAQECVTG-----QDAVFVPVLR
ORF17_pAT02    WVSHVREAVRFLDGIRTLDAEHVTTYLELGPQGVLSGLGRDCLTDPADPADTAVFVPALR
ORF17_pAT03    WVRHVREAVRFLDGIRALEAAGVTTYIELGPDGILSAMAQECITG-----EGAAFAPVLR
ORF17_pAT04    WVRHVREAVRFLDGIRTLEAAGVATYVELGPDGVLSAMAQDCVTG-----EGAAFAPALR
ORF18_pAT01    WVRHVREAVRFLDGIRALEAAGVTTYVELGPDGVLSAMAQACVTG-----ENSVFVPVLR
ORF18_pAT02    WVRHVREAVRFLDGIRALEAAGVTAYVELGPDGVLSALAQECVTG-----EGAAFAPALR
               *.  ::* :*.   :. : *       .  .:* .*   :*      :      :  .   **


ORF10_pAT01    SGRPEAATVLNAVAHAHVRGAETDWAAFFAGTGAQRVDLPTYAFQRQRYWM--
ORF10_pAT02    SGRPEAETAVTALAQAHVRGVDVDWAAFFSGTGVQRVDLPTYAFQRQRFWP--
ORF10_pAT03    KARPEAESVTTALASAHVHGIPVDWQAYFAGTGAQRVDLPTYAFQRQRYWP--
ORF10_pAT04    SGRSEAETAVTALAQAHVRGVNVDWAAFFAGTGAERVDLPTYAFQRQRYWL--
ORF10_pAT05    SGRPEAESVTTALAQVHVRGIAVDWQAYFAGTGAQRVDLPTYAFQRRRYWL--
ORF11_pAT01    KARPEAESVTTALATAHVHGIPVDWQAFYAGTGAQRVDLPTYAFQHERYWL--
ORF11_pAT02    AARPEAESVTTALATAHVHGTPVDWRAYFAGTGARRADLPTYPFQGRRYWP--
ORF12_pAT01    KARPEAETVATALASAHVHGIPVDWRAYFAGTGAQRVDLPTYPFQRQRYWI--
ORF12_pAT02    SGRSEAETVVTALAQAHVRGVDVDWAAFFAGTGAERIDLPTYAFQRQRYWP--
ORF12_pAT03    KGRPEAETVMATLGQAHVRGVAVDWHSVYG-TGAQRVDLPTYSFQRQRYWP--
ORF12_pAT04    KGRPEAETITAALAHAHTHGIAVDWQAYFAGTGAQRVDLPTYAFQRQRYWV--
ORF13_pAT01    RGEGGLERFWLSLGEAWVRGVGVDWHAVFAGTGAQRVDLPTYAFQSQRFWPEA
ORF14_pAT01    TGRPEASSLTAAVAGAHVRGLSPDWTVRFAGTGAQRVELPTYAFQRELYWP--
ORF14_pAT02    KARPEPESVTTALTTAHVHGIPVDWQAFFAGTGARRVDLPTYAFQRQRYWP--
ORF14_pAT03    PGRPEAETVTTALARVHVQGVPVDWQAYFSGTGAQRVDLPTYAFQRKRYWL--
ORF15_pAT01    KGRSETGSLTDALARLHVGGVAVDWDAYYSGTDVQRVDLPTYAFQRAHYWL--
ORF15_pAT02    SGRPEAESVTTALAQAHVRGIAVDWQAYFAGTSAQRVDLPTYRFQREHYWP--
ORF15_pAT03    ADRSEEETLTSAVARAHLRGITVDWDAYYSGTGARRVDLPTYAFQRQRYWL--
ORF16_pAT01    RGEGGLERFWLSLGEAWVRGVAVDWHAVFAGTGARRVDLPTYAFQQEHYWLES
ORF16_pAT02    RGEGGLERFWLSLGEAWVRGVGVDWSAVFAGTGARRVDLPTYAFQSQRFWPEA
ORF17_pAT01    GDRPEAAAFATAVAQAHVHGVAVDWSAVFAGRGATRIDLPTYAFQRELYWP--
ORF17_pAT02    RDRGEAEALTAAIAAAHTRGVPLDWSAYFAGTGARRVELPTYAFQRERFWL--
ORF17_pAT03    AGRDEAETVLSALAAAHVRGVPVDWQAFYAPAGAQRVPLPTYAFQRSVYWL--
ORF17_pAT04    KGRPETETITTALALAHAHGTSVDWETYFAGTGAQVELPTYAFQRDWYWL--
ORF18_pAT01    SGRSEAESVTTALAQAHVRGIAVDWQAYFAGTGAERVDLPTYAFQRDHYWL--
ORF18_pAT02    KGRPEAETITTALALAHNHGTSVDWETYFSGTGAQRVDLPTYAFQRERYWI--
               .       ::     *   **   :.  ..    **** **   .*
```

Figure 4

```
ORF10_pDH03    IGLGDAGHPLLGAAVALADSEGVLFTGRLSLDTHPWLADHTILGSVLLPGTAFVDLAIRA
ORF11_pDH01    AGLDPAGHPLLGAAVTLAGSDSVLFTGRLSLRTQPWLADHTVSGTTVLPGAAFVELAVRA
ORF12_pDH01    AGLEEAGHPLLGAAVPLADSEGFLFTGRLGRTSHPWLADHAVMDTVLLPGTAFVDLAVRA
ORF12_pDH04    AGIGSAGHPLLGAAVELPDSDGFLFTGRLSRTHPWLADHVVADTVVVPGAAFVELAVRA
ORF14_pDH02    IGLDDTAHPLLSAGVALPESDGMVFAGRLALSTHAWLADHAILGSVLLPGTAFVELATRA
ORF14_pDH03    AGLDAADHPLLGATVSLPGSDGLVLTGRLALSTHPWLSDHTVMDTVLLPGTAFVELALRA
ORF15_pDH01    AGLGAAGHPLLGAAVALADLDGFLYTGRLSLDTHPWLADHAVMGSAVLPGTAFVELAIRA
ORF15_pDH02    LGLAAAGHPLLGAAVTLADADGCVLTGRLSLRTHPWLADHAVMGSVLLPGTALVELALHA
ORF15_pDH03    AGLGSAGHPLLGAAVELPDSDGFLFTGRLSLRTHPWLGDHRVAGTVLLPGAALLELAVRA
ORF17_pDH01    AGIGAADHPLLGAAIALADGDGHLFTGRLSLATHPWLADHTVMDTVLLPGTAFVELALQA
ORF17_pDH02    AGMGAAHHPLLGAAVALADGEGFLFTGRLSLDTHPWLADHAVMGNVLLPGTAFVELAIRA
ORF17_pDH03    AGLGATDHPLLSAAVELPDSDGFLFTGRLSLATHPWLADHAVLGSVLLPGTAFVELALRA
ORF17_pDH04    FGLGATDHPLLDATIELPDSDGFLFTSRLSLDTQPWLADHAVLGSVLLPGTAFVEIAVRA
ORF18_pDH01    AGLRSADHPLLGASVALADAEGLLLTGRLSLDTHPWLADHAVAGTVLLPGTAFVELALRA
ORF18_pDH02    AGLGAAEHPLLGAAVELPDSDGLLLTGRLSLLSHPWLADHAVAGTVLLPGTAFVELALHA
               *:   : ****.* : *.  :. : :.**.  ::.**.** : ....::*:*::::* :*
```

```
                                     #
ORF10_pDH03    GDQVGCDVVEELTLEAPLVVPQRGGVQLQLVVEAP--SGPGQRPFSVHS
ORF11_pDH01    GDQAGCERVEALVLDAPLALPAEGAVRVQVLVEAP--DEQGRRPFTVSS
ORF12_pDH01    GDQVGCDVVEELTLEAPLVLPERGAVQIQMHVGAPDADGTGRRTFTLSS
ORF12_pDH04    GDEVGCEEVEELVLEAPLVLPEKGAVQLRLSVGGA--DDQGRRSVHVHS
ORF14_pDH02    GDQVGCDYLEELTLEAPLVLPEHGGVQLRVWVGAA--DESGRRPFALHS
ORF14_pDH03    GELVGCGAVEELALEAPLTLADQGAVQFQLAVDAP--DGAGRRTLTLHS
ORF15_pDH01    GDQVGCDLLEELTLHAPLVLPPAGGVQVQLWVGAP--DATGRRTLGVHS
ORF15_pDH02    GERVGTRALDELTLQAPLILPNEGAVQLQVVGAP--DAAGHRTVAVYS
ORF15_pDH03    GDHAGCDLLEDLTLEAPLVLPEAGGVQLRLVVAEP--DASRRRVFHIYS
ORF17_pDH01    GDHTGCDLLDELTLEAPLVLPPHGGVQIQLAVGAP--DAEGRRSLTLHS
ORF17_pDH02    GDQAGCDLLEELTLEAPLILAPQAAARLQIVVGAP--DGSGRRTLDVYS
ORF17_pDH03    GDQVGCDLIDELTLEAPLVLPPHGGVQLRLAVAAA--DATGRRTLAFHS
ORF17_pDH04    GDQVGCDVLEELTLEAPLVVPERGGVQLRLTVAAA--DESGRRGLSLYS
ORF18_pDH01    GDQVGCDLIDELTLAAPLVLPEQGGVELQITVAAP--DESGRRSVAFHS
ORF18_pDH02    GQRVGSGLLEELTLEAPLVLPERGALQLRVSVAAP--DEAGRRALHVHS
               *: .*   :: *.* *** :.  .. ..:: *  .   .  :* . . *
```

Figure 5

```
ORF17_pER02           QLAVRRGTVHAPRLARVPAATPLTPPPGESAWRMDIEDKGTLDHLTLVPSPESAAPLEPG
AAF71776_mod05|NYST   QLALRDGGVLAARLARFDTAAALTPPAD-RAWRLDSTAKGSLNGLALTPYPAALAPLTGH
AAF71767_mod15|NYST   QAVVREGTVRVGRLARLDSGRGLVPPPG-TPWRLGSRAKGSLDGLALLPHPEARRPLTGH
                      *  .:* * * .  ****. :.  *.**..   .**:.   **:*: *:* * * :  **


ORF17_pER02           QVRVAVRAAGLNFRDVLNALGMYPG-DPGLMGSEGAGIVVETGPGVTGLAPGDRVMGMLP
AAF71776_mod05|NYST   EVRVEVRAAGLNFRDVLNALGMYPGDDVGSFGSEAAGVVVEVGPEVTGLAPGDQVMGMIT
AAF71767_mod15|NYST   EVRVGIRAAGLNFRDVLNALGMYPG-DAGLFGSEAAGVVVEVGPEVTGLAPGDRVMGMLF
                      :*** :.*******************  * * :***.**:***.** ********.****:


ORF17_pER02           GSFGPLAVVDRRMIAPMPEGWTFAEAASVPIVFMTAYYALHDLAGLQGGESLLVHAAAGG
AAF71776_mod05|NYST   GSFGSLAVDDARRLARLPEDWSWETGASVPLVFLTAYYALKELGGLRAGEKVLVHAGAGG
AAF71767_mod15|NYST   GGFGPLGIADARLLTPVPADWSWETGASVPLVFLTAYYALKELGGLRAGEKVLVHAGAGG
                      *.**.*.: * *  :: :* .*:: .****:**.******::*.**:.**.:***.***


ORF17_pER02           VGMAAVQLARHWGADVYATASPAKWDTLRGLGLGDDRIASSRTLDFEETFRTATGGRGVD
AAF71776_mod05|NYST   VGMAAIQIARHVGAEVFATASEGKWDVLRSLGVADDHIASSRTLDFEAAFAEVAGDRGLD
AAF71767_mod15|NYST   VGMAAIQIARHVGAEVFATASEGKWDVLRSLGVADDHIASSRTLDFEAAFAEVAGDRGLD
                      ****:*.:*** **:*.**** .***.**:.**:..**.********** :*  .:*.**:*


ORF17_pER02           VVLDSLAREFVDASLRLLPRGGRFVEMGKTDVRSPQDVADAHPGVSYQAFDLTEAGLDRI
AAF71776_mod05|NYST   VVLNSLAGDFVDASMRLLGDGGRFLEMGKTDIRAADSVPD---GLSYQSFDLAWVVPETI
AAF71767_mod15|NYST   VVLNALSGEFVDASMRLLGDGGRFLEMGKTDIRAADSVPD---GLSYHSFDLGMVDPEHI
                      ***::*: .:*****.*** ****.******.*:...*.*   *.**::***  . : *


ORF17_pER02           QEMLTELLTLFRSGALRPVPVSAWDLRQAPEAFRYLSQARHVGKIVLTLP
AAF71776_mod05|NYST   GTMLAELMDLFRTGALRPLPVRTWDVRHAKDAFRFMSMAKHIGKIVLTLP
AAF71767_mod15|NYST   QRMLLDLVELFDRGALAALPVRSWDVRRAGEAFRFMSLAQHIGKIVLTVP
                      ** .*: ** .*** .:** .**:*:*:* .:***::* *:*.*******.*
```

Figure 6a

```
ORF10_pKR01    PTGTVLVTGGTGVLGGRVARWLAGA-GAERLVLTSRRGLDAPGAVELVEELTTGFGVEVS
ORF10_pKR02    PTGTVLVTGGTGVLGGRVARWLAGA-GAERLVLTSRRGLDAPGTAELVEELTS-SGVEVS
ORF10_pKR03    PSGTVLVTGATGTLGGLFARHLVTAYGVRRLLLTSRRGPEAEGAAELVAELEQ-LGAHVE
ORF10_pKR04    PTGTVLVTGGTGVLGGRVARWLAGA-GAERLVLTSRRGPDAPGAAELVEELTTGFGVEVS
ORF10_pKR05    PRGTVLVTGGTGALGGHVARWLAAH-GAEHLVLLSRRGPQAPGADALVAEIAA-LGAGAT
ORF11_pKR01    PAGTVLITGGSGTLAGIVARHLATAHGVRRLLLLSRRGADAPGAGELTAELAG-LGAQVS
ORF11_pKR02    PRGTVLVTGGTGALGRHVARHLAER-GAERLVLVSRRGADAPGAAETEAELSA-FGAAVT
ORF12_pKR01    PGSTVLITGAGGMLGGLIARRLVAEHGVRHLLLVGRRGAAAPGAEQLSAELAE-AGASVT
ORF12_pKR02    PTGTVLVTGGTGVLGGRVARWLAGA-GAERLVLTSRRGPDAPGAAELVEELTTGFGVEVS
ORF12_pKR03    PTGTVLVTGGTGVLGGRVARWLAGA-GAERLVLTSRRGPDAPGAAELVEELAG-SGVEVS
ORF12_pKR04    PRGTVLITGASGGLAGLFARHLVAEHGVRHLLLTSRRGAAAEGAAQLADELVA-LGAQVT
ORF13_pKR01    PQGTTLVTGGTGALGAHVARWLAGN-GAEHLLLTSRRGPDAPGAAALRDELTA-LGTQVT
ORF14_pKR01    TTGTALITGGTGALGRHVARWLART-GAQHLLLVSRRGPEAEGADALAAELRA-LGAEVT
ORF14_pKR02    PGGTVLITGATGALGGLFARHLAAEHGVERLLLVGRRGADAPGAAELVAELAE-SGTLAT
ORF14_pKR03    ADGTVLVTGASGTLGGLFARHLATTHGARHLLLLSRRGDRAPGAGELTRELTE-AGVDVT
ORF15_pKR01    PDGTVLVTGASGTLGGLVARHLVTGRGVRRLLLLSRRGADAPGAGELAAELTG-LGAEVS
ORF15_pKR02    VDGTVLVTGASGTLGGLFARHLVVERGVRRLLLVSRRGGAAEGAAELGAELTE-LGADVR
ORF15_pKR03    PEGTVLITGASGTLGGLLARHLVTEHGVRHLLLTSRRGAAAEGATQLADELVT-LGAQVT
ORF16_pKR01    PQGTTLVTGGTGALGAHVARWLAEN-GAEHLLLTSRRGPDAPGAAALRDELTA-LGAQVT
ORF16_pKR02    PQGTTLVTGGTGALGAHVARWLAEN-GAEHLLLTSRRGPDAPGAAELRDELTA-LGAQVT
ORF17_pKR01    PDGTALVTGATGTLGGLVARHLVAAHGVRHLLLTSRRGEAAAGAAELAAGLRE-LGAEVT
ORF17_pKR02    SQGTVLITGGTGTLGAVVARHAVTTRGARRLLLTSRRGEAAAGAAELAAELRE-LGAEVT
ORF17_pKR03    VDGTVLVTGASGTLGGLFARHLVVERGVRRLLLVSRRGEAAEGAAELGAELTE-LGADVR
ORF17_pKR04    SDGTVLVTGASGTLGGLFARHLVVERGVRRLLLVSRRGGAAEGAAELGAELTG-LGADVR
ORF18_pKR01    SDGTVLVTGASGTLGGLFARHLVVERGVRRLLLVSRRGEAAEGAAELGAELTG-LGADVR
ORF18_pKR02    PDGTVLITGGTGSLGSLLARHLVVEHGVRHLLLTSRRGAAAEGAPELVAALAE-LGAEAT
               .*.*:**   *  *    **       *...:*:* .***   * *:         :     *. .


ORF10_pKR01    VVACDAADRDALRALLSAEAG-----SLTAVVHTAGVLDDGVLDALTPDRIDSVVRAKAV
ORF10_pKR02    VVACDAADRDALRALLSSEAG-----SLTAVIHTAGVLDDGVLDALTPDRIDGVVRAKAV
ORF10_pKR03    LVACDAADRSALAALLGAVPSE---HPLTAVVHTAGVLDDGILSSLTPERVAAVLRPKVD
ORF10_pKR04    VVACDAADRDALRTLLSAEAG-----TLTAVIHTAGVLDDGVLDALTPDRIDSVLRAKAV
ORF10_pKR05    AVACDVTDRTAVSELLAGLADGTYGPGLTAVFHTAGAGQFAPLDGTGPGEVAEVVAAKVA
ORF11_pKR01    WAACDAGDRDALAAVLAAVPAA---HPLTAVVHTAGVLDDGVIGSLTPERLDTVLRPKAD
ORF11_pKR02    LVACDVADRDALGTLVARLAAD--GTPVRAVVHAAGVSQ-PPGTGTDLPGFARVVAAKTA
ORF12_pKR01    WAACDVADRDALSAVLHAIPAE---HPLGAVVHTAGVLDDGVIASLTPERLSAVLRPKVD
ORF12_pKR02    IVACDAADRDALRALLSAEAG-----TLTAVVHTAGVLDDGVLDALTPDRIDSVLRAKAV
ORF12_pKR03    VVACDAADRDALRALLSAEAG-----TLTAVIHTAGVLDDGVLDALTPDRIDSVLRAKAV
ORF12_pKR04    WAACDVADRDALAALLASVPAE---QPLTAVVHTAAVLDDGVVDLLTPERVDRVLRPKAE
ORF13_pKR01    IASCDMADRDAVTALIAAIPAD---QPLTAVIHAAAVVDDGVIETLAPEQVEAVLRVKVD
ORF14_pKR01    IAACDVADRDAVAALLATLPAE---HPLTNVVHAAGVLDDGVLDAQTPQRLAGVLRPKAH
ORF14_pKR02    WAACDVADRDALAALLADIPAE---HPLTAVVHTAGVLDDGVISSLTPERLSAVLRPKVD
ORF14_pKR03    WAACDAADRDALAAVLAAIPAD---RPLTAVVHTAGVLDDGIIDSLTPERLDTVLRPKVD
ORF15_pKR01    WAACDAGDRDALAAVLAAVPAA---HPLTAVVHTAGVLDDGVIGSLTPERLDTVLRPKAD
ORF15_pKR02    WAACDVADREALESVLAGIPAE---YPLSGVVHTAGVLDDGVVSSLTAERVSAVLRPKVD
ORF15_pKR03    WAACDADRDALAALLESVPAA---HPLTAVVHTAGVLDDGTVESLTAGRMATVLRPKVD
ORF16_pKR01    IAACDVSDRDAVAALIAAVPAD---QPLTAVVHTAAVLDDGVIEALTPEQIERVLRVKVD
ORF16_pKR02    IATCDMADRDAVAALIAAVPAD---QPLTAVMHTAGVLDDGVIDALTPERFGTVLAPKAD
ORF17_pKR01    IAACDAADRDALAALIGSVPAE---HPLTAVVHTAGVLDDGVLEALTPERIDAVLPAKVD
ORF17_pKR02    IAACDAADRDALAALIESIPSE---HPLTAVIHTAGVLDDGVVDSLTPERLSTVLRPKVD
ORF17_pKR03    WAACDVADRDALEAVLAGIPAE---YPLSGVVHTAGVLDDGVVSSLTPERLSAVLRPKVD
ORF17_pKR04    WAACDVADRDALESVLAGIPAE---YPLSGVVHTAGVLDDGVVSSLTPERLSAVLRPKVD
ORF18_pKR01    WAACDVADREALESVLAGIPAE---YPLSGVVHTAGVLDDGVVSSLTAERVSAVLRPKVD
ORF18_pKR02    VAACDAADREALAALLAGIPAA---HPLTAVVHTAGRVDDGLLASLSPERIDTVLRPKAD
               .:**  ** *:  ::   .      :   *.*:*.  :              .  *:   *.
```

Figure 6b

```
                                                                #
ORF10_pKR01        SALNLHELTAELGIELSDFVLFSSVTGTVGAAGQANYAAANAFLDALAEQRRADGLAATS
ORF10_pKR02        SALNLHELTAELGIELSAFVLFSSMSGTVGTAGQANYAAANAYLDALAEQRRADGLAATS
ORF10_pKR03        AAWNLHELTREL--GLSAFVLFSGAAAAFGAAGQGNYAAANSFLEALAEQRRAEGLPATS
ORF10_pKR04        SAFNLHELTAELGIELSAFVLFSSMSGTVGAAGQANYAAANAYLDALAEQRRADGLAATS
ORF10_pKR05        GAAHLDELLGD--TELDAFVLFSSIAGVWGSGGQSAYAAANAHLDALAQQRRARGLTATS
ORF11_pKR01        AALHLHELTRDL--PLTAFVLFSAIAGTLGSAGQANYAAANVFLDALAQHRHDQDLPATS
ORF11_pKR02        GAVHLDALFDAP-DSLDAFVLFSSIAGVWGSGGQGAYSAANTFLDTLAERRRARGLAATA
ORF12_pKR01        AACNLHELTRHL--DLTAFVLFSSIGGVFGGPGQGNYAAANVFLDALAQHRRSQGLAATS
ORF12_pKR02        SALNLHELTAELDIELSAFVLFSSMSGTVGAAGQANYAAANAFLDALAEQRRADGLAATS
ORF12_pKR03        SAINLHELTAELGIELSAFVLFSSVTGTWGTAGQANYAAANAYLDALAEQRRADGLAATS
ORF12_pKR04        AALHLHELTKDL--DLSAFVLFSAAAGTLGGAGQANYAAANVFLDALARHRTARGLTALS
ORF13_pKR01        ATLILHELTRGL--DLSAFVLFSSFAATFGAPGQGNQAPGNAYLDAFAEYRRGSGLPATS
ORF14_pKR01        AAQVLHELTRDL--DLSAFVLFSSVAAVFGAAGQANYAAANASLEALAEQRRADGLPATV
ORF14_pKR02        AAWNLHELTRGL--DLAAFVLFSSTSGLFGGPGQGNYAAANSFLDALAQHRRAHGLPATS
ORF14_pKR03        AAWNLHELTEGH--ELSAFVLFSSVAGCFGAAGQGNYAAANTFLDALAQHRKARGLTASS
ORF15_pKR01        AALHLHELTRDL--PLTAFVLFSSAAGVFGAPGQGNYAAANSFLDALAQYRRAHGLPGRS
ORF15_pKR02        AAWNLHELTRGL--DLSLFVLFSSAAGVFGGAGQANYAAANVFLDALAQHRRAQGLAATS
ORF15_pKR03        AAWNLHELTHGL--DLAAFVLFSSAAGVFGNAGQANYAAGNTFLDALAQHRRAQGLTAVS
ORF16_pKR01        ATLHLHELTREL--DLSAFVFFSSFAATFGAPGQGNYAPGNAFLDAFAEYRRASGLPATS
ORF16_pKR02        AALTLHELTREL--GLSAFVLFSGVAGTLGDAGQGNYAAANSYLDALAEQRHADGLAATS
ORF17_pKR01        AAVHLHELTREL--DLAAFVLFSAAAGTLGGPGQANYAAANTFLDALAHRRRAEGLPATA
ORF17_pKR02        AAWNLHELTRHL--DLADFVLFSSAAGTFGGAGQANYAAANVFLDALARHRHAHGLAATS
ORF17_pKR03        AAWNLHELTRGL--DLSLFVLFSSAAGVFGGAGQANYAAANVFLDALAQHRRAQGLAATS
ORF17_pKR04        AAWNLHELTRGL--DLSFFLLFSSAAGVFGGAGQANYAAANVFLDALAQHRRAQGLAATS
ORF18_pKR01        AAWNLHELTRGL--DLSLFVLFSSAAGVFGGAGQANYAAANVFLDALAQHRRAQGLAATS
ORF18_pKR02        AALHLHELTRGL--DLAAFVLFSSAAGTLGNPGQANYAAAN*AFLDALAQHRRAAGLPAVS
                   .:  *. *       *   *::**.  .   *  **.  :..* *::*. *    .*..
```

```
ORF10_pKR01        IAWGPWA--EGGMAAD--EAMDARMRREGMPPMAPTSAMSALEQ
ORF10_pKR02        IAWGPWA--EGGMAAD--AALEARMRRDGVPPMPADPAIRALRQ
ORF10_pKR03        LAWGLWAPQTGGMAQQLDEVDLRRIARDGVGGLSGDEGLGLFDT
ORF10_pKR04        LAWGPWA--EGGMAGD--DAMDARMRREGLPPMAPDAALTLLRQ
ORF10_pKR05        VAWGPWG--EGGLVAD--DEAAEQLRRRGLPVMAPELSIAALQQ
ORF11_pKR01        LAWGLWA-DASGMTGGLDEAQLRRMEQHGMGTLSATDGMALFDA
ORF11_pKR02        IAWGPWA--DGGMATE--GDAEEQLSRRGLPPMDRATNLLALER
ORF12_pKR01        LAWALWA-DSTGMAGSLDEADISRMRRGGLPPLTTAEGLELFDL
ORF12_pKR02        LAWGPWA--EGGMAAD--AALEARMRRGGVPPMDAELALSALRQ
ORF12_pKR03        IAWGPWA--EGGMAAD--AALEARMRRGGVPPMKGEAAVNALQR
ORF12_pKR04        LVWGMWA-EERGMAGRLTEAELGRAGRGGVAPLSATEGLALFDA
ORF13_pKR01        IAWGPWG--SADGDDS---AAGDRMRRHGIIVMSPERTLVSLQH
ORF14_pKR01        LAWGAWA--EGGMATD--ELVAERLRLAGLPALAPELALSALHR
ORF14_pKR02        TAWGLWS-VADGMAGALDAADVNRMRRAGLPPLTAADGLGLFDT
ORF14_pKR03        LAWGLWE-TTDGMAGALDEADLTRMARSGVAALAPDEGLALFDT
ORF15_pKR01        LAWGLWE-DAEGMAGALDRADLDRMKRGGVHGLTASEGLALLDL
ORF15_pKR02        LAWGLWA-EPGGMAGALDADDVSRLGRGGVSGLSAGEGVALFDA
ORF15_pKR03        LAWGLWD-DEAGMAATLDEQDRRRLSRGSMNPLSVAEGLALFDA
ORF16_pKR01        IAWGPWG--DGGMAEG---AVGDRMRRHGVIEMSPERAVAALQH
ORF16_pKR02        VAWGRWG--DSGLAAGG--AIGERLDRGGVPAMAPRSAIRALQL
ORF17_pKR01        LAWGLWA-ERSGMTGDLADADLERISRAGVAALSSAEGLALLDT
ORF17_pKR02        LAWGLWA-EASGMTGELDTADKDRMTRSGVLGLSSEEGVALLDT
ORF17_pKR03        LAWGLWA-GVGGMGGELTESDRERINRGGITALEPETGLALFDA
ORF17_pKR04        LAWGLWA-EPGGMAGALDADDVSRLGRGGVSGLSAQEGVALFDA
ORF18_pKR01        LAWGLWD-EPGGMAGALDADDVSRLGRGGVSGLSAGEGVALFDA
ORF18_pKR02        LAWGLWE-QRSAMTGALSDADVQRMARAGLAPLSSAEGLALFDT
                   .*. *              :      .:  :       :   :
```

Figure 7

```
ORF10_pAC00    SAALRDAAPDTLDPHRPFLDLGFDSLAAVDLHARLVAGTGLRLPVTLAFDHPTPAHLARHLH
ORF10_pAC01    AAVLGHDGSDAVGAERAFKELGFDSLTSVELRNRLGAATDLRLPTTLVYDYPTSAALAEYLR
ORF10_pAC02    AAVLGHAGVENVGAGRAFKELGFDSLMAVELRNRIGSATELRLPATLIYDHPTSAALAEFLR
ORF10_pAC03    AEVLGHTDARAVDADRAFKELGFDSLTAVELRNVLKAATGLRLSPTLVFDYPTPVALARHLL
ORF10_pAC04    AAVLGHGGSEAVGAERAFKELGFDSLTAVELRNRLGAATGVRLPATLIFDYPTATALAAYLR
ORF10_pAC05    AVVLGHGGATAVEAARAFKELGFDSLTAVELRNRLSTATGLRLPASLVFDYPTPAALAAHIR
ORF11_pAC01    ASVLGHASAEQVDPARAFKDLGFDSLTAVELRNRLGAATGLRLPTTLVFDHPTPTALVRHLR
ORF11_pAC02    ATALGHTSADAVAAERAFKDLGFDSLTAVELRNRLGAACGLRLPSSLVFDYPNPQALTRHLL
ORF12_pAC01    AAALGYPGPSAVEPGRSFKELGFDSLTAVELRNLLGDATGRRLPATLVFDYPTATALAGYLR
ORF12_pAC02    AEVLGHSGAEDIEAGRAFREIGFDSLTAVELRNRLGAAAELRLPATLVYDYPTPAALAVHLR
ORF12_pAC03    AAVLGHAGVESIGAARAFKELGFDSLTAVELRNRLGAVTGLRLPATLIYDYPTSGALAEYLR
ORF12_pAC04    AAVLGYGSAEHIGGEQAFKELGFDSLTAVELRNRLGAAGGLRLPATLIYDYPNPAALAQHLL
ORF13_pAC01    AAVLGHADLAAVEAGRAFKELGFDSLTSVELRNRLGAVSGLKLPASLVFDHPTPAAVAAFLR
ORF14_pAC01    AAVLGYAGPESVDPGSAFRDLGFDSLTAVEIRNLLTSRTGLRLPATLIFDYPNSLSLAAFLQ
ORF14_pAC02    AAVLGHAGPAAVESGRAFKELGFDSLTAVELRNRLNAATALRLPATLIFDYPDPTVLARYLR
ORF14_pAC03    AAVLGYAGPDDVDAARGFLDLGFDSLTAVDLRNRLTASAGLRLPVTLIFDYPSPTALAAYLA
ORF15_pAC01    ADVLGHGSPDAIDPEQAFSELGFDSLTAVELRNRLGAAIGRRLPATLIFDHPASLTLARHLS
ORF15_pAC02    AAVLGYASPEAVEKDSSFRELGFDSLTAVELRNLLGAATGLRLPATLVFDYPTSAVLADHLR
ORF15_pAC03    AQVLGHSGAAAIEPGSAFKELGFDSLTAVELRNRLGAVTGLRLPATLIFDYPTPEALSGHLR
ORF16_pAC01    AAVLGYAGPDAVEAGRAFKELGFDSLTSVELRNRLNAASGLKLPPTLVFDHPTPTVLARHLR
ORF16_pAC02    ATALGHPTTDEVGAGRAFKELGFDSLIALELRNRLNAATGLRLPATLVFDHPTPTILAEFLR
ORF17_pAC01    AAVLGYPGPEAVDPGRAFKELGFDSLTAVELRNRLGSATGVRLPATLVFDYPTPNALSAFLR
ORF17_pAC02    AAVLGHATPDAVEPTRAFKDLGFDSLTAVEFRNRLGATAGIRLPATLVFDYPTPTVLAGYLK
ORF17_pAC03    AAVLGHASTDEVPADRAFKELGFDSLTSVELRNRLGATTGERLSATLVFDYPTPHALAEFLR
ORF17_pAC04    AAVLGFAGPEAVDPARSFSEVGFDSLTAVELRNRLGAATGVRLPATLVFDYPTPDALVEYLR
ORF18_pAC01    AAVLGLAGPEAVDPARSFSEVGFDSLTAVELRNRLGAATGVRLPATLVFDYPTSLALADFLG
ORF18_pAC02    AAVLAYPSPDAVGESQEFLELGLDSLTAVELRNQLNAATGLRLPATLLFDHPTPALVAERLR
               : .*        :       * ::*:***   ::::::    :    :*. :* :*:*   .   :       :
```

Figure 8

```
ORF18_pTE02      ---RGDTRPGLVCFSSILSISG-----PHQ------YARFASAFRGRRDVHALGAPG--F
AAF71777|NYST    MTTSTEESLWARCFHPAPAAPVRLFCFPHAGGSASFYFPVSAQLSSVAEVFAIQYPGRQD
                    :       ** . : .     **        *  .:: : .  :*.*:   **


ORF18_pTE02      LRGEQLPSATDAVIEAQAEAVLRHADGAPFVLLGHSSGGMLAHAVAGRLESEG-------
AAF71777|NYST    RRKEAGVSDLATLADQVYDALRPLLKERPSTFFGHSMGATLAFEVARRFEADDGDLVRLF
                 * *    *   :: :   :*:      .  * .::** *. **. ** *:*::.


ORF18_pTE02      ----VFPQALVMIDIYSHDDDAIIGIQPGLSEGMDERQDTYVPVDDNRLLAMGAYFRLFG
AAF71777|NYST    ASGRRAPSRVREEAVHRRSDDGIVEELK-LLAGTNTALLGDEEILRMILPAIRSDYQAIE
                     *. :     :: :.**.*:     *  * :      :    * *: : :: :


ORF18_pTE02      GWK--PEVVKTPTLLVRAGERFFDWTRSTDGDWRSYWDLDHTALDVPGNHFTMMEEHAPT
AAF71777|NYST    TYRCPPDVTVRAPLTVLTGDRDPKTSLDEAEAWRGHTTGDFDLKVLPGGHF-FVSSEAPA
                 ::   *:*.  ..* * :*:*  . :.     **.:    *.    :**.** ::...**:


ORF18_pTE02      TAQAVEGWLDTTG
AAF71777|NYST    IIDLLRAHLAGNG
                 : :.. *  .*
```

Figure 9

Figure 10

Figure 11

Figure 12a

Figure 12b

Figure 12c

Figure 12d

Figure 12e

Figure 12f

023X04QB1_R1

023QBA0704c01_R1 1194 (31.880) Cm (1185:1207)

2: Scan ES-
8.34e

1298.13

Figure 13

100

%

1299.18

1300.24

1301.25

356.67   528.74   760.84   906.85   924.94   1295.98   1315.08 1444.15
                                    926.98   1301.25

0

023QBA0704c01_R1 1196 (31.920) Cm (1184:1207)

1: Scan ES-
.83e7

1296.05

100

%

1297.16

1295.23

1298.14

1299.18

212.52

384.76   565.89 640.73 804.74   1131.95   1313.05 1442.04 1670.57   1892.49
     547.88   805.77   1113.94 1133.92   m/z

0
200   400   600   800   1000   1200   1400   1600   1800

Figure 14

Figure 15a

Figure 15b

Figure 15c

Filename: _

STANDARD PROTON PARAMETERS

Pulse Sequence: gHSQC

Solvent: CD3OD
Ambient temperature
File: ECO-02301_CD3OD_gHSQC_12_02
INOVA-500 "resonance"

Relax. delay 1.000 sec
Acq. time 0.128 sec
Width   4001.6 Hz
2D Width 21361.8 Hz
64 repetitions
2 x 128 increments
OBSERVE   H1, 499.7495714 MHz
DECOUPLE C13, 125.6727810 MHz
Power 40 dB
on during acquisition
off during delay
W40 id4719 modulated
DATA PROCESSING
Gauss apodization 0.059 sec
F1 DATA PROCESSING
Gauss apodization 0.022 sec
FT size 2048 x 2048
Total time 5 hr, 28 min, 9 sec

Figure 15d

Filename:

Figure 15e

STANDARD PROTON PARAMETERS

Pulse Sequence: gHMBC

Solvent: CD3OD
Ambient temperature
File: ECO02301_CD3OD_gHMBC_12_02
INOVA-500 "resonance"

Relax. delay 1.000 sec
Acq. time 0.128 sec
Width 4001.6 Hz
2D Width 28901.7 Hz
128 repetitions
400 increments
OBSERVE   H1, 499.7495714 MHz
DATA PROCESSING
Sine bell 0.064 sec
F1 DATA PROCESSING
Sine bell 0.007 sec
FT size 2048 x 4096
Total time 17 hr, 18 min, 49 sec

F2 (ppm)

F1 (ppm)

20/31

Filename: _

Figure 15f

F1
(ppm)

F2 (ppm)

STANDARD PROTON PARAMETERS

Pulse Sequence: TOCSY

Solvent: CO3OD
Ambient temperature
File: 02301_CO3OD_TOCSY_mix_08
INOVA-500 "resonance"

Relax. delay 1.000 sec
Mixing 0.080 sec
Acq. time 0.128 sec
Width 4001.6 Hz
2D Width 4001.6 Hz
32 repetitions
2 x 200 increments
OBSERVE H1, 499.7495714 MHz
DATA PROCESSING
Gauss apodization 0.059 sec
F1 DATA PROCESSING
Gauss apodization 0.046 sec
FT size 2048 x 2048
Total time 4 hr, 29 min, 30 sec

Figure 16

Effect of Compound 2(a)
on systemic Candidiasis *in vivo*

Figure 17a

Figure 17b

SEQUENCE LISTING

gatcatggcc ggcgaggtgg tcgcgggcgg ggcgaatccg aaggtcacgg tcctcccttc   60

gggttacgcg cgccgctgac gggcacggct gggttgcggg cgcgccgcag cgcggccctc   120

aagagtgccg acgagccgag cgggaacact ccaattctcg cgcggcccgc gaggatgcgg   180

caacgagcaa ttggcgccgc ggaccgtaat tggccggtat gccgttcata tccttgcccc   240

gttacgccgt cgatgacgca tccggtgccg cccggaccgc cggtaccagc ggaaacacct   300

cccgcgcggc ggcccgctgg agccgcggag atccaccgga caccccctgg gcctggcgga   360

gtccgtgcgt gccgcgtgga ttcgccgatt gtcggtggga tcgggttgca tgggggcatg   420

gacaacctgg agctccgtcg tgaagccgat gccatcctcg ctgagctggt cggtgcccct   480

gggggttcgg cgcggctgcg ggaggaccag tggcaggcgg tcgcggccct ggtggaggag   540

cgccggcggg ccctggtggt gcagcgcacg ggctggggca agtccgcggt ctacttcgtc   600

gccaccgctc tgctgcgccg gcgcggctcc gggccgacgg tgatcatttc tccgctgctg   660

gcgctgatgc gcaaccaggt cgaggcggcc gcgcgggccg ggatccaggc gcgcacgatc   720

aactcggcca acccggagga gtgggaaacc atctacgggg aggtcgagcg cggcgagacc   780

gatgtgctcc tcgtcagccc cgagcgcctc aactccgtgg atttccgcga ccaggtactg   840

```
cccaagctgg cggccacgac gggtctgctg gtggtcgacg aggcgcactg catctccgac    900

tggggccacg acttccgccc cgactaccga cggctgcgca cgatgctggc ggagctgccg    960

gagggcgtgc cggtcctggc cacgacggcg accgcgaacg cgcgggtgac cgcggacgtg   1020

gcggagcagc tgggcacgca cggcgagcac gccctggtcc tgcgcggacc gctcgaccgg   1080

gagagcctgc ggctgggagt gctgcagctg ccggacgcgg cgcaccggct ggcctggctg   1140

ggggaccggc tggcgcacct gccgggttcg gggatcatct acacgctgac cgtggcggcg   1200

gcggaggagg tcgcggcgtt cctgcggcaa cgcgggtatc cggtggcttc ctacaccggg   1260

aagacggaga acgccgaccg gttgcaggcg gaggaggatc tgctggcgaa ccgggtgaag   1320

gcactggtgg cgacctcggc gctgggcatg gggttcgaca agccggacct ggggttcgtg   1380

gtgcacatgg ggtcgccctc gtccccgatc gcctactacc agcaggtggg gcgcgcgggg   1440

cgtggggtgg atcacgcgga cgtgctgctg ctgccgggcc gggaggacga ggcgatctgg   1500

gcgtacttcg cctcggtggg cttcccgccc gaggagcagg tccggcgcac cctggacgta   1560

ctggcgcagg cgggccgccc gctgtcgctg cccgcgctgg agccgctggt ggacctccgg   1620

cgctcgcgcc tggagacgat gctgaaggtc ctggacgtgg acggcgcggt caagcgcgtg   1680

aagggcggct ggaccgccac cgggcagccg tggacgtacg acgcggagcg gtacgcctgg   1740

gtcgcgaagc agcgggcggc ggagcagcag gccatgcggg actacgtggc gaccacgggc   1800

tgccggatgg agttcctgca gcggcagctg gacgacgaga aggcggtccc gtgcggccgc   1860

tgcgacaact gcgccggatc ctggctggag gcggtcgtgt cgcccgcggc cctcgcggcc   1920

gcggcgggcg agctggaccg cgcggggggtc gaggtcgagt cccgcaagat gtggccgacc   1980

gggctcgccg cggtcggcat ggacctgaag ggccggatcc ccgcgggcca gcaggccgtc   2040

accgggcgcg cgctcggcag ctgtcggac atcggctggg gcaaccggct cgcccctg     2100

ctgtcggcgc aggccgcgga cgggccggtt ccggacgatg tgctggccgc cgtcgtgacg   2160

gtgctcgccg actgggcccg ctcgccgggc ggctgggcga gcggcgggcc ggacgcgatg   2220

gcgcggccgg tggggatcgt cgccatgccc tcccgtaccc gcccgcggct ggtcgcctcg   2280

ctggccgagg gcgtggcccg ggtcggcagg ctcccgctgc tgggcagcct cgcctacacc   2340

ccgcaggccg acgtgtacgg ggcgcaccgc agcaactcag cccagcggct gcgcgccctg   2400

gccgactcgt tcaccgtgcc cgaggaactc gccgcggccc tggccgccgc tcccggcccg   2460

gtcctgctcg tcgacgacta caccgactcc ggctggaccc tggccgtggg cgcacgcctg   2520

ctgcgccagt ccggcgcggg cggcgtgctc ccgctcgtcc tcgcgctggc cgggtaggcg   2580

gactccaccg gcctcggcct atcgccaacc gacggggggc ggcaagatca aaacaaccgc   2640

ccgtaaagca aacgtaaaga tgtggcttct ttgggaagtc gcgtatgggc ctgtttgag    2700

ccacgcggcg gaagtcaccc ctggcgggat ccgtggtggc gcattcggtg cggacggccg   2760
```

```
aacgggccgt cgtcgctccc gttcgggccg gggggccctg tcgtcgcacg gggagagcga    2820

atgccggccg gggctgcgga ccgggaggtt ccagccaggg tagggtaga aagtaggggt    2880

actccccgcc ttgatcgtcc tggtagacat gacacatccg aaacgcgcgt gcggaagtgg    2940

cggaagggtt cgacccgtcg aacgggcgcg ctgcatctgg ggcttgaaca gggagtttca    3000

gtccgttgaa taagcaagaa actagcctct gggttcgccg ctaccacgct tcggacgaaa    3060

gccggatcca attggtctgt ctgccgcacg ccggtggctc ggcctccttc tacttcccca    3120

tgtcccagtc gctggctccg gcgatggacg tcctctcggt ccagtacccc ggcaggcagg    3180

accgcaggga cgagcccggg atcgtggaca tcggcgccta cgcggacgcc ctgaccgagc    3240

aactcgtacc gtggctcgac cggcccctgg ccttcttcgg ccacagcatg ggtgcgatcc    3300

tcgccttcga ggtgacgcgc aggctggagc gtgaccacgg cgtcactccg gagcacatct    3360

tcgcttccgg ccggcgctcg cccgccagtt ccggcacga gaccgtgcac ctgcgggacg    3420

acgacggaat cgtggcggaa atgcgggaac tcagcggaac cgacgcgaag atactcggca    3480

acgaggaaat cctccgcatg gtgctccccg cgattcgaag cgactacacc gccatcgaga    3540

actaccgtgc cgcgccggaa gacgtcgtgc gtactcccat cacggtgctg accggtgacg    3600

cggacccgag gaccagccgg gaagaggcgg acgcctggaa ggcgcacacg accggcggat    3660

tcgatctgca ttccttcccc ggtggacatt tcttcctggc gaatcaccag gagaagatca    3720

tgggaattat ttcggaggaa ctctccgcgc cggctcgcat ggcgtgagca gagagctgtg    3780

gaccaggccg gggaaacccg gctcgccect tgccgacctc caccgcgatg gcggagccga    3840

gaagccgaat gaccaacggc cgcggtggcg atcgaaaggg gcaggccgcg gtgacggccc    3900

gccggtgcac accgtgcacc ggcacaccaa gcggtgcggc ggcggcttcg ccgggcgccc    3960

accgggcccg ttgcgaagtc ttcgcaagtc gtgcagttcg ggggaaagga agcccgtggc    4020

ggttaggctc gtcgagcgcg agaagcagct ggaaacgctg aaggaactac tcggcagcgc    4080

agtccgtggc cgagggcggg tcgccgtcat cagcggggca gtcgccggcg ggaaaacgag    4140

tctgctggaa atcttcaccg aagaggcgat ctccgcgggc cgcctggtgc tggaagccac    4200

gggctcccgg gcggagcgct atctgccctt cggaattctg cgcagaatcc tcgacagcgc    4260

ggcgcccctg tcgcccgaga tccacgccta cgccaccgag ctgctggacc gcgtcagcgc    4320

cgggacgacg gacgccgaag cgccgtcga ggccggtatg cgcgtcctgc cccatgtcgc    4380

caccgcactg ttaaggatcg cccggaaccg gaccgtcgtc atagccatcg acgacgtcca    4440

ccacggggac gaactctccc tcgccttcct gctgtgcctc gcccgccgag tgcgccaggc    4500

gggcgtcctg atcgtgctca ccgaagccgt ccggctgcgg tccgcgcaac tcgccttcca    4560

cgccgaactg cagcgccagc ccaactgcac cagcctccgg ctgcccctgc tcaccacgcg    4620
```

```
cggcaccacc cgcgtcctcg ccgagcactt ctccccctcg acggcgcaac ggctgtccgc      4680

cgagtgccag gagaccaccg gcggcaatcc actgctggtc agggcgctga tcgacgacgg      4740

cctcacggcg ctcggagaca gcgagccctt ccagcggctc gcccccgccg aaaccttcga      4800

acgcgccgtg ctcgactgcc tgcaccgcgg cgaccccgag ctgctgaccg tcgcccgggg      4860

cgtcgccgta ctcggtagcg cctgctcctt ggccctgctc aacgggatcg tcgacctgca      4920

cgccaaggcc accgaacagg cccttcagga cctcagccgg tgcgccgtcc tgcaccacgg      4980

ctccttccgc gacccggcgg cccgtaccgc cgtcctggaa gccactccgc ccgcggcgct      5040

gtccgccctg cacctgcgca ccgcgcgact cctgcaccag gaaggcgcga cggcgctcga      5100

tgtcgcccgc cacctcctcg ccgcccgcaa gaacgtcgag gactgggcga tccccgtcct      5160

ccaggaggcg gtcgagtacg ccctcgtcga ggacgagcac gaactcgccc tgcggtgcgg      5220

ggaactggcg gtcgcctcct gcgcggaggg ccccgacac gccgccctga gtcccgcct       5280

ggcgagcatc gtctggcgca gcagcccggc cgccgctgaa gggcatctgc ggcagctgtc      5340

ccgcgaactc gccgccggcc ggctcgccga ccgcgatctc gtccaggccg tgtcgctcct      5400

ggcgtggatg ggggagtccc gggggggccgg cgaggcggta ctgcgactgc agcggaccga      5460

cagcgaggcc gaggcggccg gacgggcgcc cgcctacgac ccgggcacgc tcaccgccgc      5520

acagagctgg ctctcgatgg tcagcccgcc ggcccgcgac ctcttcgacg ccgtggaacc      5580

gcgccggaca acgctgtcag gcgcgccggg ggcgctgccc ggcgcggggc cgacaccgt       5640

cccctacgac atgcccgaca acgcctacgt ccaggccgcc gacgccgtcc gcaccgccct      5700

gcgcggcgga acccaggccg acgccgccgt cagcaaggcc acccgggtgc tccagcgcta      5760

ccacctgagc gaccgcaccc tccagccgct cgtcttcgcc ctcctcgccg tcatctacgc      5820

gggtcgcctc gacctcgcgt ccgcctggtg cgaacgactg ctcggcgagt gctccgcccg      5880

caacgccccg acctggcagg ccgccctcgg tgtggtccgg gccgagatcc tgctgcgcca      5940

gggcgatctg cccggtgcgg ccgcccaggc ccgccacgcc atgtcccgga tctccctgca      6000

gagctggggc gtgggcatcg cgctgccgct ggccgtcctc gtcgaggccg aggtccagat      6060

gggcgaccac gaggaggcga tgagcctgct cgaacagccg gtgccccagg ccatgttcga      6120

caccctggcc ggcctgcact acctcagggc ccgcggccgc tgccacctgg ccaccggccg      6180

ctaccacgcc gccgtgcggg acttcctgaa ctgcggcgag ctgatgcagg cctggggcgt      6240

ggacggggcg gagctggtgc cgtggcggct ggacgccgcc gaggcgtggc tggccctcgg      6300

caacgtcgcg cgcgccaagg agtacaccga gcagcagaag cagcgcgaga cggggcccgt      6360

gggcagccgg acgcgtggct ccctgctgct cacgctcgcc cacaccggcg gtgacctcac      6420

ggtccggctc aagcggctcg tcgaggccgt cgagaccctg gaggagggcg gggaccggct      6480

ccagctggcg gtggcgctgg gggagctggg ccgcggctac cgtgcgctgg gcgacttcaa      6540
```

```
ccgggcccgg atgctggtgc gcaaggcctg gcacgtcgcc aagtcctgcg gcgccgaacc   6600

gctgtgccag cagttcatgc cggggcaggt cgacggcgag gccggtgcgc agagcggccg   6660

ggaggcggag cttcccagcg aggtcgaggt cctgtccgag gccgaggcgc gggtcgcgct   6720

gctggcggcg cgcggccaca ccaaccgtga gatagcgacc aagctctacg tcacggtgtc   6780

cacggtcgag cagcatctga cgcgcatcta ccgcaagctg aaggtgaagc ggcgccgcga   6840

tctgcccgcc cggctgtcgg acctgagcct gccgagcatc gcctgaccgc gcccgtcgcc   6900

gggagcgcgt tgcgggagcg cgttgcccgg agcgcggcgc cacgcgcggc gcccgccgcc   6960

cgcgggccgc acccgtcagg acagcaggcc gagcttcagt gccgtgatca ccgcggccgt   7020

ccggtccgag accgacagct tcttgaacga gcgcagcaga tgcgtcttca ccgtcgcctc   7080

gctgatgaac agctggcggc cgatgtccgc gttggtcagc ccgaggctga ccaactggag   7140

cacctcgcgc tcacggtccg acagcgcggg cggctccacc acccgggccc ggaacagctt   7200

gggggcgagc gacggcgtca ggaccgtctc accgcgggcc gccgccttta ccgcctgcac   7260

cagttcgtcg cgcgagctgc ccttgagcag gtagcccgcc gcgcccgcct ccacggcccg   7320

caggatgtcc gtgtcgctct cgtacgtcgt cacgatcacc accttggtgg ccggcgcgac   7380

gcgcagcagg tggccggtgg tctccacccc gtccatcccg cccatctgaa ggtcgagcag   7440

gacgatgtcg ggagcaagtc tggtgaccat cgcgatcgcc tcctcgcccg agtcggcctg   7500

cccgacgacg ctcacgccgt cggcggattg cagcatcgag ctgagaccct cccgtacgac   7560

cgggtggtcg tcgaccagca tcacaccgat cgtcttgtca gcgctcatcg gcttcctctc   7620

ccttcgcggg cacgggcacc gtcacttcga tggtggtgcc ctgtccgggg ctgctgacca   7680

cggtcgccgc cccgctgatc tcgtgtgcgc gagtctgcat gccgcgcagc ccgcttcccc   7740

gctggtcccc ggtgacggtg aacccgggtc cgtcgtcccg tacgagcagc cgtacggtgt   7800

cctgttcgta cacgagccgg atctcggccg cgcgtgcctt ccccgcgtgc ttgcggatgt   7860

tcgcgatggc ctcctggagg gaacgcagca ggaccacgct gatcgccatc ggcagttccc   7920

gctcgtctcc ttcgacggtg acgtgcgccc gcatgccggt ctgcgccgtc aggccctcgg   7980

cctgccgccg cgtcgcctgc acgagcgagg actcctgcag cgcgggcggg gtcagctcgg   8040

tgacgaactc gcgggcttct cccaggcttt cgcgggccac gcggcccgcc agtgccagat   8100

gcgccctcgc ccggtccggg tcggccgtga agtcggtctc ggcggcctgt acgaggctga   8160

tgatgctggt gaggccctgg gcgagggtgt cgtggatctc ccgggcgagc cgctcgcgct   8220

cggcggagac ccccgccttg cgcgacagcc gggcgacttg cgcacggttg cggtgcaact   8280

cctcgatgag ctcggcccgg tcacggctct gccgggtcac ccgggtgatc cacagcccga   8340

gcatgaccga cagggcgatg ccgaggagcg aggtcggcag gacggccagg atgtcgcggc   8400
```

```
tcagggtgcc gccgcgcagc cacaccacga tgaccggaac cagattggcc agcgtgacca   8460

cggcgatggc cggcgaggtc gccaggctca tcatcagcat cgggaccacg gcgaacagcg   8520

cgaacgaggc cgcgaggtcg aagaccacgg ccaccgcgaa cagcacgaac aggccgacgg   8580

agaagacgac gctgcgccgg acgggcccct ggccctcgtg gaccatggtg ctgcgcccca   8640

gggccgcgta ccagggcacg gccgcggtca gcgcggccat ggccacggcc cggtggacct   8700

gttcaccgtc ggaggtgaac agcagcatgg tggtgacggc gtacgagacc gcgaagagcg   8760

cgtcccacag gccgaaccac cgggctcccg cctcgggcgc gtcgtcctgg ccgtctgtcg   8820

cctgcgccgc gggggattca gtgctcaccc gacaagtcct atcacttcgg tcgggcacgg   8880

tacgagggcg gcccggcgcc gtccaccgtg tccaccggtc ggtggacagc cgaacccact   8940

ggtcggttgt cctcgcgtcc cttgcccgcc gcctaacgtt gcaggtgaga ggcacgaagc   9000

gaccgcactg ccggagagaa ggcagtgccg aggaagagga agaggtcatc ccctgagccc   9060

gttcttgaac acactgatcg ccagcgggac gatcttggcc gtcattctgt cgaccgacct   9120

cggcacccgc aaagtcacca cgacgcggat gcttccttcg ctcctcgcgg tcgtcgtgat   9180

cctcgcgctc ctcgtgcaca cactgccgct cgacggcaac gacccctcgc tccaactggc   9240

gggcatcggc gccggtatca tctgcggact ggccgccacg gcgctcctcc ccgcccaccg   9300

gaacgcttcc ggtgaggtct ccaccaaggg cggtatcggt tacgcgctgg tgtggaccgc   9360

gctgtccgcc tcgcgtgtgc tcttcgccta cggttcacag cactggttca gcgagggcat   9420

cgtccggttc agcaccgact acaagctcag cggacaggcc gtctactcca acgctttcgc   9480

cttcatggcc ctggccatgg tgctgacgcg gaccgccgtc ctgttgaaca cgcgccgccg   9540

gctgcgcggc gggcagcttc ccgcggccga caacacggcc ccacatcagg cgagttccgc   9600

caatacgcac tgacatgacg gagcgtcaga tccggcttgg gtgcaagatc gtctcagaac   9660

tagggtgaag cagtgaaaca catgcatgat gtcaggctcc ggcccccgcg caatcgtgtc   9720

gactcccggg cagtgggctg gtggacggtc cagtccgcga tgtacgccct gcccctgccg   9780

atcaccttcg gcgtgctgta cctgtgcatc ccgcccgcca ggccgttctt cggctgggcc   9840

ttcctgatct cgctcgtacc gggcctcgcc tacatggccg tcatgcccgc ctggcgctac   9900

cgggtgcacc gttgggagac caccgacgaa gccgtctacg cggcgtccgg ctggctctgg   9960

cagcagtggc gggtcgtgcc gatgtcccgc atccagacgg tggacaccct gcgcggaccc   10020

ctccagcagc tcttcggcct ctccggcatc accgtcacca ccgcctccta ctccggcgcc   10080

gtgaagatca agggaatcga ccaccggacc gcgcgggacg tggtcgagca cctcaccagg   10140

gtgacccagg ccacccccgg agacgcgaca tgagccacga caccggacag tgggaggcca   10200

ccgcgacctc ccacggcgcc gccgaagacc ccgagtggag caggctcagc ccccgactgc   10260

tgctggtcaa cctgagcatg ctcgccggcc cgctcgccct gttcgccgtc acggtcgccc   10320
```

```
tgaccggcgc caacctccag ccctcatct ccctcggctc cctgctgatc gtcttcctgg   10380

tcatcaccgg gatcagcacg atgcggctgc tgaccacccg cttccgcgtc accgccgaac   10440

gcgtcgaact cgcctcgggc ctgctcttcc gcagccgccg ctcggtcccc atcgaccggg   10500

tccgcagcgt cgacgtcgaa gccaagccgg tgcaccgcct cttcggcctc gcctcgctgc   10560

gcatcggcac cggtgaacag ggcgcgtcca gccgcaggct ctccctcgac ggcatcacca   10620

ggcgtcaggc gcggcgactg cgcaggctcc tcatcgaccg ccgtggcagc ggccatgcca   10680

ccggccagga ccaggacgtc accatcgccg agatggactg ggcctggctg cggtacgcgc   10740

cgctcaccat ctggggcgtc ggcagcgtct cgccgccgt cggcaccgcc taccgcatcc   10800

tgcacgagat gaaggtcgac ccgctcgaac tgggcgtcgt caaggacatc gaggaccgct   10860

tcggttccgt acccctgtgg ttcggcatcc tcgtcgccgt cgtgatcacc gccgtcgtgg   10920

gcgccgcggt ctccaccgcc accttcgtgg acgcctggac caactaccgc ctggagcgtg   10980

aggggggtcgg catcttccgg atccgccgcg gactgctcat ttcccgctcc gtcaccatcg   11040

aggagcgccg gctgcgcggc gtcgagctcg ccgagccgat gctgctgcgc tgggcggggcg   11100

gcgccaccct gagcgccatc gccagcggcc tcagcaacag ccaggagaac cgcagccgct   11160

gttccctcac cccgcccgtg ccccgggacg aggcgctgcg ggtcgccgcc gacgtcctcg   11220

ccgaggaagg gtccccgacg gagctgacca agctcgtccg gcactcccgt gccgccctgc   11280

gccgtcgcat caaccgcggc ctgctggtcc tcgcggccgt cgtcgcggtg ccgctgggcc   11340

tggggctgtg gctcacccccc gtcctggtgc acaccgcctg gatcacggcg ctcgtcggcc   11400

tgccggtcgt catcgtcctc gccaacgacg cctaccgctc cctcggccac ggaatccgcg   11460

accgctacct cgtcgtccgc gccggcacct cgcccgccg tacggtcgcc gtccagcggg   11520

acggcgtcat cggctggaac atctcccgct cctacttcca gcggcgcagc ggactgctca   11580

ccatcggcgc caccaccgcg ggcgtcggct gccacaaggt gcgcgacgta ccgtcggcg   11640

ccggcctcgc cttcgccgaa gaggccgtac ccaggctgct cgccccgttc atcgaacgcg   11700

tcccgcgcgg ctgaacccccc tcagaccaac tggcgaaccc            11740
```

<210> 2
<211> 719
<212> PRT
<213> Streptomyces aizunensis

<400> 2

Met Asp Asn Leu Glu Leu Arg Arg Glu Ala Asp Ala Ile Leu Ala Glu
1   5   10   15

Leu Val Gly Ala Pro Gly Gly Ser Ala Arg Leu Arg Glu Asp Gln Trp
            20   25   30

Gln Ala Val Ala Ala Leu Val Glu Glu Arg Arg Arg Ala Leu Val Val
        35   40   45

Gln Arg Thr Gly Trp Gly Lys Ser Ala Val Tyr Phe Val Ala Thr Ala
    50   55   60

Leu Leu Arg Arg Arg Gly Ser Gly Pro Thr Val Ile Ile Ser Pro Leu
65   70   75   80

Leu Ala Leu Met Arg Asn Gln Val Glu Ala Ala Ala Arg Ala Gly Ile
            85   90   95

Gln Ala Arg Thr Ile Asn Ser Ala Asn Pro Glu Glu Trp Glu Thr Ile
            100   105   110

Tyr Gly Glu Val Glu Arg Gly Glu Thr Asp Val Leu Leu Val Ser Pro
        115   120   125

Glu Arg Leu Asn Ser Val Asp Phe Arg Asp Gln Val Leu Pro Lys Leu
    130   135   140

Ala Ala Thr Thr Gly Leu Leu Val Val Asp Glu Ala His Cys Ile Ser
145   150   155   160

Asp Trp Gly His Asp Phe Arg Pro Asp Tyr Arg Arg Leu Arg Thr Met
            165   170   175

Leu Ala Glu Leu Pro Glu Gly Val Pro Val Leu Ala Thr Thr Ala Thr
            180   185   190

Ala Asn Ala Arg Val Thr Ala Asp Val Ala Glu Gln Leu Gly Thr His
        195   200   205

Gly Glu His Ala Leu Val Leu Arg Gly Pro Leu Asp Arg Glu Ser Leu
    210   215   220

Arg Leu Gly Val Leu Gln Leu Pro Asp Ala Ala His Arg Leu Ala Trp
225   230   235   240

Leu Gly Asp Arg Leu Ala His Leu Pro Gly Ser Gly Ile Ile Tyr Thr
            245   250   255

Leu Thr Val Ala Ala Ala Glu Glu Val Ala Ala Phe Leu Arg Gln Arg
            260   265   270

Gly Tyr Pro Val Ala Ser Tyr Thr Gly Lys Thr Glu Asn Ala Asp Arg
        275   280   285

Leu Gln Ala Glu Glu Asp Leu Leu Ala Asn Arg Val Lys Ala Leu Val
    290   295   300

Ala Thr Ser Ala Leu Gly Met Gly Phe Asp Lys Pro Asp Leu Gly Phe
305   310   315   320

Val Val His Met Gly Ser Pro Ser Ser Pro Ile Ala Tyr Tyr Gln Gln
            325   330   335

Val Gly Arg Ala Gly Arg Gly Val Asp His Ala Asp Val Leu Leu Leu
        340   345   350

Pro Gly Arg Glu Asp Glu Ala Ile Trp Ala Tyr Phe Ala Ser Val Gly
    355   360   365

```
Phe Pro Pro Glu Glu Gln Val Arg Arg Thr Leu Asp Val Leu Ala Gln
    370             375             380
```

```
Ala Gly Arg Pro Leu Ser Leu Pro Ala Leu Glu Pro Leu Val Asp Leu
385             390             395             400
```

```
Arg Arg Ser Arg Leu Glu Thr Met Leu Lys Val Leu Asp Val Asp Gly
            405             410             415
```

```
Ala Val Lys Arg Val Lys Gly Gly Trp Thr Ala Thr Gly Gln Pro Trp
            420             425             430
```

```
Thr Tyr Asp Ala Glu Arg Tyr Ala Trp Val Ala Lys Gln Arg Ala Ala
        435             440             445
```

```
Glu Gln Gln Ala Met Arg Asp Tyr Val Ala Thr Thr Gly Cys Arg Met
    450             455             460
```

```
Glu Phe Leu Gln Arg Gln Leu Asp Asp Glu Lys Ala Val Pro Cys Gly
465             470             475             480
```

```
Arg Cys Asp Asn Cys Ala Gly Ser Trp Leu Glu Ala Val Val Ser Pro
            485             490             495
```

```
Ala Ala Leu Ala Ala Ala Ala Gly Glu Leu Asp Arg Ala Gly Val Glu
            500             505             510
```

```
Val Glu Ser Arg Lys Met Trp Pro Thr Gly Leu Ala Ala Val Gly Met
            515             520             525
```

```
Asp Leu Lys Gly Arg Ile Pro Ala Gly Gln Gln Ala Val Thr Gly Arg
    530             535             540
```

```
Ala Leu Gly Arg Leu Ser Asp Ile Gly Trp Gly Asn Arg Leu Arg Pro
545             550             555             560
```

```
Leu Leu Ser Ala Gln Ala Ala Asp Gly Pro Val Pro Asp Asp Val Leu
            565             570             575
```

```
Ala Ala Val Val Thr Val Leu Ala Asp Trp Ala Arg Ser Pro Gly Gly
            580             585             590
```

```
Trp Ala Ser Gly Gly Pro Asp Ala Met Ala Arg Pro Val Gly Ile Val
    595             600             605
```

```
Ala Met Pro Ser Arg Thr Arg Pro Arg Leu Val Ala Ser Leu Ala Glu
    610             615             620
```

```
Gly Val Ala Arg Val Gly Arg Leu Pro Leu Leu Gly Ser Leu Ala Tyr
625             630             635             640
```

```
Thr Pro Gln Ala Asp Val Tyr Gly Ala His Arg Ser Asn Ser Ala Gln
            645             650             655
```

```
Arg Leu Arg Ala Leu Ala Asp Ser Phe Thr Val Pro Glu Glu Leu Ala
            660             665             670
```

```
Ala Ala Leu Ala Ala Ala Pro Gly Pro Val Leu Leu Val Asp Asp Tyr
    675             680             685
```

```
Thr Asp Ser Gly Trp Thr Leu Ala Val Gly Ala Arg Leu Leu Arg Gln
    690             695             700
```

```
Ser Gly Ala Gly Gly Val Leu Pro Leu Val Leu Ala Leu Ala Gly
705                 710                 715
```

```
<210>  3
<211>  2160
<212>  DNA
<213>  Streptomyces aizunensis
```

```
<400>  3
atggacaacc tggagctccg tcgtgaagcc gatgccatcc tcgctgagct ggtcggtgcc      60

cctggggggtt cggcgcggct gcgggaggac cagtggcagg cggtcgcggc cctggtggag     120

gagcgccggc gggccctggt ggtgcagcgc acgggctggg gcaagtccgc ggtctacttc     180

gtcgccaccg ctctgctgcg ccggcgcggc tccgggccga cggtgatcat ttctccgctg     240

ctggcgctga tgcgcaacca ggtcgaggcg ccgcgcgggg ccgggatcca ggcgcgcacg     300

atcaactcgg ccaacccgga ggagtgggaa accatctacg gggaggtcga gcgcggcgag     360

accgatgtgc tcctcgtcag ccccgagcgc ctcaactccg tggatttccg cgaccaggta     420

ctgcccaagc tggcggccac gacgggtctg ctggtggtcg acgaggcgca ctgcatctcc     480

gactggggcc acgacttccg ccccgactac cgacggctgc cacgatgct ggcggagctg      540

ccggagggcg tgccggtcct ggccacgacg gcgaccgcga acgcgcgggt gaccgcggac     600

gtggcggagc agctgggcac gcacggcgag cacgccctgg tcctgcgcgg accgctcgac     660

cgggagagcc tgcggctggg agtgctgcag ctgccggacg cggcgcaccg gctggcctgg     720

ctgggggacc ggctggcgca cctgccgggt tcggggatca tctacacgct gaccgtggcg     780

gcggcggagg aggtcgcggc gttcctgcgg caacgcgggt atccggtggc ttcctacacc     840

gggaagacgg agaacgccga ccggttgcag gcggaggagg atctgctggc gaaccgggtg     900

aaggcactgg tggcgacctc ggcgctgggc atggggttcg acaagccgga cctggggttc     960

gtggtgcaca tggggtcgcc ctcgtccccg atcgcctact accagcaggt ggggcgcgcg    1020

gggcgtgggg tggatcacgc ggacgtgctg ctgctgccgg ccgggaggga cgaggcgatc    1080

tgggcgtact tcgcctcggt gggcttcccg cccgaggagc aggtccggcg caccctggac    1140

gtactggcgc aggcggggccg cccgctgtcg ctgcccgcgc tggagccgct ggtggacctc    1200

cggcgctcgc gcctggagac gatgctgaag gtcctggacg tggacggcgc ggtcaagcgc    1260

gtgaagggcg gctggaccgc caccgggcag ccgtggacgt acgacgcgga cggtacgcc     1320

tgggtcgcga agcagcgggc ggcggagcag caggccatgc gggactacgt ggcgaccacg    1380

ggctgccgga tggagttcct gcagcggcag ctggacgacg agaaggcggt cccgtgcggc    1440

cgctgcgaca actgcgccgg atcctggctg gaggcggtcg tgtcgcccgc ggccctcgcg    1500

gccgcggcgg gcgagctgga ccgcgcgggg gtcgaggtcg agtcccgcaa gatgtggccg    1560

accgggctcg ccgcggtcgg catggacctg aagggccgga tccccgcggg ccagcaggcc    1620
```

```
gtcaccgggc gcgcgctcgg caggctgtcg dacatcggct ggggcaaccg gctgcgcccc      1680

ctgctgtcgg cgcaggccgc ggacgggccg gttccggacg atgtgctggc cgccgtcgtg      1740

acggtgctcg ccgactgggc ccgctcgccg ggcggctggg cgagcggcgg gccggacgcg      1800

atggcgcggc cggtgggat cgtcgccatg ccctcccgta cccgcccgcg gctggtcgcc      1860

tcgctggccg agggcgtggc ccgggtcggc aggctcccgc tgctgggcag cctcgcctac      1920

accccgcagg ccgacgtgta cggggcgcac cgcagcaact cagcccagcg gctgcgcgcc      1980

ctggccgact cgttcaccgt gcccgaggaa ctcgccgcgg ccctggccgc cgctcccggc      2040

ccggtcctgc tcgtcgacga ctacaccgac tccggctgga ccctggccgt gggcgcacgc      2100

ctgctgcgcc agtccggcgc gggcggcgtg ctcccgctcg tcctcgcgct ggccgggtag      2160
```

```
<210>  4
<211>  253
<212>  PRT
<213>  Streptomyces aizunensis

<400>  4
```

```
Leu Asn Lys Gln Glu Thr Ser Leu Trp Val Arg Arg Tyr His Ala Ser
1               5                   10                  15

Asp Glu Ser Arg Ile Gln Leu Val Cys Leu Pro His Ala Gly Gly Ser
            20                  25                  30

Ala Ser Phe Tyr Phe Pro Met Ser Gln Ser Leu Ala Pro Ala Met Asp
        35                  40                  45

Val Leu Ser Val Gln Tyr Pro Gly Arg Gln Asp Arg Arg Asp Glu Pro
    50                  55                  60

Gly Ile Val Asp Ile Gly Ala Tyr Ala Asp Ala Leu Thr Glu Gln Leu
65                  70                  75                  80

Val Pro Trp Leu Asp Arg Pro Leu Ala Phe Phe Gly His Ser Met Gly
                85                  90                  95

Ala Ile Leu Ala Phe Glu Val Thr Arg Arg Leu Glu Arg Asp His Gly
            100                 105                 110

Val Thr Pro Glu His Ile Phe Ala Ser Gly Arg Arg Ser Pro Ala Ser
        115                 120                 125

Phe Arg His Glu Thr Val His Leu Arg Asp Asp Asp Gly Ile Val Ala
    130                 135                 140

Glu Met Arg Glu Leu Ser Gly Thr Asp Ala Lys Ile Leu Gly Asn Glu
145                 150                 155                 160

Glu Ile Leu Arg Met Val Leu Pro Ala Ile Arg Ser Asp Tyr Thr Ala
                165                 170                 175

Ile Glu Asn Tyr Arg Ala Ala Pro Glu Asp Val Val Arg Thr Pro Ile
            180                 185                 190

Thr Val Leu Thr Gly Asp Ala Asp Pro Arg Thr Ser Arg Glu Glu Ala
```

```
                195                   200                   205
```

Asp Ala Trp Lys Ala His Thr Thr Gly Gly Phe Asp Leu His Ser Phe
    210   215   220

Pro Gly Gly His Phe Phe Leu Ala Asn His Gln Glu Lys Ile Met Gly
225   230   235   240

Ile Ile Ser Glu Glu Leu Ser Ala Pro Ala Arg Met Ala
                245   250

```
<210>  5
<211>  762
<212>  DNA
<213>  Streptomyces aizunensis

<400>  5
ttgaataagc aagaaactag cctctgggtt cgccgctacc acgcttcgga cgaaagccgg      60

atccaattgg tctgtctgcc gcacgccggt ggctcggcct ccttctactt ccccatgtcc     120

cagtcgctgg ctccggcgat ggacgtcctc tcggtccagt accccggcag gcaggaccgc     180

agggacgagc ccgggatcgt ggacatcggc gcctacgcgg acgccctgac cgagcaactc     240

gtaccgtggc tcgaccggcc cctggccttc ttcggccaca gcatgggtgc gatcctcgcc     300

ttcgaggtga cgcgcaggct ggagcgtgac cacggcgtca ctccggagca catcttcgct     360

tccggccggc gctcgcccgc cagtttccgg cacgagaccg tgcacctgcg ggacgacgac     420

ggaatcgtgg cggaaatgcg ggaactcagc ggaaccgacg cgaagatact cggcaacgag     480

gaaatcctcc gcatggtgct ccccgcgatt cgaagcgact acaccgccat cgagaactac     540

cgtgccgcgc cggaagacgt cgtgcgtact cccatcacgg tgctgaccgg tgacgcggac     600

ccgaggacca gccgggaaga ggcggacgcc tggaaggcgc acacgaccgg cggattcgat     660

ctgcattcct tccccggtgg acatttcttc ctggcgaatc accaggagaa gatcatggga     720

attatttcgg aggaactctc cgcgccggct cgcatggcgt ga                       762

<210>  6
<211>  956
<212>  PRT
<213>  Streptomyces aizunensis

<400>  6
```

Val Ala Val Arg Leu Val Glu Arg Glu Lys Gln Leu Glu Thr Leu Lys
1   5   10   15

Glu Leu Leu Gly Ser Ala Val Arg Gly Arg Gly Arg Val Ala Val Ile
            20   25   30

Ser Gly Ala Val Ala Gly Gly Lys Thr Ser Leu Leu Glu Ile Phe Thr
        35   40   45

Glu Glu Ala Ile Ser Ala Gly Ala Leu Val Leu Glu Ala Thr Gly Ser
    50   55   60

Arg Ala Glu Arg Tyr Leu Pro Phe Gly Ile Leu Arg Arg Ile Leu Asp
65   70   75   80

Ser Ala Ala Pro Leu Ser Pro Glu Ile His Ala Tyr Ala Thr Glu Leu
              85   90   95

Leu Asp Arg Val Ser Ala Gly Thr Thr Asp Ala Glu Gly Ala Val Glu
          100   105   110

Ala Gly Met Arg Val Leu Pro His Val Ala Thr Ala Leu Leu Arg Ile
      115   120   125

Ala Arg Asn Arg Thr Val Val Ile Ala Ile Asp Asp Val His His Gly
      130   135   140

Asp Glu Leu Ser Leu Ala Phe Leu Leu Cys Leu Ala Arg Arg Val Arg
145   150   155   160

Gln Ala Gly Val Leu Ile Val Leu Thr Glu Ala Val Arg Leu Arg Ser
              165   170   175

Ala Gln Leu Ala Phe His Ala Glu Leu Gln Arg Gln Pro Asn Cys Thr
          180   185   190

Ser Leu Arg Leu Pro Leu Leu Thr Thr Arg Gly Thr Thr Arg Val Leu
      195   200   205

Ala Glu His Phe Ser Pro Ser Thr Ala Gln Arg Leu Ser Ala Glu Cys
      210   215   220

Gln Glu Thr Thr Gly Gly Asn Pro Leu Leu Val Arg Ala Leu Ile Asp
225   230   235   240

Asp Gly Leu Thr Ala Leu Gly Asp Ser Glu Pro Phe Gln Arg Leu Ala
              245   250   255

Pro Ala Glu Thr Phe Glu Arg Ala Val Leu Asp Cys Leu His Arg Gly
          260   265   270

Asp Pro Glu Leu Leu Thr Val Ala Arg Gly Val Ala Val Leu Gly Ser
      275   280   285

Ala Cys Ser Leu Ala Leu Leu Asn Gly Ile Val Asp Leu His Ala Lys
      290   295   300

Ala Thr Glu Gln Ala Leu Gln Asp Leu Ser Arg Cys Ala Val Leu His
305   310   315   320

His Gly Ser Phe Arg Asp Pro Ala Ala Arg Thr Ala Val Leu Glu Ala
              325   330   335

Thr Pro Pro Ala Ala Leu Ser Ala Leu His Leu Arg Thr Ala Arg Leu
          340   345   350

Leu His Gln Glu Gly Ala Thr Ala Leu Asp Val Ala Arg His Leu Leu
      355   360   365

Ala Ala Arg Lys Asn Val Glu Asp Trp Ala Ile Pro Val Leu Gln Glu
      370   375   380

Ala Val Glu Tyr Ala Leu Val Glu Asp Glu His Glu Leu Ala Leu Arg
385   390   395   400

```
Cys Gly Glu Leu Ala Val Ala Ser Cys Ala Glu Gly Pro Arg His Ala
            405                 410                 415

Ala Leu Lys Ser Arg Leu Ala Ser Ile Val Trp Arg Ser Ser Pro Ala
            420                 425                 430

Ala Ala Glu Gly His Leu Arg Gln Leu Ser Arg Glu Leu Ala Ala Gly
            435                 440                 445

Arg Leu Ala Asp Arg Asp Leu Val Gln Ala Val Ser Leu Leu Ala Trp
        450             455                 460

Met Gly Glu Ser Arg Gly Ala Gly Glu Ala Val Leu Arg Leu Gln Arg
465                 470                 475                 480

Thr Asp Ser Glu Ala Glu Ala Ala Gly Arg Ala Pro Ala Tyr Asp Pro
                485                 490                 495

Gly Thr Leu Thr Ala Ala Gln Ser Trp Leu Ser Met Val Ser Pro Pro
            500                 505                 510

Ala Arg Asp Leu Phe Asp Ala Val Glu Pro Arg Arg Thr Thr Leu Ser
            515                 520                 525

Gly Ala Pro Gly Ala Leu Pro Gly Ala Gly Pro Asp Thr Val Pro Tyr
        530             535                 540

Asp Met Pro Asp Asn Ala Tyr Val Gln Ala Ala Asp Ala Val Arg Thr
545                 550                 555                 560

Ala Leu Arg Gly Gly Thr Gln Ala Asp Ala Ala Val Ser Lys Ala Thr
            565                 570                 575

Arg Val Leu Gln Arg Tyr His Leu Ser Asp Arg Thr Leu Gln Pro Leu
            580                 585                 590

Val Phe Ala Leu Leu Ala Val Ile Tyr Ala Gly Arg Leu Asp Leu Ala
            595                 600                 605

Ser Ala Trp Cys Glu Arg Leu Leu Gly Glu Cys Ser Ala Arg Asn Ala
    610                 615                 620

Pro Thr Trp Gln Ala Ala Leu Gly Val Val Arg Ala Glu Ile Leu Leu
625                 630                 635                 640

Arg Gln Gly Asp Leu Pro Gly Ala Ala Ala Gln Ala Arg His Ala Met
            645                 650                 655

Ser Arg Ile Ser Leu Gln Ser Trp Gly Val Gly Ile Ala Leu Pro Leu
            660                 665                 670

Ala Val Leu Val Glu Ala Glu Val Gln Met Gly Asp His Glu Glu Ala
            675                 680                 685

Met Ser Leu Leu Glu Gln Pro Val Pro Gln Ala Met Phe Asp Thr Leu
    690                 695                 700

Ala Gly Leu His Tyr Leu Arg Ala Arg Gly Arg Cys His Leu Ala Thr
705                 710                 715                 720

Gly Arg Tyr His Ala Ala Val Arg Asp Phe Leu Asn Cys Gly Glu Leu
            725                 730                 735
```

```
Met Gln Ala Trp Gly Val Asp Gly Ala Glu Leu Val Pro Trp Arg Leu
              740             745             750
```

```
Asp Ala Ala Glu Ala Trp Leu Ala Leu Gly Asn Val Ala Arg Ala Lys
          755             760             765
```

```
Glu Tyr Thr Glu Gln Gln Lys Gln Arg Glu Thr Gly Pro Val Gly Ser
    770             775             780
```

```
Arg Thr Arg Gly Ser Leu Leu Leu Thr Leu Ala His Thr Gly Gly Asp
785             790             795             800
```

```
Leu Thr Val Arg Leu Lys Arg Leu Val Glu Ala Val Glu Thr Leu Glu
              805             810             815
```

```
Glu Gly Gly Asp Arg Leu Gln Leu Ala Val Ala Leu Gly Glu Leu Gly
          820             825             830
```

```
Arg Gly Tyr Arg Ala Leu Gly Asp Phe Asn Arg Ala Arg Met Leu Val
          835             840             845
```

```
Arg Lys Ala Trp His Val Ala Lys Ser Cys Gly Ala Glu Pro Leu Cys
    850             855             860
```

```
Gln Gln Phe Met Pro Gly Gln Val Asp Gly Glu Ala Gly Ala Gln Ser
865             870             875             880
```

```
Gly Arg Glu Ala Glu Leu Pro Ser Glu Val Glu Val Leu Ser Glu Ala
              885             890             895
```

```
Glu Ala Arg Val Ala Leu Leu Ala Ala Arg Gly His Thr Asn Arg Glu
          900             905             910
```

```
Ile Ala Thr Lys Leu Tyr Val Thr Val Ser Thr Val Glu Gln His Leu
          915             920             925
```

```
Thr Arg Ile Tyr Arg Lys Leu Lys Val Lys Arg Arg Arg Asp Leu Pro
    930             935             940
```

```
Ala Arg Leu Ser Asp Leu Ser Leu Pro Ser Ile Ala
945             950             955
```

```
<210>  7
<211>  2871
<212>  DNA
<213>  Streptomyces aizunensis
```

```
<400>  7
gtggcggtta ggctcgtcga gcgcgagaag cagctggaaa cgctgaagga actactcggc    60

agcgcagtcc gtggccgagg gcgggtcgcc gtcatcagcg gggcagtcgc cggcgggaaa   120

acgagtctgc tggaaatctt caccgaagag gcgatctccg cgggcgcgct ggtgctggaa   180

gccacgggct cccgggcgga gcgctatctg cccttcggaa ttctgcgcag aatcctcgac   240

agcgcggcgc ccctgtcgcc cgagatccac gcctacgcca ccgagctgct ggaccgcgtc   300

agcgccggga cgacggacgc cgaaggcgcc gtcgaggccg gtatgcgcgt cctgccccat   360

gtcgccaccg cactgttaag gatcgcccgg aaccggaccg tcgtcatagc catcgacgac   420

gtccaccacg gggacgaact ctccctcgcc ttcctgctgt gcctcgcccg ccgagtgcgc   480
```

```
caggcgggcg tcctgatcgt gctcaccgaa gccgtccggc tgcggtccgc gcaactcgcc    540

ttccacgccg aactgcagcg ccagcccaac tgcaccagcc tccggctgcc cctgctcacc    600

acgcgcggca ccacccgcgt cctcgccgag cacttctccc cctcgacggc gcaacggctg    660

tccgccgagt gccaggagac caccggcggc aatccactgc tggtcagggc gctgatcgac    720

gacggcctca cggcgctcgg agacagcgag cccttccagc ggctcgcccc cgccgaaacc    780

ttcgaacgcg ccgtgctcga ctgcctgcac cgcggcgacc ccgagctgct gaccgtcgcc    840

cggggcgtcg ccgtactcgg tagcgcctgc tccttggccc tgctcaacgg gatcgtcgac    900

ctgcacgcca aggccaccga acaggccctt caggacctca gccggtgcgc cgtcctgcac    960

cacggctcct tccgcgaccc ggcggcccgt accgccgtcc tggaagccac tccgcccgcg    1020

gcgctgtccg ccctgcacct gcgcaccgcg cgactcctgc accaggaagg cgcgacggcg    1080

ctcgatgtcg cccgccacct cctcgccgcc cgcaagaacg tcgaggactg ggcgatcccc    1140

gtcctccagg aggcggtcga gtacgccctc gtcgaggacg agcacgaact cgccctgcgg    1200

tgcgggggaac tggcggtcgc ctcctgcgcg gagggcccccc gacacgccgc cctgaagtcc    1260

cgcctggcga gcatcgtctg gcgcagcagc ccggccgccg ctgaagggca tctgcggcag    1320

ctgtcccgcg aactcgccgc cggccggctc gccgaccgcg atctcgtcca ggccgtgtcg    1380

ctcctggcgt ggatggggga gtcccggggg gccggcgagg cggtactgcg actgcagcgg    1440

accgacagcg aggccgaggc ggccggacgg gcgcccgcct acgacccggg cacgctcacc    1500

gccgcacaga gctggctctc gatggtcagc ccgccggccc gcgacctctt cgacgccgtg    1560

gaaccgcgcc ggacaacgct gtcaggcgcg ccgggggcgc tgcccggcgc ggggcccgac    1620

accgtccccct acgacatgcc cgacaacgcc tacgtccagg ccgccgacgc cgtccgcacc    1680

gccctgcgcg gcggaaccca ggccgacgcc gccgtcagca aggccacccg ggtgctccag    1740

cgctaccacc tgagcgaccg caccctccag ccgctcgtct tcgccctcct cgccgtcatc    1800

tacgcgggtc gcctcgacct cgcgtccgcc tggtgcgaac gactgctcgg cgagtgctcc    1860

gcccgcaacg ccccgacctg gcaggccgcc ctcggtgtgg tccgggccga gatcctgctg    1920

cgccagggcg atctgcccgg tgcggccgcc caggcccgcc acgccatgtc cggatctcc     1980

ctgcagagct ggggcgtggg catcgcgctg ccgctggccg tcctcgtcga ggccgaggtc    2040

cagatgggcg accacgagga ggcgatgagc ctgctcgaac agccggtgcc ccaggccatg    2100

ttcgacaccc tggccggcct gcactacctc agggcccgcg ccgctgcca cctggccacc      2160

ggccgctacc acgccgccgt gcgggacttc ctgaactgcg cgagctgat gcaggcctgg     2220

ggcgtggacg gggcggagct ggtgccgtgg cggctggacg ccgccgaggc gtggctggcc    2280

ctcggcaacg tcgcgcgcgc caaggagtac accgagcagc agaagcagcg cgagacgggg    2340
```

```
cccgtgggca gccggacgcg tggctccctg ctgctcacgc tcgcccacac cggcggtgac   2400

ctcacggtcc ggctcaagcg gctcgtcgag gccgtcgaga ccctggagga gggcggggac   2460

cggctccagc tggcggtggc gctggggggag ctgggccgcg gctaccgtgc gctgggcgac   2520

ttcaaccggg cccggatgct ggtgcgcaag gcctggcacg tcgccaagtc ctgcggcgcc   2580

gaaccgctgt gccagcagtt catgccgggg caggtcgacg gcgaggccgg tgcgcagagc   2640

ggccgggagg cggagcttcc cagcgaggtc gaggtcctgt ccgaggccga ggcgcgggtc   2700

gcgctgctgg cggcgcgcgg ccacaccaac cgtgagatag cgaccaagct ctacgtcacg   2760

gtgtccacgg tcgagcagca tctgacgcgc atctaccgca agctgaaggt gaagcggcgc   2820

cgcgatctgc cgcccggct gtcggacctg agcctgccga gcatcgcctg a            2871
```

<210> 8
<211> 201
<212> PRT
<213> Streptomyces aizunensis

<400> 8

```
Met Leu Val Asp Asp His Pro Val Val Arg Glu Gly Leu Ser Ser Met
1                5                  10                  15

Leu Gln Ser Ala Asp Gly Val Ser Val Val Gly Gln Ala Asp Ser Gly
            20                  25                  30

Glu Glu Ala Ile Ala Met Val Thr Arg Leu Ala Pro Asp Ile Val Leu
        35                  40                  45

Leu Asp Leu Gln Met Gly Gly Met Asp Gly Val Glu Thr Thr Gly His
    50                  55                  60

Leu Leu Arg Val Ala Pro Ala Thr Lys Val Val Ile Val Thr Thr Tyr
65                  70                  75                  80

Glu Ser Asp Thr Asp Ile Leu Arg Ala Val Glu Ala Gly Ala Ala Gly
            85                  90                  95

Tyr Leu Leu Lys Gly Ser Ser Arg Asp Glu Leu Val Gln Ala Val Lys
            100                 105                 110

Ala Ala Ala Arg Gly Glu Thr Val Leu Thr Pro Ser Leu Ala Pro Lys
        115                 120                 125

Leu Phe Arg Ala Arg Val Val Glu Pro Pro Ala Leu Ser Asp Arg Glu
    130                 135                 140

Arg Glu Val Leu Gln Leu Val Ser Leu Gly Leu Thr Asn Ala Asp Ile
145                 150                 155                 160

Gly Arg Gln Leu Phe Ile Ser Glu Ala Thr Val Lys Thr His Leu Leu
                165                 170                 175

Arg Ser Phe Lys Lys Leu Ser Val Ser Asp Arg Thr Ala Ala Val Ile
            180                 185                 190

Thr Ala Leu Lys Leu Gly Leu Leu Ser
```

195   200

```
<210>  9
<211>  606
<212>  DNA
<213>  Streptomyces aizunensis

<400>  9
atgctggtcg acgaccaccc ggtcgtacgg gagggtctca gctcgatgct gcaatccgcc      60

gacggcgtga gcgtcgtcgg gcaggccgac tcgggcgagg aggcgatcgc gatggtcacc     120

agacttgctc ccgacatcgt cctgctcgac cttcagatgg gcgggatgga cggggtggag     180

accaccggcc acctgctgcg cgtcgcgccg gccaccaagg tggtgatcgt gacgacgtac     240

gagagcgaca cggacatcct gcgggccgtg gaggcgggcg cggcgggcta cctgctcaag     300

ggcagctcgc gcgacgaact ggtgcaggcg gtaaaggcgg cggcccgcgg tgagacggtc     360

ctgacgccgt cgctcgcccc caagctgttc cgggcccggg tggtggagcc gcccgcgctg     420

tcggaccgtg agcgcgaggt gctccagttg gtcagcctcg ggctgaccaa cgcggacatc     480

ggccgccagc tgttcatcag cgaggcgacg gtgaagacgc atctgctgcg ctcgttcaag     540

aagctgtcgg tctcggaccg gacggccgcg gtgatcacgg cactgaagct cggcctgctg     600

tcctga                                                              606
```

```
<210>  10
<211>  416
<212>  PRT
<213>  Streptomyces aizunensis

<400>  10

Val Ser Thr Glu Ser Pro Ala Ala Gln Ala Thr Asp Gly Gln Asp Asp
1               5                  10                  15

Ala Pro Glu Ala Gly Ala Arg Trp Phe Gly Leu Trp Asp Ala Leu Phe
                20                  25                  30

Ala Val Ser Tyr Ala Val Thr Thr Met Leu Leu Phe Thr Ser Asp Gly
            35                  40                  45

Glu Gln Val His Arg Ala Val Ala Met Ala Ala Leu Thr Ala Ala Val
        50                  55                  60

Pro Trp Tyr Ala Ala Leu Gly Arg Ser Thr Met Val His Glu Gly Gln
65                  70                  75                  80

Gly Pro Val Arg Arg Ser Val Val Phe Ser Val Gly Leu Phe Val Leu
                85                  90                  95

Phe Ala Val Ala Val Val Phe Asp Leu Ala Ala Ser Phe Ala Leu Phe
                100                 105                 110

Ala Val Val Pro Met Leu Met Met Ser Leu Ala Thr Ser Pro Ala Ile
            115                 120                 125

Ala Val Val Thr Leu Ala Asn Leu Val Pro Val Ile Val Val Trp Leu
```

```
        130                    135                    140
Arg Gly Gly Thr Leu Ser Arg Asp Ile Leu Ala Val Leu Pro Thr Ser
145                 150                 155                 160

Leu Leu Gly Ile Ala Leu Ser Val Met Leu Gly Leu Trp Ile Thr Arg
                165                 170                 175

Val Thr Arg Gln Ser Arg Asp Arg Ala Glu Leu Ile Glu Glu Leu His
            180                 185                 190

Arg Asn Arg Ala Gln Val Ala Arg Leu Ser Arg Lys Ala Gly Val Ser
            195                 200                 205

Ala Glu Arg Glu Arg Leu Ala Arg Glu Ile His Asp Thr Leu Ala Gln
    210                 215                 220

Gly Leu Thr Ser Ile Ile Ser Leu Val Gln Ala Ala Glu Thr Asp Phe
225                 230                 235                 240

Thr Ala Asp Pro Asp Arg Ala Arg Ala His Leu Ala Leu Ala Gly Arg
                245                 250                 255

Val Ala Arg Glu Ser Leu Gly Glu Ala Arg Glu Phe Val Thr Glu Leu
                260                 265                 270

Thr Pro Pro Ala Leu Gln Glu Ser Ser Leu Val Gln Ala Thr Arg Arg
                275                 280                 285

Gln Ala Glu Gly Leu Thr Ala Gln Thr Gly Met Arg Ala His Val Thr
    290                 295                 300

Val Glu Gly Asp Glu Arg Glu Leu Pro Met Ala Ile Ser Val Val Leu
305                 310                 315                 320

Leu Arg Ser Leu Gln Glu Ala Ile Ala Asn Ile Arg Lys His Ala Gly
                325                 330                 335

Lys Ala Arg Ala Ala Glu Ile Arg Leu Val Tyr Glu Gln Asp Thr Val
            340                 345                 350

Arg Leu Leu Val Arg Asp Asp Gly Pro Gly Phe Thr Val Thr Gly Asp
        355                 360                 365

Gln Arg Gly Ser Gly Leu Arg Gly Met Gln Thr Arg Ala His Glu Ile
    370                 375                 380

Ser Gly Ala Ala Thr Val Val Ser Ser Pro Gly Gln Gly Thr Thr Ile
385                 390                 395                 400

Glu Val Thr Val Pro Val Pro Ala Lys Gly Glu Glu Ala Asp Glu Arg
                405                 410                 415
```

```
<210>  11
<211>  1251
<212>  DNA
<213>  Streptomyces aizunensis

<400>  11
gtgagcactg aatcccccgc ggcgcaggcg acagacggcc aggacgacgc gcccgaggcg      60

ggagcccggt ggttcggcct gtgggacgcg ctcttcgcgg tctcgtacgc cgtcaccacc     120
```

```
atgctgctgt tcacctccga cggtgaacag gtccaccggg ccgtggccat ggccgcgctg      180

accgcggccg tgccctggta cgcggccctg gggcgcagca ccatggtcca cgagggccag      240

gggcccgtcc ggcgcagcgt cgtcttctcc gtcggcctgt cgtgctgtt cgcggtggcc       300

gtggtcttcg acctcgcggc ctcgttcgcg ctgttcgccg tggtcccgat gctgatgatg      360

agcctggcga cctcgccggc catcgccgtg gtcacgctgg ccaatctggt tccggtcatc      420

gtggtgtggc tgcgcggcgg caccctgagc cgcgacatcc tggccgtcct gccgacctcg      480

ctcctcggca tcgccctgtc ggtcatgctc gggctgtgga tcacccgggt gacccggcag      540

agccgtgacc gggccgagct catcgaggag ttgcaccgca accgtgcgca gtcgcccgg      600

ctgtcgcgca aggcggggt ctccgccgag cgcgagcggc tcgcccggga tccacgac        660

accctcgccc agggcctcac cagcatcatc agcctcgtac aggccgccga gaccgacttc      720

acggccgacc cggaccgggc gagggcgcat ctggcactgg cgggccgcgt ggcccgcgaa      780

agcctgggag aagcccgcga gttcgtcacc gagctgaccc cgcccgcgct gcaggagtcc      840

tcgctcgtgc aggcgacgcg gcggcaggcc gagggcctga cggcgcagac cggcatgcgg      900

gcgcacgtca ccgtcgaagg agacgagcgg gaactgccga tggcgatcag cgtggtcctg      960

ctgcgttccc tccaggaggc catcgcgaac atccgcaagc acgcggggaa ggcacgcgcg     1020

gccgagatcc ggctcgtgta cgaacaggac accgtacggc tgctcgtacg ggacgacgga     1080

cccgggttca ccgtcaccgg ggaccagcgg ggaagcgggc tgcgcggcat gcagactcgc     1140

gcacacgaga tcagcggggc ggcgaccgtg gtcagcagcc cggacaggg caccaccatc      1200

gaagtgacgg tgcccgtgcc cgcgaaggga gaggaagccg atgagcgctg a             1251
```

<210> 12
<211> 186
<212> PRT
<213> Streptomyces aizunensis

<400> 12

```
Leu Ser Pro Phe Leu Asn Thr Leu Ile Ala Ser Gly Thr Ile Leu Ala
1               5                   10                  15

Val Ile Leu Ser Thr Asp Leu Gly Thr Arg Lys Val Thr Thr Thr Arg
            20                  25                  30

Met Leu Pro Ser Leu Leu Ala Val Val Val Ile Leu Ala Leu Leu Val
        35                  40                  45

His Thr Leu Pro Leu Asp Gly Asn Asp Pro Ser Leu Gln Leu Ala Gly
    50                  55                  60

Ile Gly Ala Gly Ile Ile Cys Gly Leu Ala Ala Thr Ala Leu Leu Pro
65                  70                  75                  80

Ala His Arg Asn Ala Ser Gly Glu Val Ser Thr Lys Gly Gly Ile Gly
                85                  90                  95
```

```
Tyr Ala Leu Val Trp Thr Ala Leu Ser Ala Ser Arg Val Leu Phe Ala
            100                 105                 110
```

```
Tyr Gly Ser Gln His Trp Phe Ser Glu Gly Ile Val Arg Phe Ser Thr
            115                 120                 125
```

```
Asp Tyr Lys Leu Ser Gly Gln Ala Val Tyr Ser Asn Ala Phe Ala Phe
    130                 135                 140
```

```
Met Ala Leu Ala Met Val Leu Thr Arg Thr Ala Val Leu Leu Asn Thr
145                 150                 155                 160
```

```
Arg Arg Arg Leu Arg Gly Gly Gln Leu Pro Ala Ala Asp Asn Thr Ala
                165                 170                 175
```

```
Pro His Gln Ala Ser Ser Ala Asn Thr His
            180                 185
```

```
<210>  13
<211>  561
<212>  DNA
<213>  Streptomyces aizunensis
```

```
<400>  13
ctgagcccgt tcttgaacac actgatcgcc agcgggacga tcttggccgt cattctgtcg      60

accgacctcg gcacccgcaa agtcaccacg acgcggatgc ttccttcgct cctcgcggtc     120

gtcgtgatcc tcgcgctcct cgtgcacaca ctgccgctcg acggcaacga cccctcgctc     180

caactggcgg gcatcggcgc cggtatcatc tgcggactgg ccgccacggc gctcctcccc     240

gcccaccgga acgcttccgg tgaggtctcc accaagggcg gtatcggtta cgcgctggtg     300

tggaccgcgc tgtccgcctc gcgtgtgctc ttcgcctacg gttcacagca ctggttcagc     360

gagggcatcg tccggttcag caccgactac aagctcagcg gacaggccgt ctactccaac     420

gctttcgcct tcatggccct ggccatggtg ctgacgcgga ccgccgtcct gttgaacacg     480

cgccgccggc tgcgcggcgg gcagcttccc gcggccgaca cacggccccc acatcaggcg     540

agttccgcca atacgcactg a                                               561
```

```
<210>  14
<211>  163
<212>  PRT
<213>  Streptomyces aizunensis
```

```
<400>  14
```

```
Met His Asp Val Arg Leu Arg Pro Pro Arg Asn Arg Val Asp Ser Arg
1               5                   10                  15
```

```
Ala Val Gly Trp Trp Thr Val Gln Ser Ala Met Tyr Ala Leu Pro Leu
            20                  25                  30
```

```
Pro Ile Thr Phe Gly Val Leu Tyr Leu Cys Ile Pro Pro Ala Arg Pro
        35                  40                  45
```

```
Phe Phe Gly Trp Ala Phe Leu Ile Ser Leu Val Pro Gly Leu Ala Tyr
```

                    50   55   60

Met Ala Val Met Pro Ala Trp Arg Tyr Arg Val His Arg Trp Glu Thr
65   70   75   80

Thr Asp Glu Ala Val Tyr Ala Ala Ser Gly Trp Leu Trp Gln Gln Trp
                    85   90   95

Arg Val Val Pro Met Ser Arg Ile Gln Thr Val Asp Thr Leu Arg Gly
                    100   105   110

Pro Leu Gln Gln Leu Phe Gly Leu Ser Gly Ile Thr Val Thr Thr Ala
                    115   120   125

Ser Tyr Ser Gly Ala Val Lys Ile Lys Gly Ile Asp His Arg Thr Ala
                    130   135   140

Arg Asp Val Val Glu His Leu Thr Arg Val Thr Gln Ala Thr Pro Gly
145   150   155   160

Asp Ala Thr

<210>   15
<211>   492
<212>   DNA
<213>   Streptomyces aizunensis

<400>   15
atgcatgatg tcaggctccg gcccccgcgc aatcgtgtcg actcccgggc agtgggctgg   60

tggacggtcc agtccgcgat gtacgccctg cccctgccga tcaccttcgg cgtgctgtac   120

ctgtgcatcc cgcccgccag gccgttcttc ggctgggcct tcctgatctc gctcgtaccg   180

ggcctcgcct acatggccgt catgcccgcc tggcgctacc gggtgcaccg ttgggagacc   240

accgacgaag ccgtctacgc ggcgtccggc tggctctggc agcagtggcg ggtcgtgccg   300

atgtcccgca tccagacggt ggacaccctg cgcggacccc tccagcagct cttcggcctc   360

tccggcatca ccgtcaccac cgcctcctac tccggcgccg tgaagatcaa gggaatcgac   420

caccggaccg cgcgggacgt ggtcgagcac ctcaccaggg tgacccaggc caccccccgga   480

gacgcgacat ga   492

<210>   16
<211>   514
<212>   PRT
<213>   Streptomyces aizunensis

<400>   16

Met Ser His Asp Thr Gly Gln Trp Glu Ala Thr Ala Thr Ser His Gly
1   5   10   15

Ala Ala Glu Asp Pro Glu Trp Ser Arg Leu Ser Pro Arg Leu Leu Leu
                    20   25   30

Val Asn Leu Ser Met Leu Ala Gly Pro Leu Ala Leu Phe Ala Val Thr
                    35   40   45

Val Ala Leu Thr Gly Ala Asn Leu Gln Ala Leu Ile Ser Leu Gly Ser
    50   55   60

Leu Leu Ile Val Phe Leu Val Ile Thr Gly Ile Ser Thr Met Arg Leu
65   70   75   80

Leu Thr Thr Arg Phe Arg Val Thr Ala Glu Arg Val Glu Leu Arg Ser
                85   90   95

Gly Leu Leu Phe Arg Ser Arg Arg Ser Val Pro Ile Asp Arg Val Arg
                100   105   110

Ser Val Asp Val Glu Ala Lys Pro Val His Arg Leu Phe Gly Leu Ala
            115   120   125

Ser Leu Arg Ile Gly Thr Gly Glu Gln Gly Ala Ser Ser Arg Arg Leu
    130   135   140

Ser Leu Asp Gly Ile Thr Arg Arg Gln Ala Arg Arg Leu Arg Arg Leu
145   150   155   160

Leu Ile Asp Arg Arg Gly Ser Gly His Ala Thr Gly Gln Asp Gln Asp
                165   170   175

Val Thr Ile Ala Glu Met Asp Trp Ala Trp Leu Arg Tyr Ala Pro Leu
            180   185   190

Thr Ile Trp Gly Val Gly Ser Val Phe Ala Ala Val Gly Thr Ala Tyr
    195   200   205

Arg Ile Leu His Glu Met Lys Val Asp Pro Leu Glu Leu Gly Val Val
    210   215   220

Lys Asp Ile Glu Asp Arg Phe Gly Ser Val Pro Leu Trp Phe Gly Ile
225   230   235   240

Leu Val Ala Val Val Ile Thr Ala Val Val Gly Ala Ala Val Ser Thr
                245   250   255

Ala Thr Phe Val Asp Ala Trp Thr Asn Tyr Arg Leu Glu Arg Glu Gly
                260   265   270

Val Gly Ile Phe Arg Ile Arg Arg Gly Leu Leu Ile Ser Arg Ser Val
            275   280   285

Thr Ile Glu Glu Arg Arg Leu Arg Gly Val Glu Leu Ala Glu Pro Met
    290   295   300

Leu Leu Arg Trp Ala Gly Gly Ala Thr Leu Ser Ala Ile Ala Ser Gly
305   310   315   320

Leu Ser Asn Ser Gln Glu Asn Arg Ser Arg Cys Ser Leu Thr Pro Pro
                325   330   335

Val Pro Arg Asp Glu Ala Leu Arg Val Ala Ala Asp Val Leu Ala Glu
            340   345   350

Glu Gly Ser Pro Thr Glu Leu Thr Lys Leu Val Arg His Ser Arg Ala
            355   360   365

Ala Leu Arg Arg Arg Ile Asn Arg Gly Leu Leu Val Leu Ala Ala Val
    370   375   380

Val Ala Val Pro Leu Gly Leu Gly Leu Trp Leu Thr Pro Val Leu Val
385   390   395   400

His Thr Ala Trp Ile Thr Ala Leu Val Gly Leu Pro Val Val Ile Val
                    405   410   415

Leu Ala Asn Asp Ala Tyr Arg Ser Leu Gly His Gly Ile Arg Asp Arg
                420   425   430

Tyr Leu Val Val Arg Ala Gly Thr Phe Ala Arg Arg Thr Val Ala Val
        435   440   445

Gln Arg Asp Gly Val Ile Gly Trp Asn Ile Ser Arg Ser Tyr Phe Gln
    450   455   460

Arg Arg Ser Gly Leu Leu Thr Ile Gly Ala Thr Thr Ala Gly Val Gly
465   470   475   480

Cys His Lys Val Arg Asp Val Ser Val Gly Ala Gly Leu Ala Phe Ala
                485   490   495

Glu Glu Ala Val Pro Arg Leu Leu Ala Pro Phe Ile Glu Arg Val Pro
                500   505   510

Arg Gly

<210>   17
<211>   1545
<212>   DNA
<213>   Streptomyces aizunensis

<400>   17
atgagccacg acaccggaca gtgggaggcc accgcgacct cccacggcgc cgccgaagac   60

cccgagtgga gcaggctcag cccccgactg ctgctggtca acctgagcat gctcgccggc   120

ccgctcgccc tgttcgccgt cacggtcgcc ctgaccggcg ccaacctcca ggccctcatc   180

tccctcggct ccctgctgat cgtcttcctg gtcatcaccg ggatcagcac gatgcggctg   240

ctgaccaccc gcttccgcgt caccgccgaa cgcgtcgaac tgcgctcggg cctgctcttc   300

cgcagccgcc gctcggtccc catcgaccgg gtccgcagcg tcgacgtcga agccaagccg   360

gtgcaccgcc tcttcggcct cgcctcgctg cgcatcggca ccggtgaaca gggcgcgtcc   420

agccgcaggc tctccctcga cggcatcacc aggcgtcagg cgcggcgact cgcgcaggctc   480

ctcatcgacc gccgtggcag cggccatgcc accggccagg accaggacgt caccatcgcc   540

gagatggact gggcctggct gcggtacgcg ccgctcacca tctggggcgt cggcagcgtc   600

ttcgccgccg tcggcaccgc ctaccgcatc ctgcacgaga tgaaggtcga cccgctcgaa   660

ctgggcgtcg tcaaggacat cgaggaccgc ttcggttccg tacccctgtg gttcggcatc   720

ctcgtcgccg tcgtgatcac cgccgtcgtg ggcgccgcgg tctccaccgc caccttcgtg   780

gacgcctgga ccaactaccg cctggagcgt gaggggggtcg gcatcttccg gatccgccgc   840

ggactgctca tttcccgctc cgtcaccatc gaggagcgcc ggctgcgcgg cgtcgagctc   900

```
gccgagccga tgctgctgcg ctgggcgggc ggcgccaccc tgagcgccat cgccagcggc       960

ctcagcaaca gccaggagaa ccgcagccgc tgttccctca ccccgcccgt gccccgggac      1020

gaggcgctgc gggtcgccgc cgacgtcctc gccgaggaag ggtccccgac ggagctgacc      1080

aagctcgtcc ggcactcccg tgccgccctg cgccgtcgca tcaaccgcgg cctgctggtc      1140

ctcgcggccg tcgtcgcggt gccgctgggc ctggggctgt ggctcacccc cgtcctggtg      1200

cacaccgcct ggatcacggc gctcgtcggc ctgccggtcg tcatcgtcct cgccaacgac      1260

gcctaccgct ccctcggcca cggaatccgc gaccgctacc tcgtcgtccg cgccggcacc      1320

ttcgccccgc cgtacggtcgc cgtccagcgg gacggcgtca tcggctggaa catctcccgc      1380

tcctacttcc agcggcgcag cggactgctc accatcggcg ccaccaccgc gggcgtcggc      1440

tgccacaagg tgcgcgacgt atccgtcggc gccggcctcg ccttcgccga agaggccgta      1500

cccaggctgc tcgccccgtt catcgaacgc gtcccgcgcg gctga                       1545


<210>   18
<211>   164051
<212>   DNA
<213>   Streptomyces aizunensis

<400>   18
ctggctcagc ccgccagctc ctccagcctc ggcaccagcg acaccggaga gggcatcgtc        60

cggatctccg cgcgcacctc gcgcgcggcc ccgtcatct tctcgtccga aagcagctgt        120

acgaggacct ccgcggagag gtcgtcggcg gtgccgagca gaccggcacc ccggtcccgt        180

acggcctccg cattgatgtg acggtccgct ccgtccggca ggacgagctg cggcacaccg        240

gcgttcagcg ccgccagcgt cgtccccgca ccaccgtggt gcacggccgc gtcgcaggtc        300

tgcagcagcg ccgtcagcgg cacccacccc acggcccgga cgttgggagg cagttcaccg        360

agcgccgtgg tgtccacatc gcccagcgcc agcacgaact cggcgtccac cccggcagcc        420

gccgccgcga gccgctgcac cgggcccagg ccgttgatgt ggaccgaggc cgtgccgagc        480

gtcaccccga cccggcggcg ccccggcttc tccagcagcc agtccggcag caccgcaccg        540

ctgttgtacg ggaccggccg catcgaccag ccgtcccgct cgggctccgc catgctcggc        600

ggcgcgatgt cgatcaccgg gacccgttcg gacacccggt ccacgccgtg ccgcgccatc        660

gtctcggtga gcatcgacac cgtcagctcg cgcagctgcg taccccgcgc gaaaccgaag        720

ttgtgctgca cggccggcac acccagccgc ccgccgcga tcagaccgga cacgaagatc        780

tgctcgaaga cgatcagatc gggccggaaa tcgtcggcgg tccgcacgat gccgtccgcc        840

aggtggttgt tgaggtgggc gaagagggtc agcccgtcca tcgggtcgac gccgcccgga        900

ccgcgcaggc gggccatcag ctcaccggcc gtcgactgga ggaagtcctc caggtggaag        960

ccggggggcga catccgccac gtgcagaccg gcgttggcgg cctccagcgc gtcacccgcg     1020
```

```
ctggcgacca gcacctcgtg gccggccgag cgcaacgccc aggccagcgg aacaatggga   1080

aaaacgtggc cgatggccgg atacgtcacg aacagtatgc gcaaggaaac gcgcccctt   1140

gggtagcttt gtattctccg gaccggtatg gtccagatgg aatacggtgg atattcttta   1200

aatccccgac ggtgcctggg catcctgatg cagtcgcaca tgccgagtca aggcggcgtc   1260

cgaaggcccg tgttaggggt ccgtaggggc ctgttagggg tttctcccac ttccctcgca   1320

tgcaagagtg tcccctggtc ttggattctt tattcggggg taatggagcg cgcgatgttg   1380

aatgagtccg aggaattcac gcccgaaatc aatgtcgcct ccgaagtcgg tggaacgcag   1440

ggcgaaagtc ctgaaagcac gccgtcgtgg cagcagcgcc tgaccggcct caccgaggcc   1500

gagcagcaca ccgcactgct ggagtgggtg tcctcgctgg catccgccgc actgcgcgac   1560

gcggcccccg acacgctcga cccccaccgc cccttcctgg atctgggctt cgactcgctc   1620

gccgccgtcg acctgcacgc caggctcgtc gcgggaaccg ggctgcggct gccggtcacc   1680

ctggccttcg accaccccac ccccgcgcac ctcgcccgtc atctgcacgc ggcgatcctc   1740

ggactgaccg gccccgccga gacgcccgtc accgcggcgg tcggcagcga cgaacccatc   1800

gccatcgtcg gcatcggctg ccatttcccg ggcggcgtac agtcccccga ggcgctgtgg   1860

aacctcgtcg agaccggcac cgacgccatt tccgcattcc ccaccgggcg cggctgggat   1920

ctcgacgcgc tgtatgaccc ggatcccgac cgggcgggca ccagttatgc ccgcgagggc   1980

ggattcctgc acgacgccga cgcattcgac gcggcattct tcgggatatc cccgcgcgaa   2040

gccctcgcca tggatccgca gcagcgactc cttctcgaag cgtcctggga ggcattcgac   2100

cgcgccgggg tagaccccgc cgcattgcgc ggcggtcagg tcggcgtatt cgtcggcgcc   2160

gagacccagg aatacggccc ccggctccag gacgccaccg acggattcga gggctacctc   2220

gtcaccggaa cgcggccag cgtcgcctcc ggccgtatcg cctacacctt cggcttcgag   2280

ggcccgacgg tcaccgtcga cacggcctgc tcctcctcac tcgccgccct ccacctcgcc   2340

gtccaggcgc tgcgcaccgg cgaatgctcc ctcgcgctcg ccggtggcgt cgcggtcatg   2400

gcgagccccg gctcgttcgt ctcgttcagc cgccagcgcg gcctggcccc cgacggccgc   2460

tgcaagccgt cgcggccgc cgccgacggc acggcgtggg gcgaggcgt cggcatgctg   2520

ctggtcgaac ggctctccga cgcgcgcgcc aagggccacc ggatcctcgc ggtcgtccgc   2580

ggctccgcca tcaaccagga cggcgccagc aacggcctca ccgcccccag cggtccgtcc   2640

cagcagcgcg tcatccgcca ggccctcgcc aacgccggcc tgtccgccgc cgaggtcgac   2700

gtcgtcgagg cgcacggcac cggcacccgg ctcggcgacc cgatcgaggc caggcgctc   2760

ctcgccacgt acggccagga gcacaccgat gaccggccgc tgtggctcgg ctccctgaag   2820

tcgaacatcg ccacacgca ggccgccgcc ggagtcgccg gcatcatcaa gatgatcatg   2880
```

```
gcgatgcggc  acggggtact  gccccggacc  ctgcacgtcg  acgcgccgac  cccgcacgtc   2940

gactgggagg  ccggagcggt  caccttgctg  accgaagccg  tggagtggcc  ggagtcggac   3000

cgcccgcgcc  gtgcgggcgt  gtcctccttc  ggcatgagcg  gcaccaacgc  ccacgtcatc   3060

gtcgaagagc  cggccgccca  ggaccgcgag  ggcgccccca  cctccggcgc  ccaagccccc   3120

gactccagcc  agggccaggc  acagggcacc  tccaccgcgc  cggttctcct  cccgtgggcg   3180

ctctccgcca  agacccccga  ggccctccgc  gcccaggcac  gccgactcgg  caccctgatc   3240

gcggcgcagc  cgcacgtcac  ccccctcgac  atcggccact  ccctcgcgac  cacccggggc   3300

cgcttcgagc  agcgcgccat  cgtgctcggc  gacgaccgcg  aggcgttcct  cgacgccctg   3360

cacgccctcg  ccgagggcaa  cgacacgccc  tccgtggtcc  agggcgccgc  cgcaccgggc   3420

aagctcgcct  tcctcttcac  cggccagggc  agccagcgcc  tcggcatggg  ccgcgaactg   3480

tacgagaccc  acccggtgtt  cgccgacgcc  ctcgacgacg  cctgctggta  cctggacgac   3540

caactcgaac  tcccgctcct  cgacgtgctg  ttcgccgacg  agggcagccc  cgaggccgca   3600

cttctgcacc  agaccgccta  cacgcagccc  gcgctgttcg  cggtcgaggt  ggcgctgttc   3660

cgcctggtcg  acagctgggg  cctgaagccc  gacttcgtcg  cgggccactc  catcggcgag   3720

atcgcggccg  cacacgtggc  cggagtgttc  tccctggagg  acgcctgcat  gctcgtcgcc   3780

gcacgcggcc  gcctcatgca  ggcgctgccg  gccggtggcg  tgatgatcgc  gctgcaagcg   3840

tccgaggacg  aggtgctgcc  gctgctcacc  gaccgggtga  gcatcgccgc  gatcaacggc   3900

ccgcaggccg  tggtcatcgc  cggtgacgaa  gacgcggcgg  ccgcgatcgc  cgagaccttc   3960

caggccgcgg  gccgcaagac  caagcggctg  acggtcagcc  acgcgttcca  ctcgccccac   4020

atggacgcca  tgctggagga  attcctccgc  gtcgcccagg  tgctggacta  cgccaagccc   4080

accctccccg  tcgtctccct  cctcaccggc  accaccgcga  ccccgccga  actggccacc   4140

cccgcatact  gggtgcgcca  cgtccgggac  gccgtccgtt  acctcgacgg  cgtacgcacc   4200

ctccaccagc  ggggcgtacg  caccttcctg  gaactcgggc  cggacgcggt  gctcaccgcc   4260

atggcacagg  actgcgtcga  cccgcagggc  gccgccttcg  cccccgcgct  gcgctccggc   4320

cgcccggagg  cggccactgt  gctcaacgcc  gtcgcgcacg  cccacgtccg  gggtgcggag   4380

acggactggg  ccgcgttctt  cgccggtacg  ggcgctcagc  gggtcgatct  gccgacgtac   4440

gccttccagc  ggcagcgcta  ctggatggac  tcccgcaccc  cggccccgga  ctccgccgcg   4500

cagcgggcgc  acggcggcgc  cgatccggtc  gaccgtgtgt  tctgggacgc  cgtcgagcac   4560

gaggacgtgg  ccacgctcgc  cgccgccctc  gaactcgacc  tcgacggcga  acagccgctc   4620

agcgaggtcg  ttccggcact  gtccgcctgg  cgtcgccgcc  ccgcacccca  gtcggaggtg  -4680

gacggctggc  gttaccgggt  gacgtggaag  ccgctgactg  aggtctcgac  gtctgggttg   4740

tccggttcct  gggtggtgat  ctcgccagct  ggggggtgccg  atgactcggc  tgtggtgagt   4800
```

```
gcgctggttg ggcgtggtgt tgacgtccgt cgggttgtgg tcgaggcggg tgtggaccgt      4860

tcggcgctgg ctgggttgct ggctgaggtt ggttcgcctt cgggtgtggt gtcgcttctc      4920

gggctggatg agtccggggg gttgttgggg actgttggtt tggtgcaggc gttgggtgat      4980

gccggggtgg gggcgccgtt gtggtgcctg actcgtggtg cggtgtctgt ggggcgttcg      5040

gatcggcttg tgtcgccggt tcaggcgcag gtgtgggggtt tggggcgggt tgctgctctg      5100

gaggttccgg agtggtgggg cgggctcatc gatctgcctg aggtgctgga cgagcgggct      5160

gtgtcccgct tggtcggtgt acttgcgggt tccggtgagg atcaggtcgc ggttcgttcg      5220

tctggtgtgt tcggtcgtcg tctggtgcgt gcaccgcggg ccgagggtgc ttcggcgtgg      5280

tctccgaccg gcacggttct cgtcaccggt ggtacgggtg tgctgggtgg ccgggtggcg      5340

cgttggctgg cggggggcgggg tgctgagcgt ctggtgctga ccagccgtcg tgggctggat      5400

gcgccgggtg cggttgagct ggtggaagag ctgaccaccg gctttggggt ggaggtttcg      5460

gtcgtcgcgt gtgatgcggc cgaccgtgac gccctgcgtg ccctgctgtc cgctgaggcc      5520

gggtctctga ccgctgtggt gcacacggcc ggtgttctgg acgacggcgt cctggatgct      5580

ctgaccccgg accgtatcga cagcgtcgtg cgtgcgaaag ccgtctcggc tctcaacctg      5640

catgagctga cggccgagct gggtatcgag ctgtccgact tcgtcctctt ctcctccgtc      5700

acaggtacgg tcggcgcggc cggacaggcc aactacgccg ctgcgaatgc cttcttggat      5760

gctctggccg agcagcggcg cgccgatggt ctcgcggcga cgtccatcgc gtggggtccg      5820

tgggccgagg gaggcatggc cgccgacgag gcgatggacg cacggatgcg ccgcgagggc      5880

atgcccccga tggcgcccac atccgcgatg agcgcactgg agcaggccgt tggtgcgggc      5940

gagacggcgc tgaccgttgc cgacatcgac tgggagcgtt tctcctccgt catcgccgca      6000

gtccgcccca acccgctgat cggtgacttc gtcgtcggag cggaaggcac ggccgccgcc      6060

agcggccacg gatccgtggt caccggcgcc gatgtcgccg ccaccgtctc gggccggttg      6120

gcgggcctga cccaggccga gcaggagcgg gaactgctca gcctggtccg tctgcacgtg      6180

gccgcggtac tcgggcacga cggatcggac gcggtcggtg ccgaacgggc cttcaaggaa      6240

ctcggcttcg actccctgac ctccgtcgag ctgcgcaacc gcctcggagc cgccaccgat      6300

ctccggctcc ccaccacgct cgtctacgac taccccacgt ccgccgctct cgccgagtac      6360

ctgcggggcg aactggccgg cagcgcgcag gacgccgggc cgcccctgcc cgccgtggtc      6420

ggctccgccg ccgacgacga tccgatcgtg atcgtctcga tgagctgccg cttccccggt      6480

ggcgtacgga ctccggaaga cctgtggcag ctcctcgcgg acggcacgga cacggtcgcc      6540

gccttcccgg ccgaccgcgg ctgggacctg gacggcctct acagcgccga cccggagcgt      6600

tcggggacct cgtacacgcg tgaaggcggg ttcctctacg acgccgccga cttcgacgcg      6660
```

```
gacttcttcg ggatctcgcc gcgcgaggcc ctcgccatgg acccgcagca gcgcctgctg      6720

ctcgaaaccg cctgggagac cttcgagcgc gccgggatcg acccggcgtc gctgcggggc      6780

agccaggccg gtgtcttcgt cggcaccaac ggccaggact acctctcgct ggtcacgcgc      6840

gaaggcgacg gactcgacgg actcgaagga catgtcggca ccggcaatgc ggccagtgtc      6900

gtctccggcc ggctctctta cgtcttcggt ctcgaaggcc cggcgatcac ggtcgacacg      6960

gcctgctcgt cgtcgttggt cgccctgcac ctggccgtgc aggcgctgcg ccagggcgag      7020

tgcaccttgg cgctcgccgg tggtgtgacg gtgatgtcca ctccggacgc cttcgtcgac      7080

ttcagccgtc agcgtgggct cgcggaggac ggccgtatca aggcgttcgc gtcggccgcg      7140

gacggtacgg gctggggtga gggcgtcggc atgctcctgg tggagcggct gtccgacgcc      7200

cgtaggaacg gtcacccggt cctggcggtc gtgcggggct cggcgatcaa ccaggacggc      7260

gcgagcaacg gcctgaccgc gccgaacggt ccgtcccagc agcgcgtcat ccgccaggcg      7320

ctggccggtg cggggctgtc ggccgccgac gtggacgcgg tggaggcgca cggtacgggc      7380

acccggctcg gtgacccgat cgaggcgcag gcgctgctcg ccacgtacgg ccaaggccgc      7440

ccggcggacc ggccgttgtg gctgggctcc gtgaagtcga acatcggtca cacgcaggcc      7500

gccgcgggcg tggcgggcgt gatgaagatg gtcatggcga tgcggcacgg tgtgctcccg      7560

cgcacgctgc acgtggacgg gccgaccccg cacgtcgact ggtcggcggg cgacgtcgcc      7620

ctgctgaccg agcagcggga gtggccggcg accggccacc cgcggcgggc aggtgtgtcc      7680

tcgttcggcc tgagcggtac gaacgcccac accatcatcg aagaagcccc ggccgacgac      7740

gacgccgagc ccacgaccgg cgcggggacg gccccgtccg ttctgccgct gctcatctct      7800

gccaagagcg acgccggcct gcgcgcacag tcggagcagc tggcgaccca tctggtcgga      7860

aacccggacg tccccatcgg ggacatcgcc tactccctca cgaccggacg ctccgggctg      7920

gagacgcgag cgatcctggt cggcgacgcc gacaaccgca cagggctcgc ggccgcgctg      7980

cgaagcctcg ctgccggcga gcaggctccg ggcctggtcc agggcacggt gaccgagggc      8040

gggctggcgt tcctgttcac ggggcagggg agccagcggc tggggatggg ccgtgagctg      8100

tacgagacgt atccggtgtt cgcggatgcg ctcgacgcgg tgtgcgcgcg gatggatctc      8160

gaagtcccgc tgagggacgt gctgttcggg gcgtatgcgg gtctgctgga tgagaccgcg      8220

tatacgcagc ctgcgttgtt cgcggttgag gtggcgttgt ccggctggt ggagagctgg      8280

ggtctgaggc cggacttcgt ggcgggtcat tcgattggtg agatcgctgc tgcgcatgtg      8340

gcggggggttc tgtccctgga tgacgcctgt gctctggtgg aggcgcgtgg gcggttgatg      8400

ggtgcgctgc tggtggtgg cgtgatgatc gcggtccagg cgcctgaggc tgaagtcctg      8460

ccgctgctga ccgagcgcgt gagcattgcc gcgatcaatg tccgcagtc ggtcgtgatc      8520

gcgggtgacg aggccgacgc ggtggcgatc gtggagtcgt tcacggggcg taagtccaag      8580
```

```
cggctcacgg  tcagccacgc  gttccattcg  ccgcacatgg  acggcatgtt  ggaggacttc    8640

cgggccgtgg  cggaagggct  gtcgtacgag  gccccgcgca  tccctgtggt  ttccaacctc    8700

accggggccc  tggtctcgga  tgagatgggg  tcggctgagt  tctgggtgcg  tcatgtccgc    8760

gaggcggttc  gcttcctgga  cgggatgcgt  gttctggagg  ccgccggggt  tacgacgtac    8820

gtcgagcttg  gcccgggggg  tgtgctgtcg  gcgctggcgc  aggagtgtgt  cagtggggac    8880

ggtgctgctt  tcgtgccggt  gctgcgttct  ggccgtcccg  aggccgagac  cgcggtcacc    8940

gcgttggccc  aggcacatgt  gcggggtgtg  gacgtcgact  gggccgcgtt  cttctccggg    9000

accggcgtcc  agcgggtcga  cctgcccacc  tacgccttcc  agaggcagcg  gttctggccc    9060

gcgatgacgg  cggagagtgc  gccggtcggc  gggacggtcg  acgcggtgga  cgcccacttc    9120

tgggatgtca  tcgagcagga  ggacgtcgag  tcccttgctg  agttgctcgg  tctcgacgac    9180

gcgagcgcgt  gggggagtgt  ggtccccgcg  ctctcggcct  ggcgtcggca  gggccaacag    9240

caggcccagg  tcgacggatg  gcgctaccgg  gcgagctgga  agccggtgac  ggctgcggtg    9300

tcgtccggcg  tggtgagcgg  gacatgggtt  gtcgccgtac  ctgccggatc  tgcgggggac    9360

gacgcgcggg  tcgaggccgt  gaccaacggg  ctggctgggc  gtggcgttga  cgtccgtcgg    9420

gttgtggtcg  aggcgggtgt  ggaccgggcc  gcgctggctg  ggttgctggc  tggtgaggga    9480

tctctcgctg  gtgtggtgtc  gcttctcggg  ctggatgagt  ccgggggggct  ggcggctact    9540

gctggtttgg  tgcaggcgtt  gggtgatgcc  ggggtgtcgg  cgccgttgtg  gtgcctgacc    9600

cgcggggctg  tttccgtcgg  tcgttcggat  cggcttgtgt  cgccggttca  ggcgcaggtg    9660

tggggtctgg  ggcgggttgc  tgctctggag  gttcccgagc  gttggggcgg  gctggttgac    9720

cttccggaag  tgctggatga  gcgggctgtg  tcccgcttga  tcggtgtact  tgcgggttcc    9780

ggtgaggatc  aggttgcggt  tcgttcgtct  ggtgtcttcg  gtcgtcgtct  ggtgcgtgca    9840

ccgcgggccg  agggtgctgc  gtcgtggact  ccgaccggca  cggttctcgt  caccggtggc    9900

acgggtgtgc  tgggtggccg  ggtggcgcgt  tggctggcgg  gggcgggtgc  tgagcgtctg    9960

gtgctgacca  ccgtcgtgg  gctggatgcg  ccgggtacgg  ctgaactggt  cgaggagctg    10020

accagctccg  gggtggaggt  gtcggtcgtc  gcgtgtgacg  cggccgaccg  tgacgccctg    10080

cgcgccctgc  tctcctctga  ggccgggtct  ctgaccgctg  tgatccacac  ggccggtgtc    10140

ctggacgacg  gtgtcctgga  tgctctgacg  ccggaccgta  tcgatggtgt  cgtgcgtgcg    10200

aaggccgtct  cggctctcaa  cctgcacgaa  ctgacggccg  agctgggcat  cgagctgtcc    10260

gccttcgtcc  tgttctcgtc  catgagcggc  acggtgggca  cggcgggtca  ggccaactac    10320

gcggctgcca  atgcctacct  ggatgctctg  ccgagcagc  gccgggcgga  cggtctcgcg    10380

gcgacgtcca  tcgcttgggg  tccgtgggcg  gagggtggca  tggccgccga  tgcggcgctc    10440
```

```
gaagcccgta tgcgccgaga cggggtgcct ccgatgcccg cggatccggc gatccgcgct   10500

ctccggcagg ccgttgcagg cgacgacgcc gtgcttaccg ttgccgatgt cgaatgggac   10560

cggttcctcc cgggcttcgt cgccgcacgg cacagcgagc tgttcagcga gctgcgtgac   10620

gtccgtgatg cccgcgcggc acaggatcgg cgcgcaggccg ccgttgccgc cgaccgtccg   10680

gactcccttt ccgggcggct gtccgcccag cgccggccg agcaggagcg agagctgctg   10740

gacctggtcc gtacgcaggt cgccgccgtg ctcgggcacg ccggagtgga aaacgtgggc   10800

gcggggcggg cgttcaagga gcttggcttc gactcgctca tggccgtcga gctgcgcaac   10860

cgcatcggct cggccaccga gcttcggctc ccggccacct tgatctacga ccaccccacg   10920

tccgccgccc tcgcggagtt cctgcggggt gagctggtcg gcaccgtgcg ggtcgccgac   10980

aaggtgctgc ccgccgtggt ctccgccgac gaggatccga tcgcgatcgt ctcgatgagc   11040

tgccgcttcc ccggtggcgt acggactccg gaagacctgt ggcggctcct cgtggacggc   11100

acggacgccg tcggcgcgtt cccggccgac cgcggctggg acctggacag gctctacagc   11160

cccgacccgg accagccggg cacctcgtac acccgcgaag gcgggttctt cgacggggcc   11220

gcggacttcg atcccgggtt cttcgggatc tcgccgcgcg aggcgctcgc catggacccg   11280

cagcagcgac tgctgctcga aacctcctgg gaggcgatcg agcgggcggg catcgacccg   11340

tcgtcgctgc gcggcagcca ggccggtgtc ttcgtcggca ccaacggcca ggactacctc   11400

tccctcatca cccgtgaatc ggagggcctg gaaggtcact tgggcacggg taacgcgggc   11460

agcgtcatgt ccggccgcgt ctcctacgtg ctcggcctgg agggtccggc ggtcacggtc   11520

gacacggcgt gctcgtcctc gctggtcgcc ctgcactggg cgatccaggc cctgcgtcag   11580

ggcgagtgca gcatggctct ggccggcggc gtgaccgtca tgtcgacgcc cgagaacttc   11640

gtcgacttca gccgtcagcg cgggctcgcg gaggacgggc gcatcaaggc gttcgcgtcg   11700

ccgcggacg gtacgggctg gggtgagggt gtcggcatgc tcctggtgga gcggctgtcg   11760

gatgcccggc gcaacgggca tccggttctg gcggtagtac gtggttcggc tgtcaatcag   11820

gacggtgcga gcaatggtct gacggctccg aatggtcctt cgcagcagcg ggtgatccgt   11880

gcggcgctgg cgagtgcagg tctgtcggcc gctgatgtgg atgtggtgga ggcgcacggt   11940

acggggacga agctgggtga cccgatcgag cgcgcaggcgc tgctggcgac gtacgggcag   12000

gaccggcccg cgggccgtcc gctgtggctg ggttccatca agtcgaacat cggtcatacg   12060

caggccgccg ccggtgtcgc gggcatcatc aagatggtcc tcgccatgca gcacggcgtg   12120

ctgccgcaga cgctgcacgt cgacgagccg accccgcacg tcgactggtc ggcggggcgag   12180

gtcaccctgc tgaccgagca gacggcctgg ccgacggtgg accggccgag gcgagcggga   12240

gtgtcgtcct tcggcatcag cggcaccaac gcccacacca tcatcgaaca ggccccggcg   12300

gtcgagcagt tggcggacgg tgacgcgact cccgccactc cggccctcgc gctcccgctg   12360
```

```
ccgtacgtcc tctccgcgaa gagccccgag gccctgcgcg cccaggcgtc cgtactgcgc   12420

acgcacctgg aggccacgga ccacaacggg cccggttccg acgacctggc cttctcgctc   12480

gccacggcac gtgcgcacct cgaacaccgc gcagtcctga ccgccgacga cccacaggaa   12540

ttccgggagg cactcgcacg cctcgccgac ggtgatccct caccgaggat caccaccggg   12600

gcggtgagcg acggtcgtac ggcgttcctg ttcacgggcc aggggagtca gcggctcggg   12660

atgggccgtg agctgtacga ggcgtatccg gtgttcgcgg acgcgcttga cgcggtctgc   12720

gcgcatgtgg acgcgcacct cgaagtgccc ctgaaggacg tcctgttcgg ggcggatgcg   12780

ggtctgctgg accagacggc ttacacgcag cccgcgttgt tcgcggtcga ggtggcgttg   12840

ttccggctgg tggagagctg gggtgtgaag ccggacttcg tggccggtca ttcgatcggt   12900

gagatcgcgg ccgcgcatgt ggcgggcgtc ttctcgctcc aggacgccag tgaactggtc   12960

ttcgctcgtg ggcggttgat gcaggcgctg ccgaccggtg gcgtgatgat cgcggtccag   13020

gcgtcggagg acgaggtcct gccgctgctg accgaccggg tgagcattgc cgcgatcaac   13080

ggcccccagt cggtcgtcat cgcgggcgac gaggccgacg cggtggccat cgccgagtcc   13140

ttcacggacc gcaagtccaa gcgcctcacg gtgagccacg cgttccactc gccgcacatg   13200

gacggcatgc tcgacgcctt ccgtgagatc gccgagggcc tctcctacga accttcgcgc   13260

atcccggtcg tctcgaacct caccggcgct ctcgtctccg atgagatggg ctcggccgag   13320

ttctgggtgc ggcacgtccg cgaggccgtc cgtttcctcg atggcatccg cacgctggaa   13380

gccgcgggcg tcaccaagta cgtcgaactc ggccccgacg cgtgctgtc ggcgatggcc   13440

caggactgcg tgagtggcga gggctccgtc ttcatccccg tgctccgcaa ggcgcgcccc   13500

gaggccgaga gcgtcacgac cgccctcgcc tcggcccacg tccacggcat ccccgtcgac   13560

tggcaggcgt acttcgccgg accggcgcc cagcgcgtcg acctccccac ctacgccttc   13620

cagcgccagc gctactggcc cagcgctgcc gcgttcgtca ccggcgatcc gacggcgatc   13680

gggctcgggg atgccgggca cccgttgctg ggtgcggcgg tggcgctcgc cgactccgag   13740

ggcgtgctct tcaccggccg cctgtcgctc gacacccacc cctggctcgc cgaccacacc   13800

atcctcggca gcgtcctgct gccgggcacg gccttcgtcg acctggcgat ccgggccggc   13860

gatcaggtcg gatgcgatgt ggtcgaggag ctgaccctcg aagcgcccct cgtcgtcccc   13920

cagcggggcg gtgtgcagct ccagctcgtc gtcgaggcgc cgagcgggcc cgggcagcgg   13980

ccgttcagcg tgcactcccg cgggcaggac gcctacgcgg aggagccgtg gatgcggcac   14040

gcctccggag tgctgacttc cggcgtttcc cgccgcgaac tgtccgtgga aggcggggag   14100

ttcgaggcgc tggccgtctg gccgccgacc ggagccgtac ccgtggacgt acgaggtctg   14160

tacgaggagc tcgccgaggc cggtgtggcc tacgggccgc tgttccaggg gctcaaggcg   14220
```

```
gcgtggcggc gggacggtga actgttcacc gaggtggcgc tcccgggtga agcccggcgt   14280

gaggcggcac ggttcggtct gcacccggct ctgctggacg ccggtctgca cgccatcggc   14340

cacggcgagg gaccggaacc ggcaatgacc ggcgcgctgt tgcccttctc ctgggcagga   14400

gtctcgctgt acgcggcggg cgcctcctca ctcaggatgc ggctgacccc gcacacaccc   14460

gacgacgccc acaccatggc gttgctcgtg gcggatgaga ccggacgtcc ggtggcggcc   14520

gtggagtcgc tgatcctgcg taccgcgtcg gccgaccagg tgcgcgcggc cgacggaggt   14580

cacctcgact ccctcttcaa ggtggagtgg ctgcccgtgg cgggcggagc cacgccgcac   14640

ggcgactcca ccggacggcg atgggccgtc ctgggccgcg acggactcgg cctgccggcc   14700

accggcgtgc aggggcaggt ggccgagtac gacgatgcct ccgcgctcgg tgcggcgctc   14760

gcggccggcg aaccggtgcc ggacgccgtg ttcgtccacc ctggggctct tccggggcag   14820

gacacggaca ccacggcggc ctccgtacac gccgccgtga cggacgcgct gtccttcgta   14880

caggaatggc tggcggacga gcggttcgcc gccacgcgcc tggtgtggct gacatccggc   14940

gcggtggcgg acgagcccgg cgcgggcgtc cgggacctgg cgggcagcgc cgtacgcggc   15000

ctgctgcgct cggcgcagtc cgagaacccc ggccagctgc tgatgctcga cctcgaccag   15060

gacccggcct cgctcgcggc gctgcccgcc gcgctggccg cgggtgagcc ggaactggcg   15120

atacgacgcg gagaactccg taccccgcgc ctgacgcgcg tcccctcggc ggacgccgcg   15180

gcagagccgc tcggcacact cggcgacccg tccggcacgg tactcgtgac cggagccacc   15240

ggaaccctgg gcggactctt cgcccgccat ctggtgacgg cgtacggggt gcggcgactg   15300

ctgctcacca gccgtcgcgg ccccgaggcc gaaggtgcgg ccgaactggt cgccgaactg   15360

gagcagttgg gggcgcacgt cgaactcgtc gcctgcgacg ccgccgaccg ctccgcgctc   15420

gccgcgctcc tcggagccgt accgtccgag cacccgctga cggccgtggt gcacacggca   15480

ggcgtactgg acgacggcat cctctcctcg ctcacccccg agcgcgtggc cgccgtactg   15540

cgtccgaagg tggacgccgc ctggaacctg cacgagctga cgcgggaact cggcctctcg   15600

gcgttcgtgc tcttctcggg cgccgccgcc gcgttcggcg cggccgggca ggggaactac   15660

gccgccgcca acagcttcct ggaagccctg gcggagcagc gccgcgccga aggcctgccc   15720

gccacctcac tcgcgtgggg cctgtgggct ccgcagacgg cggcatggc ccagcagctg   15780

gacgaggtcg acctgcggcg catcgccagg acggcgtcg gcgggctctc cggtgacgag   15840

ggcctcggcc tcttcgacac cgcgatgacg gtcgacgcgg cggtcctgct gcccatgcgg   15900

ctcgacctcg cggtggcgcg ggcgcaggcc gtctccacgg gcgagacacc ggcgctgctg   15960

cgcgccctca tacgggtgcc cgcgcggcgc gcggtcgagc agcgtacggc ggcggacggg   16020

gcctcgcccc tggcggccag gctgtccgcc ctgccggacg cggaacgcga ggacatgctg   16080

ctggacctgg tgtgcgggcg ggtggccgag gtcctcggcc acaccgacgc ccgcgcggtc   16140
```

```
gacgcggacc gcgcgttcaa ggaactcgga ttcgactccc tcacggccgt cgagctgcgc    16200

aacgtcctga aggccgcgac cggcctcagg ctctcaccga ccctcgtctt cgactatccg    16260

accccggtgg cgctggcccg gcacctgctc gccgagctgg cgggaaccgc cgatgaccag    16320

gacgccgtac gcggccggaa ggcacccgca cggcccgcca cggccgcggt cacctccgtg    16380

accggcgaag acccgatcgt catcgtcggc atgggctgcc gcttccccgg cggcgtacgg    16440

tcgccggagg acctgtggca gctcgtcgcc accggcggcg acggcatcac cggcttcccg    16500

tccgaccgcg gctggaacgt cgaggccctc taccaccccg acccggacca cgcaggcacc    16560

tcgtacaccc gcgaaggcgg cttcctgcac gacgccgccg acttcgatcc cgggttcttc    16620

gggatctcgc cgcgcgaggc cctcgccatg gacccgcagc agcgcctgct gctggaaacc    16680

tcgtgggagg cgttcgagcg ggccggaatc gacccggcga cgctgcgcgg aagccgtacg    16740

ggcgtcttcg ccggtgtcat gtaccacgac tacgtgaccg gcatcggcga cggcggcagc    16800

gccgtcgaac tgcccgaggg ggtcgagggc tacctcggca ccggcaacgc cggcagcatc    16860

gcctccggcc ggatcgccta ccccttcggc ctcgaaggcc cggcggtcac cgtcgacacg    16920

gcctgctcct cgtcgctcgt cgccctgcac tgggcgatcc aggcgctgcg cagcggcgag    16980

tgcacgatgg cactggccgg cggtgtcgcc gtcatggcca cccccgagac cttcgtcgac    17040

ttcagccgcc agcgcggcct ctcggccgac ggtcgctgca gtccttcgc cgcggcggcg     17100

gacggtacgg gctgggccga aggcgcgggc atgctcctgg tggagcgcct ctccgacgcc    17160

gaacgcaacg ggcacccggt cctggccgtg gtccgcggct cggcgatcaa ccaggacggc    17220

gcgagcaacg gcctgaccgc accgaacggt ccgtcccagc agcgcgtcat ccgcgaggcg    17280

ctggccagtg ccgacctgtc ggccgccgac atcgacgcgg tcgaggccca cggcacgggc    17340

acccggctcg cgacccgat cgaggcgcag gcactcctgg ccacgtacgg ccgtgagcgc     17400

gaggcgggcc gcccgctgtg gctcggctcg atcaagtcga acatcggtca cacgcaggcg    17460

gcggccggtg tcgcgggcat catcaagatg gtcatggcga tgcggcacgg cgtactgccg    17520

cagaccttgc acgtcgacga gccgtcaccg caggtcgact gggaggccgg tgaggtctcc    17580

ctgctgaccg gggcgatgcc ctggccgcag acgggccgtc cgcgccgtgc gggcgtgtcg    17640

tcattcggca tcagcggcac caacgcccac acgatcatcg agcagccgcc gacccgtgag    17700

gtgacgccga cggttccggt ggctccggtg gttccgacgg ttccgacggt ccggtggtg     17760

ccgtgggtgc tctcgggcaa gggcgaggag cgctgcgag cgcaggcacg tcagctccag      17820

tcgtacgtgc tccgcgcacc ggaactgcgt ccggtcgaca tcgccggctc gctggcggtg    17880

ggccgggcgt ccttcgagga ccgcgcggcg gtggtcgccg ccgaccgcga ggggcttctg    17940

gccgcccttg cggcgctggc ggacggcggc tcggcgacgg gggctgtgga gggttccgcg    18000
```

```
gtgggcggga agctggcgtt cctgttcacg gggcagggga gccagcggct ggggatgggg  18060

cgcgagctgt acgaggcgta tccggtgttc gcggaggcgt tggatgcggt gtgtgctcgt  18120

cttgaactgc ctttgaagga tgtgttgttc ggggcggatg cgggtctgct ggatgagacc  18180

gcgtatacgc agcctgcgtt gttcgccgtt gaggtggcgt tgttccggct ggtggagagc  18240

tggggtctga ggccggactt cgtggcgggt cattcgattg gtgagattgc tgccgcccat  18300

gtggcggggg tgttctcgct ggatgacgcc tgtgctctgg tggaggcgcg tgggcggttg  18360

atgggtgcgc tgcctgcggg tggcgtgatg atcgcggtgc aggcgtcgga ggacgaggtc  18420

ctgccgttgt tgaccgaccg ggtgagcatt gccgcgatca acggtcctcg gtcggtggtg  18480

atcgcgggtg acgaggccga cgcggtggcg atcgtggagt cgttcacggg gcgtaagtcg  18540

aagcggctta cggtgagtca cgcgttccat tcgccgcaca tggacggcat gttggaggac  18600

ttccgggccg tggcggaggg cctgtcgtac gaggccccgc gcatccccgt cgtctccaac  18660

ctcaccggca ctctcgtcac cgacgagatg ggctcggctg agttctgggt gcgtcatgtc  18720

cgtgaggcgg ttcgcttcct ggacggtatt cgggctttgg aggctgctgg ggttacgacg  18780

tatgtcgagc ttggccctgg gggtgtgctg tcggcgctgg cgcaggagtg tgtcagtggg  18840

gacggtgctg ctttcgtgcc ggtgctgcgt tctggacgtt ccgaggccga gactgcggtg  18900

accgcgttgg cccaggcgca tgtgcggggt gtgaacgtcg actgggccgc attcttcgcc  18960

gggaccggcg ctgagcgggt cgacctgccg acgtacgcct tccagcggca gcgctactgg  19020

ctgcacatcc cccgcgtcgc gcagagcggg gtcgccgacg aggtggacgc ccggttctgg  19080

gatgccgtgg agcgtgagga tctggagtcg ctcgcctcca ccctggaggt cgacgacgag  19140

agcgcgtgga gcagcgtctt gcctgcgctg tcggcgtggc gtcgggagcg gcgtgcccag  19200

tccgaggtgg acggttggcg ttaccgggtg tcgtggaagc cgctggctga ggtctcggcg  19260

tcggggttgt ccggttcctg ggtggtgatc tcgcctgctg ggagtgtgga cgactcggct  19320

gtggtgagtg cgctggttgg gcgtggtgct gaggtccgtc gggttgtggt cgaggcgggt  19380

gtggaccgtt cggcgctggc tgggttgctg gccgatgcgg gttctgccgc gggtgtggtg  19440

tcgcttctcg ggctggatga gtctgagggg ttgttgggga ctgttggttt ggtgcaggcg  19500

ttgggtgatg ccggggtgga ggcgccgttg tggtgcctga ctcgtggtgc ggtctccgtc  19560

ggtcgttcgg atcggctggt gtcgccggtt caggctcagg tgtggggtct ggggcgggtt  19620

gccgccctgg aggttccgga gcgttggggc gggctggttg acctgccgga agtgctggat  19680

gagcgggctg tggcccgctt ggtcggtgta cttgcgggtt ccggcgaaga tcaggtcgcg  19740

gttcgttcgt ctggtgtgtt cggtcgtcgt ctggtgcgtg caccgcgggc cgagggtgct  19800

tcggcgtgga caccgaccgg cactgttctt gtcaccggtg gtacgggtgt gctgggtggc  19860

cgggtggcgc gttggctggc ggggcgggc gctgagcgtc tggtgctgac cagtcgtcgt  19920
```

```
ggtccggatg ctccgggtgc ggctgagctg gtggaggagc tgaccaccgg cttcggggtg   19980

gaggtttcgg tcgtcgcgtg tgacgcggcc gaccgtgacg ccctgcgcac cctgctctcc   20040

gccgaggccg ggactctgac cgctgtgatc cacacggccg gtgttctgga cgacggcgtc   20100

ctcgacgcgc tcaccccgga ccgtatcgac agcgttctgc gtgccaaggc tgtctcggcg   20160

ttcaacctgc acgagctgac ggccgagctg gggatcgagc tgtccgcctt cgtgctgttc   20220

tcgtcgatga gtggcacggt gggtgcggcc ggtcaggcca actacgccgc tgccaacgcc   20280

tacctggatg ctctggccga gcagcggcgc gccgatggtc tcgcggcgac ctcgctcgct   20340

tggggtccgt gggccgaggg cggcatggcc ggcgacgacg cgatggacgc acggatgcgc   20400

cgcgaggggc tgccCccgat ggcgccggac gcggcactga ccctgctgcg tcagagcgtg   20460

gggtccgccg atgcggcgct gatggtggtc gacgtggagt ggcagcggtt cgcccctgcc   20520

ctgaccgtcg tgcgccccag caacctcctc gccgagttgc ccgaggctcg ccccgccgga   20580

acggattccc gtacgggtgg cgcaacgtcc tccgaggggg ccggctcgtt cgccgagcgg   20640

ttggccgccc tgggtggggc cgagcaggac aaggagctgc tgaacctggt ccgtacgcat   20700

atcgccgccg tactcggaca tggcggctcg gaggccgtgg gtgccgaacg ggccttcaag   20760

gaactcggct tcgactccct gaccgccgtc gagctgcgca acaggctcgg tgccgcgacc   20820

ggtgtacgtc tcccggccac gctgatcttc gactacccga ccgccacggc tctcgccgcc   20880

tacctgcggg gcgagttgct cggtacgcag gtcgtggtgt ccggtccggt gtccaacggc   20940

gtcgtcgtgg acgacgatcc gatcgcgatc gtcgcgatga gctgccgctt ccccggtggc   21000

gtacggacgc cggaagacct gtggcggctg ctgtcgaccg gcggtgacgc catcggtgag   21060

ttccccgccg atcgcggctg ggatctgagt cggctctaca gccccgaccc cgacaagcag   21120

ggcaccttct atgcccgcgc gggcggtttc ctctacgacg ccgccgactt cgacgcggac   21180

ttcttcggga tctcgccgcg cgaggccctc gccatggacc cccagcagcg actgctcctg   21240

gagacgtcct gggaggcctt cgagcgggcg ggcatcgacc gtcgtcgct gcgcggcagc   21300

caggccggtg tcttcgtcgg caccaacggc caggactacg gagcgatgct ccagaccatc   21360

ccggacggca tcgagggctt cctcggtacg ggcaacgcgg cgagcgtcgt ctccggccgg   21420

ctgtcctacg ccttcgggct cgaaggtccg gccgtcacgg tggacaccgc ctgctctgcc   21480

tcgctggtcg cccttcactg ggcggtccag gcgctgcgca gcggcgagtg ctcgctcgca   21540

ctggccggtg gcgtgaccgt catgtcctcg cccggtgcct acatcgactt cagccgtcag   21600

cgtgggctcg cggaggacgg tcgtatcaag gcattcgcgg cagccgcgga cggtacgggc   21660

tggggcgagg gcgtcggcat gctcctcgtg gagcggctct ccgacgcccg caggaacggt   21720

cacccggtcc tggccctggt ccggggctcg gccatcaacc aggacggcgc gagcaacggc   21780
```

```
ctgaccgcgc cgaacggccc ctcgcagcag cgtgtgatcc gccaggccct ggccaacgcg   21840

ggcttgtccg ccgcggaggt ggacgcggtc gaggcgcacg gcaccggcac gaggctcggc   21900

gacccgatcg aggtgcaggc actcctggcc acgtacggcc gtgagcgcga ggccgaccag   21960

cccctgtggc tcggctcgat caagtcgaac atcggccaca cgcaggcggc cgccggtgtc   22020

gcgggagtca tcaagatggt cctcgccatg gagcacgggg tgctgccgca gaccctgcac   22080

gtggacgagc cgactccgca cgtggactgg tcggcaggcg atgtcgccct gctgaccgac   22140

gccgtggagt ggcccgagac cggtcgcccg cgtcgagcgg gtgtgtcgtc gttcggcttc   22200

agcgggacga acgctcacac ggttctggaa caggcaccga agcccgagga gcctgaggag   22260

tctcagcagc ctgaggagac gaacgcgccc gcccgaccgc atcagtccgg agtcatgccg   22320

tggacgctct cggcgaagag cgaggcggcg ctgcgggtcc aggccgagcg gctgcggacg   22380

cgcatcgctt ccgacccgct gctccagccc gtcgacgtgg cctactcact cgcgacatcg   22440

agggccgccc ttgagcggcg cgccgtggtc gtcgcgacgg aacgtgacga gttcctggcc   22500

ggactcaagg cgctggcctc cgggcagcct gctccgggcc tggtgcaggg cagggtgacc   22560

gagggcgggc tggcgttcct gttcacgggg caggggagcc agcgactggg gatgggccgg   22620

gagctgtacg agacgtatcc cgtcttcgcg gatgcgctcg acgcggtgtg tgtgcgtctt   22680

gaactgccct tgatggatgt gctgttcgga accgagcgcg acgcgctgga cgagaccggg   22740

tacacccagc cggctctctt cgcggtcgag gtggcgttgt tccggctggt ggagtcgtgg   22800

ggtgtgaggc cggacttcct ggccgggcac tcgatcggtg agatcgcggc cgcgcatgtg   22860

gcgggagtgt tctcgctgga tgacgcctgc gctctggtgg aggcgcgtgg gcggttgatg   22920

caggcgctgc cgaccggcgg cgtgatgatc gccgtccagg cgtctgaggc cgaggtcctg   22980

ccgctgctga ccgagcgcgt gagtatcgcc gcgatcaatg gtccgcagtc ggtcgtgatc   23040

gcgggtgacg aagccgatgc ggtggccctc gtggagtcct tcacgggccg caagtccaag   23100

cggctcacgg tcagtcacgc cttccactcg ccgcacatgg acggcatgct cgccgacttc   23160

cgcaaggtgg cggaggggtt gtcgtacgag gccccgcgta tcccggtcgt ttcgaacctc   23220

acgggggccc tggtcaccga cgagatgggc tcggccgact tctgggtgcg gcacgtccgc   23280

gaggccgtcc gcttcctgga cggcacccgc acgctggaag ccctgggcgt cacgacgtac   23340

gtcgaactcg ccccgacgg ggtcctgtcg gcgatggccc aggagtgtgt gaccggcgag   23400

gactccgtct tcgtgccggt cctgcgctcg ggtcgtcccg aggccgagag cgtcaccacg   23460

gccctcgccc aggtacacgt ccgcgggatc gccgtcgact ggcaggcgta cttcgccggg   23520

accggcgccc agcgcgtcga cctcccgacc tacgccttcc agcgccggcg ctactggttg   23580

gaagaggctc ccgccacggc ggccgtcgag ccccctgaccg gctcgctcgg ggccgtggac   23640

gcgcagttct gggcggccgt cgacaacgcg gatctctccg cgctcaccgc caccctggac   23700
```

```
atcgacgtcg acgccgacca gccactgagc gccctgctgc ccgcactgtc cgcctggcgg   23760

cggcagcgtc aggagcagtc ggtcgtcgac ggctggcgct acacggtcac atggaagccg   23820

atggccgatc cggccgtcgc acggccgacc gggacctggc tcgtcgtgac ccccgccacc   23880

agccttgtcg acctgcccgc ggtctccgcc gcgttggcag cgcagggagt ggacgtacgg   23940

gaagtcgccc tggaggcggc cgagttggat cgcgacggcg tggcgggccg gatgcgtgag   24000

gcgctcgcgg gcgaccgggc cgacggggtg ctgtccctgc tggcgctcgc cgaacacccg   24060

cacccggccc atccggcggc gcccaccggg ctgctcctga ccgggacgct cgtacaggca   24120

ctcggtgacg ccggagtcga cgccccgctg tggtgcctca ccaccggcgc cgtggcgacc   24180

gcaccctccg acctgatcgg gagcgcggcg caggcgcagg tctggggcct cggccgggtc   24240

gtcgccctgg aacaccccga gcgctggggc gggctcgtgg acctgcccgt accggcggac   24300

gagcgggcac tcgaccggct gctcgccgtc ctcgcgggcg ccggggacga ggaccagatc   24360

gccgtacggt ccgcgggcct cctcgcccgc cgcatcgggc acgccgcgcc tcccgccgcc   24420

gggcagcacg ccgacagcgg gacatcgggc gccggcgctg cggccggctc cgcctggcgg   24480

ccgcgcggca ccgtcctggt caccggaggc acgggcgcgc tcggcgggca cgtcgcccgc   24540

tggctcgcgg cacacggcgc ggaacacctg gtgctgctca gcaggagggg cccgcaggcg   24600

cccggcgccg atgccctggt cgccgagatc gccgcgctgg gtgccggggc cacggccgtc   24660

gcctgtgacg tgaccgaccg gaccgccgtg tcggagctgc tcgccgggct cgccgacggc   24720

acgtacggtc ccggcctcac cgccgtcttc cacacggcgg gcgccgggca gttcgcgccg   24780

ctcgacggga ccggccccgg cgaggtcgcc gaggtcgtcg ccgccaaggt cgcgggcgcc   24840

gcccacctcg acgagctgct cgggggacacg gaactggacg ccttcgtcct cttctcctcc   24900

atcgccggcg tctggggcag cggcggccag agcgcctacg cggcggccaa tgcccacctg   24960

gacgccctgg cccagcagcg ccgggcccgc ggactgacgg ccacgtccgt ggcctggggc   25020

ccgtggggcg agggcggcct ggtcgccgac gacgaagcgg ccgaacaact gcgccgccgc   25080

ggcctgcccg tcatggcgcc ggagctgtcg atcgccgccc tccagcaggc gctggacggg   25140

gacgagacgg cggtgacggt ggccgatgtc gactgggacc tgttcgtgcc ggccttcacc   25200

gccgcccggc cgcgtccgct gatcaccgac ctccccgagg tgcgccgcgc tctggcggca   25260

gagcaggacg gagccgccac cgcggccggg gaagcggccg cctcgaagc cgagctgcgg   25320

gggatgagcg gaaccgaggc ggagggcgtc gtcctgaacc tggtccgtac gcaggtcgcc   25380

gtcgttctcg gacacggggg agcgacggcg gtcgaggcgg cccgcgcctt caaggaactg   25440

ggcttcgact cgctcaccgc ggtcgagctg cgcaaccgcc tcagcaccgc caccggactg   25500

cggctgcccg cgagcctggt cttcgactac ccgacccccgg ccgcactggc cgcgcacatc   25560
```

```
cgggcggaac tcctcggcga ggacaccacg cccgaactgc ccgccctcgc ggagatcgac   25620

aagctggaat tcctcctctc gtcggttccc gaggacacca ccgaacgcgc ccgcgtcacc   25680

gcacggctcg aatcgctcct gtcgaactgg aacagggcag aacgagcggt catcggagag   25740

gacgaagaaa tatccatcga atcggcatcc gccgacgacc tcttcgacat catcaacaac   25800

gaattcggaa aatcctgacc tgatgaccga tccgatgacc gatccgaatt ccgatccaat   25860

gtccgtatgc attccgcaat tccccaggag gtgacgttcc agtggccagc gcgaacgaag   25920

aaaagcttct cgaaaacctg aagtggatga ccaatgagct gcggcgggcc cgccgtcgcc   25980

tccatgaggt cgaggcggac gcccaggaac cgatcgcgat cgtcgcgatg agctgccggt   26040

tccccaacgg ggtgggatcc ccggaggatt tgtggcgcct ggtcgacgag ggcggcgacg   26100

ccatcaccgg attccccgcc gaccgcggct gggacatcga gtcgctcgcc gatccggacc   26160

ccgaccgcaa gggcaccttc tacaacaccg gcggcggatt cctcgacggg gccaccgcat   26220

tcgatcccgg attttttcggc atatcgcccc gcgaagcgct cgccatggac ccgcagcagc   26280

gccagctcct ggagacctcg tgggaggtat tcgagcgcgc gggcatcgac cccgcggccg   26340

tacgcggcag ccgcaccggc gtctacgtcg gcgcgggcgc gatggggtac ggagccgacc   26400

tcaaggaagc gccggaaggg ctggagggac tgctgctgac cggcggcgcc accagcgtcc   26460

tgtcgggacg ggtcagctac gtgttcggac tggagggccc cgccgccacc gtcgacacgg   26520

cctgctcctc ctcgctcgtc gccctgcacc tcgccaccca ggccctgcgt cagcgcgagt   26580

gctcgctcgc gctggtcggc ggcgtgtgcg tgatgcccag ccccgatgtg ttcgtcgagt   26640

tcagccgcca gcgcggcctg tcgcccgacg gccgctgcaa gtccttcgcc gcgtccgccg   26700

acggcaccgg ctggtccgaa ggcgtcggtg tcctcctggt ggagcgcctc tccgacgccc   26760

gtaggaatgg tcatccggtc ctcgcggtgg tgcgtggctc ggccgtcaat caggacggcg   26820

ccagcaacgg cctgaccgcc cccaacgggc ccgcccagca gcgcgtcata cgccaggccc   26880

tggagaacgc ccggctgtcg gcggccgagg tcgacgtcgt cgaggcccac ggcacgggga   26940

ccacgctcgg cgaccccatc gaggcccagg cactcctcgc gacctacggg caggaccgcc   27000

ccgagggccg cccctgcgc ctggggtccc tcaagtccaa catcggtcac acgcaggccg   27060

ccgcgggtgt cgcgggcatc atcaagatgg tcatggcgat gcggcacggc gtactgccgc   27120

agaccctcca cgtcgacgag ccgacccga acgtcgactg gaccgcgggc gccgtttccc   27180

tgctcaccga gccgatgccc tggcccgaga ccggcgcgcc ccgccgcgcg gccgtctccg   27240

cgttcggcgt gagcggcacc aacgcgcaca ccatcatcga acaggccccc gagccggacg   27300

ccgagtccgt gtccgtgtcc ggctccgcgc ccgcggcggc tcccgccgtc ccgacccctg   27360

tcccgaccct cgtcccggcg gtcctgcccct ggacactctc cggcaggagc accgcggcgc   27420

tgcgcgccca ggccgccaga cttctcacca cccagggcca ggacggtgcg accgaacccg   27480
```

```
ggcgtcccct cgacatcggc tactcactgg ccaccacccg cgcagccctt gagcaccgcg   27540

cggtgctcct cgggcgtacg gaggacgact ttgccgccgc cctctcggcg ctcgccgagg   27600

gtgcggagtc cgcaggcctg gtacagggca gggtgaccga gggcgggctg gcgttcctgt   27660

tcacggggca ggggagtcag cggctgggga tgggccgtga gctgtatgag gcgtatccgg   27720

tgttcgcgga tgcgctggat gcggtgtgtg cccgtcttga actgcctttg aaggatgttc   27780

tgttcggggc ggatgcgggt ctgctggacg agaccgcgta cacgcagccg gcgttgttcg   27840

ccgttgaggt ggcgctgttc cggttggtgg agagctgggg tgtgaagccg gacttcgtgg   27900

ccgggcattc gatcggtgag atcgcggccg cccatgtggc gggggtgttc tcgctggagg   27960

atgcgtgcgc gctggtgtcg gctcgtgggc ggttgatggg cgcgctgcct gcgggtggcg   28020

tgatgatcgc ggtccaggcg tcggaggccg aggtcctgcc gctgctgacc gaccgggtga   28080

gcattgccgc gatcaatggt ccccagtcgg tcgtgatcgc gggtgacgag gccgacgcgg   28140

tggcgatcgc agggtccttc gccgaccgca gtccaagcg gcttacggtc agtcacgcct   28200

tccactcgcc gcacatggac ggcatgttgg aggacttccg gctcgtggcg gagggcctgt   28260

cgtacgaggc cccgcgcatc ccggtcgtct cgaatctcac cggtgctctc gtctccgatg   28320

agatgggctc ggctgagttc tgggtgcggc acgtccgcga ggccgtccgt ttccttgacg   28380

gcatccggac gctggaagcc gctggcgtga ccaagtacgt cgaactcggc cccgacggcg   28440

tgctgtcggc gatggcccag gactgcgtga gtggcgaggg ctccgtcttc atccccgtgc   28500

tccgcaaggc acgccccgag gccgagagcg tcaccaccgc cctcgccacg gcccacgtcc   28560

acggcatccc cgtcgactgg caggcgttct acgccggaac cggcgcccag cgcgtcgacc   28620

tccccaccta cgccttccag cacgagcgtt actggctgga ccccgccacc ggcggagccg   28680

gtgatgtgag cggagccggg ctcgacccgg ccgggcatcc cctgctcggc gcggccgtca   28740

ccctggccgg ctcggacagt gtgctgttca ccggtcggct ctcgctccgc acgcagccct   28800

ggctcgccga ccacaccgtg tccggtacca ccgtgctgcc gggcgccgca ttcgtcgaac   28860

tcgccgtgcg tgccggtgac caggcaggct gcgagcgggt cgaggcgttg gtgctcgatg   28920

cgccgctcgc cctgcccgcg gagggcgccg tacgcgtcca ggtgctcgtc gaggcgcccg   28980

acgagcaggg ccgccgtccc ttcaccgttt cctcccagcc ggagaccgcg ccggccgaca   29040

ccccctgggg gcggcacgcc cggggcgtgc tcgcgcccac ggcccccgca ccgtcgttcg   29100

atctggcgca gtggccgccc gccggggccg aggccgtgga catcacggac ctctacgcgt   29160

cccacgacac ccctggcgcg cacgggcccg agcgcggtgg cctgttccgt gccgtggagg   29220

ccgtctggcg ctgtgacggt gacctcttcg ccgaggtgcg tctgcccgag ggcggcccgg   29280

acgcacaggc cttcggcctg cacccggcgc tgctcgacgc cgccgcgcac gcggcctcgg   29340
```

```
tactggacga gcagcacgga acggggggcag ggctgggcac gtggtccgat gtgactctgc   29400

acgccgtggg cgccggcgcc ctgcgcgtac ggatacggtc ggccctcgac ggcactgtgg   29460

gcctggacct cgcggacgac ctgggtgaac cggtggcgac cgtgggcggg ttgactccgc   29520

gacccttcgc gcaagcgggt tcaggtggac aggttgtcca gcatgacgcg ctgttccagc   29580

tcgactgggt gcggctgccg ctcgccgacc gctcgtccgc tcccaccggg gagtgggccg   29640

tactcggctc tgccgacggg ttcgcggacc tggaggcgct gggcgcagcg gtcgacgcgg   29700

gtgctcccgt accgccgtac gtcgtcgtcc ccttggagcg gcaggccacc ggcaacgggt   29760

cggacgccct gcacgaggcc gtgcaccggg cgctcgccct ggtgcggtcc tggctggacg   29820

accagcgctt cgagacctcg cgcctcgtgg tcctgacccg aggcgcggtc gccgggcccg   29880

gcgaaggcgt cgaggacctg ccgcatgccg cggtgtgggg cctggtgcgt tcggcggaga   29940

cggagaaccc cggccgtttc gttctcgccg acgtagacgt agacctcgac gcggacttgg   30000

gctcaggcgt gggcctcgcc gccgtactcg cctccggtga gccggagttg ctgctgcggg   30060

acggagtcgt acacgccccc cggctgaacc gggcccgtac cgccacctcg tccgacgccc   30120

ccggcatcga tccggccgga accgtcctga tcaccggtgg gtccggcacg ctcgccggta   30180

tcgtcgcccg gcacctggcc accgcccacg gtgtgcggcg tctgctgctg ctgagccgca   30240

ggggcgccga tgcccccggt gccggtgaac tgaccgctga gctggccggg ttgggcgcgc   30300

aggtctcgtg ggcggcgtgt gacgcgggtg accgcgacgc gctcgcggcc gtactggccg   30360

ccgttcccgc agcgcacccg ctcaccgcgg tcgtccacac ggccggtgtc ctcgacgacg   30420

gcgtgatcgg ttcgctcacc ccggaacgtc tcgacacggt ccttcgcccg aaggccgatg   30480

ccgctctcca cctgcacgaa ctgacccgcg acctgccccct gaccgccttc gtcctcttct   30540

ccgcgatcgc cggaaccctc ggcagtgcgg gtcaggccaa ctacgcggcc gccaacgtct   30600

tcctggacgc tctggcccag caccgccatg accaggacct gccggccacc tcgctcgcct   30660

ggggcctgtg ggccgatgcc agcgggatga ccggcggcct cgacgaggcc cagctgcggc   30720

gcatggagca gcacggcatg ggcacgctct ccgccaccga cggcatggcg ctgttcgacg   30780

ccgccctcgc cgccggccgg ccggtcctcg tcccggcccg tctgcacctc cccggcctgc   30840

gcaatgccgc cgggccgggc ccggtggctc cggtgttccg gtcgctcctg ggtgcctcgg   30900

gccgccgggc cgcgcggacc cgtaccgacg cggcaccccc gctcgccgag cggctgaccc   30960

gcctcgccgg tcccgaacag gaccgggcgc tgctcgatct cgtacgggca caggtcgcat   31020

ccgtactcgg ccacgcctcg gccgaacagg tggaccccgc acgcgcgttc aaggatctgg   31080

gcttcgactc cctgaccgcc gtcgagctgc gcaaccggct gggcgccgcc accggactcc   31140

ggctgccgac cacgctcgtc ttcgatcatc cgacgcccac cgcgctcgtc cggcacttgc   31200

gtacggacct tctcggcgcc gcgccggacc ccggagccga cgccccgggc ctgcccgcgc   31260
```

```
gcgtcggcct cgccgacgac ccgatcgcca tcgtggccat gagctgccgc taccccggcg   31320

gtgtccgcac ccccgaggag ctgtggcggc tcgtcgagac cggtggcgac gcgatcgccg   31380

gactcccggg caaccggggg tgggacaccg acgcgttgca cgccgacgag gacggccgga   31440

ccttcgcggg cggcttcctg tacgacgccg actcgttcga cgcggacttc ttcggcatct   31500

cgccgcgcga ggcgctcgcc atggacccgc agcagcgact gctgctcgaa acctcctggg   31560

aggcgatcga gcgcgccggg atcgacccgt cgtcgctgcg cggcagccgg gccggtgtct   31620

tcgtcggcgc cgcctacagc ggctacgacg cgcaattgga gcagtccgga gtggacggtg   31680

tcctcggcca tgtgatgacc ggcaatgcgg gcagtgtcat gtccggccgt gtgtcctacg   31740

cgctgggcct ggagggtccg gcggtcacgg tcgacacggc gtgctcgtcc tcgctggtcg   31800

ccctgcactg ggcgatccag gccctgcgca acggcgaatg ctcgctggcg ctcgccggtg   31860

gtgtgacggt gatgtcgacc ccgggcacct tcagcgagtt cagccagcag ggcggcctgt   31920

caccggacgg ccggtgcaag gcgttcgcgt cggccgcgga cggtacgggc tggggtgagg   31980

gtgtcgggat gctgctggtg gagcggctgt ccgatgcccg taggaatggg catccggttc   32040

tggcggtggt gcgtggttcg gctgtcaatc aggacggtgc gagcaatggt ctgacggctc   32100

cgaatggtcc ttcgcagcag cgggtgatcc gtgcggcgtt ggcgagtgcg ggtctgtcgg   32160

ccgctgatgt ggatgtggtg gaggcgcacg gtacggggac gaagctgggt gacccgatcg   32220

aggcgcaggc gctgctggcg acgtacgggc aggaccggcc cgatggccgt ccgctgtggt   32280

tgggttccat caagtccaac atcggtcaca cgcaggccgc cgccggtgtc gcgggcatca   32340

tcaagatggt catggcgatg cggcacgggg tgctgccccg gaccctgcac gtcgacgagc   32400

cgacctcgca tgtggactgg tcggcgggcg aggtgtccct gctgtcggag tcggccgaat   32460

ggccgctcac cgagcggccc cggcgagccg gagtgtcgtc cttcggcatc agcggcacca   32520

acgcccacac catcatcgag caggcgccgg agaccgggac cgaggcggag ccgtcggcgg   32580

agaccctcac gcacgggacc gtgccctacg tcctctccgc caagagctcc gacgctctcc   32640

gcgcccaagc gcggcagctg cttgccgtgg tggaagccgc cgagagcccc cgagtcgccg   32700

atctggccta ctcgttggcc accagtcggg ccggtctcga tcaccgcgcg cgctcgtcg   32760

ccgacgaccg ggagaacctg acgcgggcgc tcgcggccct ggcggcggac gagcaggtgc   32820

ccggcctggt gcggggcacg gccaccggtg gcggcctcgc cttcctgttc acggggcagg   32880

ggagtcagcg gctggggatg ggccgggagc tgtacgagac gtatcccgtc ttcgcgcggg   32940

ctctcgacgc ggtggacgca cgcctggaac tgcccatgaa ggaggtgctg ttcggcgcgg   33000

acgcggatct gctgaacgag accgcccaca cgcagccggc tctcttcgcc gtcgaggtgg   33060

cgctgttccg tctgctggag tcgtggggcg tgcggcccga cgtcctggcc gggcactcga   33120
```

```
tcggtgagat cgccgcggcc catgtggccg gggtgttctc cctggacgat gcgtgcacgc   33180

tggtcgaggc tcgcggtcgg ctcatgcagg cgctgccgac cggcggcgtg atgatcgccg   33240

tccaggcgtc ggaggacgaa gtcctgccgc tgctgaccgg ccaggtgagc attgccgcga   33300

tcaacggccc ccagtcggtc gtcatcgcgg gcgacgaggc cgacgcggtc gcgatcgccg   33360

agtccttcac cgaccgcaag tccaagcggc tcaccgtcag ccacgccttc cactcgcccc   33420

acatggacgg catgctcgcc gacttccgca aggtcgccga gggcctcgtc tacgagaacc   33480

cgcgcatccc catcgtctcg aacctcaccg gcactctcgt caccgacgag atggcttcgg   33540

ccgacttctg ggtccgccac gtccgcgagg ccgtccgttt cctcgacggc atccgcgcgc   33600

tggagagccg cggggtcacc acctacatcg aactcggccc cgacggggtc ctctccgccc   33660

tcgcccagga ctgcctcacc gccgggaccg ggaccgggac cgcgatcttc gctcccgtac   33720

tccgggcggc ccgtcccgag gccgagagcg tcaccaccgc cctcgccacg gcacacgtcc   33780

acggcacccc cgtcgactgg cgggcgtact tcgccgggac cggtgcccgg cgcgccgacc   33840

tccccaccta ccccttccag ggcaggcgct actggcccga agccgccgcc ccgagcggtg   33900

cggcggccgg actcgggggac caggcggtcg acgcgcgctt ctgggacgcg gtcgagcggg   33960

cggacctggg ctccctgatc ggtgggccgg agatcgacgg ggaccagccg ctcagctccg   34020

tactgcccgc cctctccgac tggcggcgca accagcaggc gcagtcgcag gcggacgccc   34080

ggctctaccg catcgcgtgg cagccgtggt ccggggccgg ccggggcaca cccgcgggta   34140

cctggctggt ggccgtgccg gcgccgtacg cggacgatcc gtgggtccgt gcgctgaccg   34200

accgcatggc cgagggtggc gcggaggtcg taccgctcac gctcgatgtc gccgacagcg   34260

acccggcgtc gctgcgcgcc cggctggacg agcggctgcg cgaggcggtg ggcgacggcc   34320

cggtggccgg tgtcctgtcc ctgctcgcgc tggacgagcg gccccacccc gaccacccga   34380

gcgtgcccgt aggactggcc ctcaccagcg ccctcacctc cgtgctcacc ccggtgctca   34440

cggaaccgga cccggaaggc ggggcgagcg gaggcatcga agcaccgctg tggtgtgtca   34500

cgcgtgacgc cgtcgcggca gccggtggtg acgaactcgg cggcgccgcc caggcgcagg   34560

tctggggcct cggccgcgtc gtcgccctgg agcaccccga ccgctggggc ggtctcgtcg   34620

acctcccggc ggtatgcgac gaccgggtcc tgtcccggct gatggcggtg ctcgcaggat   34680

ccggtgacga ggaccaggtg gcggtccgta cctccggcac cctcgtacga cggctcctgc   34740

gggccgcccc gacgagcgtg ccgtccgcac cctggacccc gcgcggcacg gtgctcgtca   34800

ccggcggcac gggcgccctc ggccgccatg tggcgcgcca cctcgccgag cggggcgccg   34860

aacggctcgt gctcgtcagc cgccggggcg ccgacgcgcc cggtgcggcc gagaccgagg   34920

cggaactctc cgcgttcggc gcggccgtga ccctcgtggc ctgcgacgtc gccgaccgcg   34980

atgcgctcgg aacgctcgtc gcgcggctcg ccgccgacgg cactccggtc cgtgccgtgg   35040
```

```
tgcacgccgc cggtgtctcg cagccgccag gtacgggaac ggacctcccc gggttcgccc   35100

gtgtcgtggc cgcgaagacg gcgggagccg tccacctcga cgcgctgttc gacgcgccgg   35160

actccctcga cgcgttcgtc ctcttctcct ccatcgccgg tgtctggggc agtggcggcc   35220

aaggggccta ctccgccgcc aacaccttcc tcgacacgct cgccgaacgg cgccgggccc   35280

gcggtctcgc cgccacggcg atcgcctggg gaccgtgggc cgacggcggc atggccaccg   35340

agggcgacgc ggaggagcag ctgagccgac gcggcctgcc gcccatggac cgggcgacga   35400

acctgctggc gctggagcgt gccgtcgcgg gccgggaggc ggcgctgacc gtcgccgacg   35460

tcgactgggc gcgcttcgca cccgtgttcg ccgcggcccg cccccgcccg ctcatcggcg   35520

acctgcccga ggtacgggac gcactgcgcg gggacacccc ggccgggggaa ggaccggccg   35580

agaccgcttc ctccgccgta ctccggaggc tgacggaact caccggggcg gaccgggaaa   35640

cggccctcct cgacctcgtg cgcgagcacg cggcaacggc cctgggccac acgtccgccg   35700

acgcggtcgc ggccgaacgg gccttcaagg acctcggctt cgactcgctc accgcagtcg   35760

aactgcgcaa ccgcctcggc gccgcgtgcg gcctgcggct gccctccagc ctcgtcttcg   35820

actacccaa cccgcaggcg ctcacccggc acctgctgca caccctcttc cccgaagggg   35880

cgggcgggcc ggacgtaccg gctctggaca ccgaccccca ggaagcggaa ctgcgccgga   35940

cgctcgccgc catcccgctg gccggatcc gcgaggcagg gctcctggac acgctgctcc   36000

ggctcgccgg acccgacacc cccgctcccg ccacgagtac cgccgacgag agcgagtcca   36060

tcgacacgat ggatctccag gacctcctcg acctggcgct cgacggcggc ggcgatcccg   36120

acggcctcaa cggcctcgac agcctcgacg gccccagtgg caacgacaac gacagcaacc   36180

gattctgacg tgcccgaagt gcggagtaag tgatgacaac ccccaacgaa aaagtcgttg   36240

aagcgctgcg ggcctccctc aaggaaaccg agcggctgcg ccgccggaac caggagctca   36300

ccgacgccgc gcgcgagccc atcgcgatcg tcggcatgag ctgccgcttc ccgggcggag   36360

tcagctcgcc cgaggacctg tggagactcg tcgagagcgg tggcgacgcc atctcgggct   36420

tccccgtcaa ccgcggctgg gacatcgagt cgctgtacga ccccgatccg gaccacgagg   36480

gcaccaccta cgcccgcgac ggcggcttcc tccacgaggc ggccgacttc gaccccgcgt   36540

tcttcgggat ctccccgcgc gaggccctcg ccatggaccc gcagcagcgg ctgctcctgg   36600

agaccacctg ggaggtcttc gaacgagccg gaatcgatcc cgcgtcgctg cgcggcagcc   36660

gggccggcgt cttcgtcggc gcgtccgcca acgcctacgg agccggctcc cacgaccttc   36720

ccgacggcgt ggagggacac ctcctcaccg gcaccgcgtc cagtgtcctg tccggccggc   36780

tcgcctacgt cttcggcctg gagggccccg ccgccaccat cgacacggcg tgctcgtcct   36840

cctccgtcgc cctgcacatg gccgtccagg cgctgcgcca gggcgagtgc tcgctcgcgc   36900
```

```
tggccgcggg cgtcaccgtc ctcgcgggcc cggacgtctt cgtcgagttc agccgccagc    36960

gcggcctgtc gcccgacggc cgctgccggt ccttcgccga gtcggccgac ggcaccggct    37020

ggtcggaggg cgccggcgtc ctcctggtgg agcgcctctc cgacgcccgc cgcaacggcc    37080

accacatcct cgccgtggtc cgcggctcgg ccgtcaacca ggacggcgcc agcaacggcc    37140

tgaccgcccc caacgggccc gcccagcaga aggtcatccg ccaggccctg gagagcgccc    37200

ggctgacccc cgcggacatc gacgcggtcg aggcccacgg caccggcacg accctcggcg    37260

accccatcga ggcgcaggcg ctcctcgcca cctacgggca agggcgcacg gacggccggc    37320

cgctgtggct cggctccttg aagtcgaacc tcggccacac ccagaacgcc gccggtgtcg    37380

ccggcatcat caagatggtc atggcgatgc ggcacggggt gctgccccgg accctgcacg    37440

tcgacgagcc cacctcgcac gtcgactggt cgacgggcgc ggtggcgctg ctgaccgagc    37500

cggtggagtg gccggagacc gggcgcccgc gccgggtcgg cgtctccgcc ttcggcgtca    37560

gcggcacgaa tgtgcacacg atcatcgagc aggccccggc ccctgccccg gccccgtcg    37620

cggacgacac atcggaaccg gcgcccgccg cccggccgaa ggcgctgccc tggctcctct    37680

ccgcgaaggg ccgggacgcc ctgcgcgacc gggccgcaca gctgctcgcg tacgccgagg    37740

aacaccccga cctgcggccg gtcgacatcg ccgggtcgct ggcggtgggc aggccgtcct    37800

tcgaggaccg cgccgcggtg gtcgccgccg accgcgaggg gctgctggcc ggcctcgcgg    37860

cactggcgga cggcggctcg gcgacgggtc tcgtcaaggg gtcgtcgcag ctcgtgggga    37920

agctggcgtt cctgttcacc gggcagggga gccagcggct ggggatgggc cgtgagctgt    37980

acgagacgta tcccgtcttc gcgcaggcct tggacgcggt gtgtgagcgg ctggaactac    38040

ccctgaagaa cgtgctgttc gggacggaca cgcctgcgct ggacgagacc tcgtacacgc    38100

agcctgctct cttcgccgtt gaggtggcgt tgttccggct cgtggagagc tggggcctga    38160

agccggactt cctggccggg cattcgatcg gtgagatcgc ggccgcgcat gtggccgggg    38220

tgttctcgct ggacgacgcg tgcgcgctgg tgtcggctcg cggccggttg atgggggcgc    38280

tgccgggcgg tggcgtgatg atcgcggtcc aggcgtcgga ggacgaggtc ctgccgctgc    38340

tgaccgatcg cgtgagcatt gccgcgatca acggtccgca gtcggtcgtg atcgcggggtg    38400

acgaagccga tgcggtagcc atcgccgagt ccttcgcgga ccgcaagtcc aagcggctca    38460

cggtcagtca cgcgttccat tcgccgcaca tggacggcat gttggaggac ttccgggtcg    38520

tggcggaggg tctgtcgtac gaggctccgc gcatcccggt cgtctcgaac ctcaccggcg    38580

ctctcgtctc cgacgagatg ggctcggccg acttctgggt ccgccacgtc cgcgagaccg    38640

tccgcttcct ggacggtatc cgcaccctgg aagccgctgg cgtcaccaag tacgtcgaac    38700

tcggccccgga cggcgtgctg tccgccctgg cccaggactg cgtgagcggc gaggactccg    38760

tcttcatccc tgtactccgc aaggcacgcc ccgaggccga cacggtcgcc accgccctcg    38820
```

```
cctcggccca cgtccacggc atccccgtcg actggcgggc gtacttcgcc gggaccggcg   38880

cccagcgcgt agacctcccc acctacccct tccagcgcca gcgctactgg atcgagccgg   38940

gcggccgtgc cggagacgtg ggcgcggccg ggctggagga ggcgggggcat ccgctgctgg   39000

gtgcggccgt accgctcgcc gactccgagg gcttcctctt caccgggcgg ctcggtcgca   39060

cctcgcaccc ctggctggcc gatcacgcgg tcatggacac cgttctgctc cccggcacgg   39120

ccttcgtcga cctcgcggtg cgcgccggtg accaggtcgg atgcgatgtc gtcgaggagc   39180

tgacgctgga agcgccgctg gtgctgcccg agcgcggtgc cgtccagata cagatgcacg   39240

tcggcgcgcc cgacgcggac ggtacgggac ggcggacgtt caccctgtcc tcgcgtacgc   39300

aggacggcgc ggccgacgaa ccgtggacgc ggcacgccgg cggcgtcctc gcgcacggcg   39360

cggcgcaacc ggccttcgcg ccggtccagt ggccccccggc gggtgccgag ccgatcccga   39420

cggagagcct gtacgcggac ctggccgagg tcggcatggg atacggaccc gcgttccgcg   39480

gcctcacggc cgcctggcgg cacggcgaga gcgtctacgt cgaggtcgcg ctccccgagg   39540

aaaccgcctc cacggcacgg gacttcggcc tgcacccccgc cctcctggac gcggcgctgc   39600

acgcgctggg tctcggcgta ctgggtggcg tcgagggtga agggcggctc cccttcgcgt   39660

ggagcggtgt gaccctgcac gcggccggag cggacgcgct gcgcgtgcac ctcgctccgg   39720

cgggcgccca cggcgtacgc ctggagatcg cggacgccgc gggcgcacct gtcgcgaccg   39780

tcgactcgct cgtcctgcgg accgtatcgg aggagcaggt acgcgccgcg cgcaccgcgt   39840

accacgagtc ggtgttccgg gcggagtgga cggccctgcc gaccgccgcc gaatccgcgg   39900

ccacgcatgg ccgttgggcc gtgctgggag cggcggacgc gggcgattcg ccgcgcgacg   39960

cgctggtgaa cgggctgctc ggccacctgc ccggcgaggt cgcgcgctac gccgacctgg   40020

ccgagctggc ggcggccgtc gaggccggag cggccacgcc ggacgccgtg ttcgccgcgt   40080

acgcgcggtc cgatgacgac ggaccggccg caccggacgt gtccgcaccg gacgtgtccg   40140

cgcaggcggt gcacgcggcc acccacgacg ccctcgcact cgtccagacg tggttcggtg   40200

aggagccctt cgccggggac cggttcgccg ccacccgcct ggtcgtgctc acccggggcg   40260

cggtcgcggc gggcgacggc gacacggtca ccgaccccgc acacgcggcc gtctggggtc   40320

tgctgcgctc cgcgcagtcc gagtaccccg accggctgct gctgatcgac accgacgggg   40380

tcgaggactc cgtacacgcc ctgcccgccg tgctcgccgt cggagagccg caactcgccc   40440

tgcgtgcagg ctccgtacac gcgctccggc tcgcccgcgt ggccgccgcg acgccggagg   40500

acgccgccgc tccgacgcag tacgcgcccg gatcgacggt gctgatcacc ggcgcgggcg   40560

gcatgctcgg cggtctgatc gcccgccgtc tcgtcgccga acacggcgta cggcacctgc   40620

tgctggtggg ccgccgcggc ccgccgcctc ccggagcgga acagctgagc gccgaactgg   40680
```

```
ccgaggcggg cgcctcggtg acctgggccg cgtgcgacgt cgccgaccgg gacgccctct   40740

cggccgtact gcacgcgata cccgccgagc acccgctcgg cgcggtcgtc cacaccgctg   40800

gtgtgctgga cgacggtgtg atcgcctcac tgaccccga gcggctctcg gccgtgctgc   40860

gccccaaggt cgacgccgcc tgcaacctcc acgagctgac ccggcacctc gacctcacgg   40920

cgttcgtgct cttctcctcc atcggcggcg tcttcggcgg cccgggacag ggcaactacg   40980

cggcggcgaa cgtgttcctc gacgcactcg cccagcaccg ccgctcccag ggactcgccg   41040

ccacctccct ggcctgggcc ctgtgggccg acagcacggg catggccggc agcctcgacg   41100

aggccgacat cagccggatg cggcggggcg gcctgccccc gctgaccacg gccgagggcc   41160

tggaactgtt cgacctcgcc caccgcatcg acgaggccgc accggtcctg atgcgcgccg   41220

acctgaccgc cctgcgcacg caggcccagg ccggcacgat gtcgccgctg ctgcgcggtc   41280

tcgtacgggt ccccgcgcgc cgcagcgcca gtggcgcggc cggtacgggc ggtgagtccg   41340

gactgcgcga gcgcctcgcc ggactctcgg ccgccgaacg ggaccgtacg ctgctcgacc   41400

tcgtccgcaa gcaggtcgcc gcggccctcg gctaccccgg accctccgcc gtcgagcccg   41460

gccgctcctt caaggaactc ggcttcgact cgctcaccgc cgtcgaactg cgcaacctgc   41520

tcggcgacgc caccggccgc cgcctccccg ccaccctcgt cttcgactac ccgacggcga   41580

ccgccctcgc cgggtacctc cgcgaggaga tcatcggaga cctggcggac gccgtcaccg   41640

ccccggccct cgtgccgtcc gcggccgtgg cgggcgcggg cgcgggcgcg gacgacgacg   41700

atccgatcgc gatcgtcgcc atgagctgcc ggttccccgg agggatcgca tcccccgagg   41760

acctgtggca gctgctcgtc accggccgcg acggcatcac gggcttcccg gcggaccgtg   41820

gctgggacct cgacagcctc tacagcgacg accccgaccg cgagggcacg agctacgccc   41880

gcgagggcgg attcctgcac gaggccgccg agttcgacgc ctccttcttc gggatctcgc   41940

cgcgcgaggc cctcgccatg gacccgcagc agcggctgct cctggagacc acctgggaga   42000

cgttcgagcg cgcgggcatc gacccgacca gcctgcgcgg cagccggacc ggcgtgttcg   42060

tcggctccaa cgcccaggac tacctccagc tctggctgaa cgacgcggac ggcctcgaag   42120

gacacctggg caccggcaac gcggccagcg tcgtctccgg ccgcctctcc tacaccttcg   42180

gcctggaggg cccggccgtc acggtcgaca cggcctgctc gtcctccctc gtcaccctgc   42240

acctggccgc ccaggccctg cgccgcggcg agtgctccat ggcgctcgcc ggcgcgggtca   42300

ccatcatgtc cacgcccggc gcgttcaccg agttcagccg ccagcgcgga ctcgccgccg   42360

acggccgcat caaggcgttc gccgccgccg ccgacggcac gagctggtcc gaaggcgtcg   42420

gcctgctgct cgtcgagcgg ctctcggacg cacggcgcaa cggtcacccg gttctggcgg   42480

tggtgcgggg caccgccgtc aaccaggacg cgcgcagcaa cggcctgacc gcgccgaacg   42540

gcccgtccca gcagcgcgtc atccgcgagg cgctggccga cgcgggcctg tcggccgccg   42600
```

```
aggtggatgc ggtcgaggcc cacggcaccg gcacgaccct cggcgacccc atcgaggcgc   42660

aggcgctcct cgccacgtac ggccagggcc gcccggacga ccagccgctg tggctcggct   42720

ccgtgaagtc caacatcggc cacacccagg ccgtggccgg agccgccggc atcatcaaga   42780

tggtcatggc gatgcgccac ggcgtactgc cgcagaccct gcacatcgac gagccgacgc   42840

cgtacgtgga ctggtcggcg ggcgacatcg ccctgctgac cgagcagcgg gcgtggccgg   42900

agaccggccg cccgcgcagg gcgggcgtct cctcgttcgg ctacagcgga accaacgcgc   42960

acgccgtcat cgagcaggca ccgcagaacg cgatggagcg gaccccgcag ggcgacaacc   43020

tgccggcccg cacccccgcg acgcggaccc tcccggtgct gccgctgctc gtctccggcc   43080

gcacggcgcc ggccctgcga gcccaggcgg aacgcctgcg accggccgcg accgccctcg   43140

cgacgggcac ggtaacgaac tccggagctt tggaagcact cgacctgggc tactccctgg   43200

ccacgagccg cgccgcactg gaacaccggg cggtcctgat cggcaccccg tcggacggcc   43260

aggcactggc ctcgcgactc gacgccctgg cggcgggcga gcaggtgccc ggcctggtgc   43320

agggcacggc ttccggtggc gggctcgcct tcctgttcac gggacagggg agccagcggc   43380

tggggatggg gcgcgagctg tacgagacgt acccggtgtt cgcggaggcg ttggatgcgg   43440

tgtgcgcccg gctcgaactg cctttgaagg aggtgctgtt cggggcggat ggcgctgcgc   43500

tggatcagac ggcggtgaca cagccggccc tcttcgccat tgaggtggcg ttgttccggc   43560

tggtcgagtc gtggggtctg aggccggact ttgtggcggg tcattcgatt ggtgagatcg   43620

ccgctgcgca tgtggcgggg gtgttctcgc tggaggacgc ctgcaggttg gtcgaggcgc   43680

gtgggcgtct tatgcaggcg ctgcctggtg gtggcgtgat gatcgcggtc caggcgtcgg   43740

aggatgaagt cctgccgttg ctgaccgatc gcgtgagcat tgccgcgatc aatggtccgc   43800

agtcggtggt gatcgcgggt gacgaggccg acgcggtggc catcgcggag tccttcacgg   43860

gccgcaagtc gaagcatctg gcggtcagcc acgcgttcca ttcgccgcac atggacggca   43920

tgttggagga cttccgggcc gtggcggagg gcctgtcgta cgaggctccg cgtattgcgg   43980

tggtgtcgaa tctgacgggt gcgttggtct ccgacgagat gtcgtcggct gagttctggg   44040

tgcgtcatgt ccgtgaggcg gttcgcttcc tggacggtat tcgggctttg gaggctgctg   44100

gggttacgac gtatgtcgag cttggccctg ggggtgtgct gtcggcgctg gcgcaggagt   44160

gtgtcagtgg ggacggtgct gctttcgtgc cggtgctgcg ttctggacgt tccgaggccg   44220

agaccgtggt gaccgcgctg gctcaggcgc atgtgcgggg tgtggaggtc gactgggcgg   44280

cgttcttcgc cgggaccggt gctgagcgga tcgatctgcc gacgtacgcc ttccagcgcc   44340

agcgctactg gccggagacc gtgctgtcga ccgtgggccc ggtcgttgcc gaggccgtcg   44400

atgcggtgga cgcccggttc tgggatgcgg tggagcggga ggatctcgcg tcgcttgtcg   44460
```

```
cagagctgga cgtggacgag acgcctctcg gcgaggtcgt tcccgcgctg tcggcgtggc   44520

gtcgggagcg gcgtgcccag tcggaggtgg acggttggcg ctaccgggtg tcgtggaagc   44580

cgctggctga tgcttcgacg gcgcggttgt ccggctcttg ggtggtggtg tcgcccgata   44640

agggtgtgga tgactcggct gtggtcgccg gtctggctgg gcgtggtgct gaggtccgtc   44700

gggttgtggt cgaggcgggt gtggaccgtt cggcgctggc tgggttgctg gccgatgcgg   44760

gttctgctgc gggtgtggtg tcgcttctcg ggctggatga gtctgagggg ctgctgggga   44820

ctgttggttt ggtgcaggcg ttgggtgatg ccggggtgga ggcgccgttg tggtgcctga   44880

cccgtggtgc tgtctccgtc ggtcgttcgg atcggcttgt gtcgccggtg caggcgcagg   44940

tgtggggtct gggccgggtt ccgccctgg aggttccgga gcattggggc gggctggttg   45000

acctgccgga agtgctggat gagcgggctg tggcccgctt ggtcggtgtg cttgcgggtt   45060

ccggcgaaga tcaggtcgcg gttcgttcgt ctggtgtgtt cggtcgtcgt ttggtgcgtg   45120

caccgcgggc cgagggtgct gcggcgtgga caccgaccgg cactgttctt gtcaccggtg   45180

gtacgggtgt gctgggtggc cgggtggcgc gttggctggc gggggcgggc gctgagcgtc   45240

tggtgctgac cagtcgtcgt ggtccggatg ctccgggtgc ggctgagctg gtggaagagc   45300

tgaccaccgg cttcggggtg gaggtttcga tcgtcgcgtg tgacgcggct gaccgtgacg   45360

ccctgcgcgc cctgctctcc gctgaggccg ggactctgac cgctgtgatc cacacggccg   45420

gtgtcctgga cgacggcgtc ctcgacgcac tcaccccgga ccgcatcgac agcgttctgc   45480

gcgccaaggc cgtctcggca ctcaacctgc acgaactgac ggccgagctt gatatcgagc   45540

tgtccgcctt cgtcctcttc tcgtcgatga gtggcacggt gggtgcggcc ggtcaggcca   45600

actacgcggc cgccaacgcc ttcctggatg ccctggccga gcagcggcgc gccgatggtc   45660

tcgcggcgac ctcgctcgct tggggtccgt gggcggaagg cggcatggcc gccgatgcgg   45720

cgctcgaagc ccgtatgcgc cgcggcggag taccgcccat ggacgcggag cttgcccttt   45780

cggctcttcg gcaggccatc ggttccgccg atgccgctct gaccatcgtg gacttcgact   45840

gggcacggtt cgcgcccggc ttcaccgccg tgcgagccgg caacctgctc gccgaactgc   45900

ccgaggcggc ggccgtcatg cgcggcccgg agaacgcgga cagccgcccg gaacacgccg   45960

actcgtcgct cgccctgagg cttcagggca tggcccaggc cgaccaggag cctttccttc   46020

tggagctcgt gcgtgcacag gtcgccgagg tgctgggaca ctccggcgcc gaggacatcg   46080

aggcgggacg cgcgttcagg gagatcggct tcgactcgct gaccgccgtc gagctgcgca   46140

accgcctcgg ggcggctgcc gagctgcggc tcccggccac gctcgtctac gactacccga   46200

caccggcggc cctcgccgtc cacctccgta ccgaactgct cggcaagcag gtcgtcgtgt   46260

ccggtccggt ctccaaggtc gttgacgacg atccgatcgc gatcgtctcg atgagctgcc   46320

gcttccccgg tggcgtgcgg accccggaag acctgtggga actgctgtcc accggcggcg   46380
```

```
acgccatctc ggatcttccc ctggaccgtg gctgggacat cgacgcgctg tacgacgccg    46440

atcccagcac acagggcact tcgtacgccc gcgcgggtgg cttcctctac gacgccgccg    46500

acttcgacgc ggacttcttc gggatctcgc cgcgcgaggc cctcgccatg accccccagc    46560

agcgactgct cctggagacg tcctgggaag ccttcgagcg ggcgggcatc gaccccgaga    46620

cgctccgggg cagccaggcc ggtgtcttcg tcggcaccaa cggccaggac tacctctccg    46680

tactgctgga ggagcccgaa ggcctcgaag gccacttggg caccggcaac gcggcgagcg    46740

tcgtctccgg tcggctctcg tacgtgttcg gcctggaggg tccggcggtc acggtcgaca    46800

cggcgtgctc gtcctcgttg gtcgccctgc actgggcgat ccaggccctg cgcaacggcg    46860

aatgctcgct ggcgctcgcc ggtggtgtga cggtgatgtc gaccccgggc accttcatcg    46920

agttcagccg tcagcgtggg ctcgcggagg acggccgtat caaggcgttc gcggcggccg    46980

cggacggtac gggctggggc gagggcgtcg gcatgctcct ggtggagcgg ctgtccgacg    47040

ccgagcggaa cgggcacccg gtcctggcga tcgtgcgggg ctcggcgatc aaccaggacg    47100

gtgcgagcaa cggcctcacc gcccccaatg gcccctcgca gcagcgcgtg atccgtgcgg    47160

cgctggcgag cgcgggtctg tccgccgccg acgtggacgc ggtcgaggcg cacggcaccg    47220

gtacgacgct gggcgacccg atcgaggcgc aggccctgct cgccacgtac gggcaggacc    47280

gcccggccga ccggcctctg cagctcggtt ccatcaagtc caacatcggg cacacgcagg    47340

ccgcggccgg tgtcgccgga gtgatcaaga tggtgctggc catggagcac ggcgtgctcc    47400

cgcagagcct ccacatcgac gcaccgtcac cgcaggtcga ctgggaagcc ggtgacatcg    47460

cgctgctcac cgagcagcgg cagtggccgg agaccggacg tccccgccgg gcaggtgtgt    47520

cgtcgttcgg cttcagtggc accaacgctc acaccatcat cgagcaggca ccggcgtcga    47580

cggagaccga ccgggccgaa tccggctcgg tggaaccgga cttcgttccc ctgatgctct    47640

cggcgaagag cgacgtcgca ctccgggccc aggccgcaag cctgcgcgca cggctgatcg    47700

ccgcccccga catgcgcctg tccgacgtcg gctccacgct gacgaccggc cgctcggcgt    47760

tcgagcgccg ggcggcgctg gtggcagggg ccgcgaggg gctgctcgcg gggcttgagg    47820

cactggcgga cggcggttcg gcggcagggc tggtggaagg ttcgccggtg agtggaaagc    47880

tggcgttcct gttcacgggg caggggagtc agcgtctggg catgggccgt gagctgtacg    47940

aggcgtatcc ggtgttcgcg gatgcgctgg atgcggtgtg tgtccgtctt gaactgccct    48000

tgatggatgt gctgttcggg gcggatgcgg gtctgctgaa cgagaccgcg tacacccagc    48060

cggcgctctt cgccgttgag gtggcgttgt tccggctggt ggagagctgg ggtctgaggc    48120

cggacttcct ggcgggtcat tcgatcggtg agatcgcggc cgcgcatgtg ccgggggtgc    48180

tgtccctgga cgatgcctgt gctctggtgg aggctcgggg gcggttgatg ggtgcgctgc    48240
```

```
ctgcgggtgg cgtgatgatc gcggtgcagg cgtcggagga cgaggtcctg ccgctgctga   48300

cggaccgcgt gagcattgcc gcgatcaatg gtcctcagtc ggtggtgatc gcgggcgacg   48360

aagccgacgc ggtcgcgatc gtggagtcgt tcacggggcg taagtcgaag cggctatcgg   48420

tgagtcacgc gttccattcg ccgcacatgg acggcatgtt ggaggacttc cgggtcgtgg   48480

cggagggcct gtcgtacgac gccccgcgca tccccgtcgt ctcgaacctc accggcgctc   48540

tggtcaccga cgagatgggt tcggcggact tctgggtccg gcacgtccgc gaggccgttc   48600

gcttcctgga cggcatccgg gccctggagg ccgcgggcgt gacgacgtac gtcgaactcg   48660

gccccgacgg tgttctgtcg gcgatggccc aggagtgtgt gaccgaaggt ggagcggcgt   48720

tcgttcccgt cctgcggaag gggcggcccg aggccgagac ggtgatggcc acccttggcc   48780

aggcacacgt caggggcgtc gcggtcgact ggcattcggt ctacgggacc ggtgcccagc   48840

gggtcgatct gccgacctac tccttccagc gacagcggta ctggccggcg gcgtcttcga   48900

cggcaggtgg ttcggtcgac aggagcgtcg atgcggtgga cgcccggttc tgggatgcgg   48960

tggagcggga ggatctcgcg tcgctggccg cggagctgga cctggacgac gacgctccct   49020

tcagtgaact ggcccccgcg ctgtcggcgt ggcggcggga cggcgtgccc ctgtcggagg   49080

tggatggctg cgctatcgg  gtgtcgtgga agccgctggc ggatgtctcg cgtcggggt   49140

tgtccggctc ttgggtggtg atctcgcctg ctgggggtgt ggacgactcg gctgtggtgg   49200

gtgcgctggt tgggcgtggt gctgaggtcc gtcgggttgt ggtcgaggcg ggtgtggatc   49260

gttcggcgct ggctgggttg ctggccgatg cgggttctgc tgcgggtgtg gtgtcgcttc   49320

tcgggctgga tgagtctgag gggctgctgg ggactgttgg tttggtgcag gcgttgggtg   49380

atgccggggt ggaggcgccg ttgtggtgcc tgacccgtgg tgctgtctcc gtcggtcgtt   49440

cggatcggct tgtgtcgccg gttcaggcgc aggtgtgggg tttggggcgg gttgccgccc   49500

tggaggtccc cgagcgctgg ggcgggctca tcgatctgcc tgaggtgctg gatgagcggg   49560

ctgtgtcccg tctggtcggt gtgctttcgg gtggtggttc tggtgaggat caggttgcgg   49620

ttcgttcgtc gggtgtgttc ggtcgtcgtc tggtgcgtgc accgcgggct gaggggcgctt   49680

cggcgtggtc tccgaccggc acggttcttg tcaccggtgg tacgggtgtg ctgggtggcc   49740

gggtggcgcg ttggctggcc ggggcggggtg ctgagcgtct ggtgctgacc agtcgtcgtg   49800

gtccggatgc tccgggtgcg gctgagctgg tcgaggaact ggccgggtcg ggggtcgagg   49860

tttcggtcgt cgcgtgtgat gcggccgacc gtgacgctct gcgcgccctg ctctccgccg   49920

aggccgggac tctgaccgct gtgatccaca cggccggagt tctggacgac ggcgtcctcg   49980

acgcgctcac cccggaccgc atcgacagcg ttctgcgcgc caaggcagtc tcggccatca   50040

acctgcacga actgacggcc gagctcggca tcgaactctc cgccttcgtc ctcttctcct   50100

ccgtcacagg cacctggggt acggcggggc aagccaacta cgcggctgcc aacgcctacc   50160
```

```
tggatgctct ggccgagcag cggcgcgccg acggcctcgc ggcgacgtcc atcgcgtggg    50220

gtccgtgggc cgagggcggc atggccgccg atgcggcact cgaagcccgt atgcgccgtg    50280

gcggagtacc gcccatgaag ggtgaggcag ccgtcaacgc ccttcagcgg gcgttgaacg    50340

cgaacgacac ggttgtcacc gtcgtggatg tggaatggga gcggttcgca cccggtttca    50400

ccgccgcacg ggcaagcacg ctcctcgccg aactgccaga ggcccagcgg gcacttgctc    50460

cgcaggaggg cgacgagggc caggacgacg gcgctgtcca cggtcgcggt ggtcactcgc    50520

ttgcggaacg gctcgcggag ctgtcggccg ccgagcgcga ccggctgctg ctcggcctcg    50580

tgcgcaagga agtcgccgcg gtactcggtc acgccggcgt ggaaagcatc ggtgcggcgc    50640

gcgcgttcaa ggaactcggc ttcgactcgc tcacggccgt cgaactgcgc aaccggctcg    50700

gcgcggtcac cgggcttcgg ctcccggcca cgctgatcta cgactacccc acgtccgggg    50760

ccttggcgga atacctgcgg ggcgagttgc tcggtacgca ggccgtggtg tccggtccgg    50820

tgtccaatgc cgtcgccgtc gacgacgacc cgatcgcgat cgtcgcgatg agctgccgct    50880

tccccggcgg cgtacggacc ccggaagacc tgtggcaact gctggcgacg ggacgcgacg    50940

ccatcggcga gttcccggaa gaccgtggct gggacgcgga ggccctgttc gggccccagt    51000

tcgagcagga cgccccgtat gcgcgtgagg gcgggttcct ctacgacgtc gccgacttcg    51060

atcccgcctt cttcgggatc tcgccgcgcg aggccctcgc catggacccg cagcagcgcc    51120

tgctgctcga aacctcctgg gaagccttcg agcgggccgg gatcgatccg ctctcggtgc    51180

ggggcagcca ggccggtgtc ttcgtcggca ccaacggcca ggactacctc tcgctcgtgc    51240

tgaactccgc ggacggcggc gacggcttca tgagcaccgg aaactcggcg agtgtcgtct    51300

ccggccgact ttcctatgtg ttcggcctgg aaggccccgc ggtcaccgtc gacaccgcgt    51360

gctcggcgtc cctggtcgcg ctgcatctcg cggtgcaggc gctgcgcaac ggcgaatgct    51420

ccctggcgct cgcgggcggt gtgacggtga tgtccacgcc cggcgccttc gccgagttca    51480

gccgtcagcg ggggctcgcg gaggacggcc gtatcaaggc gttcgcggcg ccgcggacg     51540

gtacgggctg gggcgagggc gtgggcatgc tcctggtgga gcggctctcc gacgcccgca    51600

ggaacggtca ccccgtcctg gccctggtcc ggggctcggc cgtcaaccag gacggcgcga    51660

gcaacgggct cacggctccg aacggcccct cgcagcagcg cgtcatccgt gccgctctcg    51720

cgagcgccgg cctggcaccc ggcgacatcg acgcggtcga ggcacacggc accggtacca    51780

agctcggcga cccgatcgag gcgcaggccc tgctcgccac gtacgggcag gaccgcccgg    51840

ccgaccggcc cctgcagctc ggttccatca gtccaacat cgggcacacg caggccgcgg     51900

ccggtgtcgc cggtttgatg aagatggtcc tcgccatgca gcacggggtg ctgccgcaga    51960

ccctgcacgt ggacgagccg acccccccacg tcgactggtc ggccggtgac atcgcgctgc    52020
```

```
tgaccgagcg gcgggagtgg ccggagacgg gccgtccgcg ccgggcgggc atctcctcgt   52080

tcggtgtgag cggtacgaac gcgcacacca tcctggagca ggcaccgccg ctcacggaga   52140

aggacgaggc tgaggccgcg aggccggaga ccggctccgc cgtctcggcg tggcccctcg   52200

cgggcaagac cgaagccggc ctgcgtgagc aggcggaacg gctgctggca cacatcgatg   52260

cccactccga gctgcggccg gtggacgtcg gtcactcgct cgcgaccggc cgggcggcgt   52320

tcgaccaccg tgccgtgctc gtggcgggag acgaccggtc ggagttccga cgggcactgg   52380

ccgcgctggc gtcgggagaa tccgtcgcgc aggtggtaca gggcatcgcg cgaccggatc   52440

agcaagtggc gttcctgttc acggggcagg ggagccagcg gctggggatg gggcgtgagc   52500

tgtacgagac gtatcccgtc ttcgcggatg cgctggacgc ggtgtgtgct cgccttgaac   52560

tgccgctgaa ggatgtgctg ttcggagggg acgcggatcg gctgaacgag accgcgtaca   52620

cccagccggc tctcttcgcg gtcgaggtgg cgttgttccg gctggtggag tcgtggggtg   52680

tgaggccgga cttcctggcc gggcattcga tcggtgagat cgcggccgcg catgtggcgg   52740

gggtgttctc gctggatgac gcctgtgctc tggtggaggc gcgtgggcgg ttgatgcagg   52800

cgctgccgac cggtggcgtg atgatcgcgg tccaggcgtc ggaggccgag gttctgccgc   52860

tgctgaccga gcgcgtgagc atcgccgcga tcaacggtcc gcagtcggtc gtgatcgcgg   52920

gtgacgaggc cgacgcggtc gcgatcgtgg acgcattcaa cgaccgcaag tccaagcggc   52980

tcgcggtcag tcacgcgttc cactcgccgc acatggacgg catgctcgcc gacttccgca   53040

aggtggcgga ggagctgtcg tacgaggctc cgcgcatccc catcgtctcg aacctcacgg   53100

gggccctggt caccgacgag atggggtcgg ccgacttctg ggtgcggcac gtccgcgagg   53160

ccgtccgctt cctggacggc atccgggccc ttgaggccgc ggggggtcacg gtgtacgtcg   53220

aactgggccc ggacggagtc ctgtcggcta tggcccagga gtgcgtcacc ggcgagggtg   53280

cggccttcgt gcccgctctc cgcaagggtc gtcccgaggc cgagacgatc acagcggccc   53340

tcgcccacgc gcacacccac ggcatcgccg tcgactggca ggcctacttc gccgggaccg   53400

gcgcccagcg cgtcgacctc ccgacctacg ccttccagcg ccagcgctac tgggtggatt   53460

ccttcgccga gttcgacgat gtcgcctcgg ccgggatcgg atcggccggt catccactgc   53520

tgggtgcggc ggtcgagctg ccggactcgg acgggttcct gttcaccggg cggctctccc   53580

tccgtacgca cccctggctc gccgatcacg tggtggcgga caccgttgtg gtgccgggcg   53640

cggcgttcgt cgagctggcg gtgcgcgccg gggacgaggt cggatgcgag gaagtggagg   53700

agctggttct tgaggcgccg ctcgtactgc ccgagaaggg ggccgtgcag ctgcggctca   53760

gcgtgggcgg ggcggacgac cagggacgcc ggtccgtaca cgtgcacagc cgcgttgagg   53820

cggccgatgg gggcggggtc cccggcgggg cgtggtcccg caatgcaacg ggtctcctct   53880

ccaccggcgg tagcggaagc gacgtcgact ccggcacggt catcggtgag tggccgccgg   53940
```

```
ccggagccga gcaggtggat gtgaccgcgg tacgcgaacg actggcggcc gcggggctcc   54000

accacgggcc gggcttccgg acgctgaccg aggtgtgggt gcggggcgag gaggtgttcg   54060

cggaggctag gctctccgac gaactgagcg cgtccgcagg gcggttcgcc ctgcacccga   54120

cgctgctcga cgccgcctcg caggcgctgg cggccggtac gaccgccgcc gcatccggca   54180

tcggtggtgc gggacggctg cctcaggcat ggcgcggggt acggctgcac gcggggggag   54240

cggacgctct gcgtctccgg atcaccgcgg gcggtcagga caccgtttcc gtcgtcctga   54300

ccgacacgca gggtgcgccg gtcgcgacgg tcggctcgct ggtcacggag gcggtcgacg   54360

ccgagcggta cgcggcggtt ccggacggat cccacgattc gctgttccgc ctcgactggg   54420

tgcggacgac ggctccgggg cggccgacct ccgcggactt cgcggtgctc ggtacccccg   54480

gcactggcat cggcgcccgc atcggcggtg acgagggctt cctcgtcggc gcgttggagc   54540

gggcgggtct gaccgccgag acgtacgacg gtctcgcggc gctcgactcg ccgtcgcgg   54600

ccgggatggc gatgccggaa acggtggtgg tgtcattcgc cgcagctttg acccggcct   54660

cggactcggc cgcggacacg gtggcctccg tcgactcggc ggaggaggtc gcgcggctcg   54720

cccaggcggt gcgcgaggcg acgcaccggg cgctcgcgac cgtgcagggc tggctggaca   54780

acggccggtt cgccggagcg cgtctggtcg tcgtcacccg aggagcggtg gccacgggca   54840

gggacaccga ggtggaggac ctcgcccacg caccggtgtg gggtctgctg cgtgccgcac   54900

agaccgagca cccggaccgg ttcgtcctcg tcgacctcga cggggcggac gcctccgtcc   54960

gggccctgcc gggcgccatc gcctcgcagg agtccgaact ggccgtacgt gacggtgtgt   55020

tgtacgcgcc gcgcctggtc agggtcgggg cggaggcggt cacgggtgac accggcggtc   55080

gccgcatcga tccgcggggc acggtcctga tcaccggggc gagcggcgga ctcgccgggc   55140

tcttcgcccg ccatctggtg gcggagcacg gcgtacggca tctgctgctc accagccgca   55200

ggggcgccgc cgccgaaggt gccgcccaac tcgccgatga actcgtcgcg ttgggtgcgc   55260

aggtgacctg ggcggcgtgc gacgtggccg accgggacgc gctggccgca ctgctggcgt   55320

ccgtaccggc cgaacagccg ctgacggccg tcgtgcacac cgcggccgtc ctggacgacg   55380

gcgtcgtgga cctgctcacc cccgagcggg tggaccgggt gctgcggccc aaggcggaag   55440

cggcgctcca cctccacgag ctgaccaagg acctcgatct gtcggcgttc gtcctcttct   55500

ccgccgccgc cggcacgctc ggcggcgcgg ggcaggccaa ctacgccgcg gcgaacgtct   55560

tcctcgacgc cctcgcccgg caccgcacgg cccgtggtct caccgcgctg tccctcgtct   55620

ggggcatgtg ggccgaggag cggggcatgg cgggcaggct gacggaggcg gagctgggca   55680

gggcggggccg cggcggtgtg gcaccgctgt cggcgacgga ggggctcgcc ctcttcgacg   55740

cggccctcgc cgcggacgag gccgtgctcg taccggtcag gatcgatgtc ccgaccctgc   55800
```

```
gggcccgggc ggcggacggc gggatccacc cgatgttccg cggactggta cggactccgg    55860

tgcgcaggtc ggcgcagagc gcgggccgcg cggcgggcac cgtgcccacg gacggcgcgg    55920

gggagcggac gctggcccgg caactggccg agctgtccgt cgccgagcgg gagcggaccg    55980

tactggacct ggtacgcggc caggtggccg ccgtactcgg gtacgggtcc gccgaacaca    56040

tcggcggtga gcaggcgttc aaggaactcg gcttcgactc gctgaccgcg gtcgagctgc    56100

gcaaccgact cggcgcggcc ggcggtctga ggctgcccgc cacgctgatc tacgactacc    56160

cgaacccggc cgccctcgcc cagcacctgc tgagcgaggt ggccccggac acggcggagc    56220

gcaagctctc cgtactggag gaactcgacc ggctggagag caccttctcc tcgctggctc    56280

ccgcggaact gtccgcggcc gccggtgacg aggcggccca cgcgcgggtc gcggtacgcc    56340

tccagaccct gctggcccag tggaacgacg cccgtctggc agagggcggg agcggggccc    56400

acgcgatcga agaggcgagc gacgacgagc tgttcgccct catcgacaag aagttcggac    56460

agggctgaac ctcgcccacc gggcgcgccg ccgggtcagt ccccggcggc gccgcccacc    56520

cctgaaacga gacccgagac attccgagta cgtgcgaata ccgccacgat ctcggccacg    56580

cgaataggtg gaagcgccag tggcgaacga agcaaagctc cgcgagtacc tcaagaaagt    56640

cacgaccgat ctggacgagg cgtacggacg cctgcgggag atcgagagcc aggcccacga    56700

gcccattgcc atcacggcga tgagctgccg gttcccggga ggcgtacggt ctcccgaaga    56760

gctgtgggaa ctgctccgca ccggcgggga cgcactcacc gcgtttcccg cggaccgcgg    56820

ctgggacctc gacaacctgt tctcggacga ccccgacgac cacaacacgt cggtcacccg    56880

tgagggcggg ttcctcggcg aggcgtcctc gttcgacgcc gcgttcttcg ggatctcgcc    56940

gcgcgaggcc atggcgatgg acccgcagca gcggctgctg ctggagacct cgtgggaggc    57000

gttcgaacgg gccgggatcg accccccaggc gctgcgcggc agccagtccg gtgtgttcgt    57060

cgggatcaac gggtcggact acctgacccc gctgctggaa gcggccgagg actacgcggg    57120

gcacctgggg accggcaacg cctccagcgt gatgtcgggc aggctctcgt acacgttcgg    57180

cctggagggc ccggcggtca cggtcgacac ggcgtgctcc cgtcgctgg tcgccctgca    57240

cctggccgtg caggcgctgc gggccggaga gtgctcgctg ccgtcgccg gcggggtgca    57300

cgtcatgtcc acgcccggac tcttcgtcga attcagcaag cagcgcggac tgtccacgga    57360

cggccgctgc aaggccttcg cggcgggcgc cgacggattc ggcccggcgg aaggcgtggg    57420

cgtcctgctg ctggagcggc tctccgacgc ccgcaagaac gggcgtccgg tccttgcggt    57480

ggtccgcggt tcggcggtca accaggacgg tgcgagcaac ggtctgacgg ctccgaacgg    57540

tccgtcgcag cagcgcgtca tccggcaggc cctcgccaac gcacggctct ccaccgacca    57600

ggtcgatgtc gtggaggcac acggcaccgg caccagcctc ggcgacccga tcgaggccca    57660

ggcgctcatc gccacgtacg gccaggaccg cccggccgat caaccgctgc tgctcgggtc    57720
```

```
ggtcaagtcc aacatcggtc acacccaggc ggccgccggt gtggccggcg tgatcaagat    57780

ggtgctggcg atgcagcacg gcgtgcttcc gcagagcctg cacatcgacg agccgtcgcc    57840

ccacgtggac tgggagtccg gcgcggtctc gctgctcacg gaacagacgg cctggcccga    57900

gacgacgcat ccgcgtcgtg cgggtgtgtc gtcgttcggg ttcagcggga cgaacgcgca    57960

tgtgatcgtc gagcaggctc cggtggttga ggaggtggcg ggggatccgg ccggtgtggt    58020

cgagggttcg ggtcccgggg tggtgccggt ggtgccttgg gtgttgtcgg gcaagagtgc    58080

gggggcgttg cgggcgcagg cggagcggtt gtccggattc ctcgcgggtg cttcggctgt    58140

ggatgtgccg tcggttgatg tggggtggtc gttggcgtcg tcgcgtgctg ggctggaaca    58200

ccgggctgtg gtgctgggcg atcacgcggc cggtgtggcg gcggtggcgt cgggtgtgat    58260

ggccgcgggt gtggtgacgg ggtcggttgt cggcgggaag accgcgttcg tgttcccggg    58320

gcagggctcg cagtgggtgg gtatggcggt ggggttgctg gattcctcgc cggtgttcgc    58380

tgcgcgggtg gaggagtgtg cgaaggcgtt ggagccgttc accgactggt cgttggtgga    58440

tgtgctgcgg ggtgtggagg gtgcgccgtc gttggagcgg gtggatgtgg tccagcccgc    58500

tctgttcgcg gtgatggtgt cgttggcgga ggtgtggcga ccgctggtg tgcgtcctgg    58560

cgcggtgatc ggtcattcgc agggtgagat cgctgccgcg tgtgtggcgg ggatcttgtc    58620

gcttgaggat gcggcgcggg tggttgcgtt gcgtagtcag gcgatcggcc gggtcctggc    58680

gggtctgggc gggatggtgt cggtgccgtt ccggcgaag gctgtgcggg agctgatcgc    58740

tccgtggggt gagggccgga tctcggtggc cgcggtgaac gggccgtcgt cggtggttgt    58800

ttcgggtgag gccgcggccc tggatgagct gctggtctcg tgcgagtcgg agggtgtgcg    58860

ggcgaagcgg atcgcggtgg attacgcgtc gcattcggct caggtggagt tgctgcggga    58920

agagcttgct gagctgctgg ctccgattgt tccgcgcgct gctgaggtgc cgttcttgtc    58980

gacggtcacc ggtgagtggg tgcgaggccc ggagctggat ggcgggtact ggttccagaa    59040

cctgcgtcgg acggtggagt tggaagaggc gacgcggacg ttgctggagc agggcttcgg    59100

tgtgttcgtc gagtcgagcc cgcacccggt gttgagcgtg ggcatgcagg agacggtcga    59160

ggacgcgggc cgggaggcgg ctgttctggg ctcgttgcgt cgtggtgagg ggggtctgga    59220

gcgtttctgg ctgtcgctgg gtgaggcctg ggtccgtggc gtgggtgtcg actggcatgc    59280

cgtgttcgcg ggcacgggtg cccagcgggt tgacctgccc acctacgcct tccagtcgca    59340

gcggttctgg ccggaggccg cgcccatcga ggctgtggcg gtgtcggcgg agagtgcgat    59400

cgatgcccgg ttctgggagg ccgtcgagcg cgaggacctg gaggcgctga ccgcggaact    59460

cgacatcgag ggcgaccagc cgctgaccgc actgctgccc cgcgctgtcgt cgtggcgtcg    59520

gcagagccgt gagcattcga cagtggacgg ctggcgctac cgcgtcacct ggaagcggat    59580
```

```
cgctgagcct tccccggccc gcctgtcggg tacgtggctg gtcgtcgttc ccgaggtcgg   59640

cccggccgac gagtggacgg gagccgtcct gcgcatgctc gccgagcgcg gcgctgaggt   59700

ccgtaccgtg accgtcccgg ctgacggggc ggaccgtgac cggctcgccg tcacgctgaa   59760

ggccgagacg agcgaggtcg ctccgagcgg cgttctctcc ctcctcgccc tcgccgccgg   59820

tgcgggagcc ttcgccgccg aactcgccct gtgccaggcg ctcggtgacg ccgacgtggc   59880

cgcacctctg tggtgcgtga cgcgtggcgc tgtcgccacc ggccgttccg agcaggtggc   59940

cgaccccgcg caggcgctcg tctggggtct cgggcgggtc gcctccatgg agcagggggg   60000

caggtgggga ggcctgctcg accttcccgc cgatctcgac ggccgtacgc tcgaacgtct   60060

cgcgggtgtc ctggccggtg atggttcgga ggaccaggtg gcgctgcgcg cctcgggtct   60120

cttcggtcgg cgtctggtgc acgcacccct cgccgacacc gccgccgtgc aggagtggcg   60180

tccgcagggc acgaccctgg tcacgggcgg tacgggcgcg ctgggcgcgc acgtggcccg   60240

ctggctcgcc gggaacggcg ccgagcacct gctgctcacc agccgacggg gccccgacgc   60300

gcccggagcc gccgcactcc gcgacgaact caccgccctc ggcacccagg tcaccatcgc   60360

gtcctgcgac atggccgacc gggacgccgt caccgccctc atcgccgcca tccccgccga   60420

ccagcccctc accgcggtga tccatgccgc ggcggtcgtg gacgacgggg tcatcgagac   60480

gctggccccg gagcaggtgg aggccgttct gcgggtcaag gtcgacgcga ccctcatcct   60540

ccacgagctg acccgtggcc tggacctgtc ggcgttcgtc ctcttctcct ccttcgccgc   60600

caccttcggc gcccccggcc agggcaacca ggcacccgga aacgcgtacc tggacgcctt   60660

cgccgagtac cgccggggggt cgggactgcc cgccacctcc atcgcctggg ggccgtgggg   60720

cagcgcggac ggcgacgaca gcgcggcggg cgaccggatg cgccgccacg gcatcatcgt   60780

gatgtcgccc gaacggaccc tcgtctccct ccagcacgcg ctggaccgtg acgagacgac   60840

cctgaccgtc gccgacatgg actggaagcg gttcaccctc gccttcaccg cggaccggga   60900

ccggccgctg ctcctggagc ttcccgaggc ccggcgcatc atcgagagcg cggagcggga   60960

gtccgccgac gacctggccg ggggagtgcc gctcacgcag cagctcgccg gctgcccga   61020

ggtcgaacag gagcggctgc tcctcgacct ggtccgtacg gccgtcgccg ccgtcctcgg   61080

ccatgccgac ctggccgccg tcgaggcggg ccgggcgttc aaggagctcg gcttcgactc   61140

gctcacctcg gtcgaactgc gcaaccggct cggcgcggtc agcggtctga agctgcccgc   61200

cagcctggtc ttcgaccacc cgaccccgc gccgtcgcg gccttcctac gcgccgggat   61260

cgtgcccgac gcggccgcgg gcggcgcgcc gctgctggag gagctcgaca agctcgaagc   61320

cgtactggag cggggcaccg ccgacaacgt cgtacgggcc cgggtgacca tgcggctcca   61380

gaagctcctg gggaagtgga acgagagcga ggaccagtcg ggcgccgagg tgtgggcggc   61440

cgcggccaac ggctccgggt cgggcatcgg cgcggggtcg gcggacggcg tgctggacga   61500
```

```
ggtcgagcag ctccaggagg cgagcgacga agagctgttc gccttcatca acaagggact   61560

cggccgcgcc tgaccgcaat ggatgtggat attgacggcg tgccgttaat tggccaggat   61620

agtcagcccc cttgttaatt tccacaaggc tcactgcccc ctgtcacacc ctcccaccca   61680

ggggtgtgta gggggcagtt aggggttgtc gggaagattg ggcggcgaat aacctgccgc   61740

tgagcagtcg attcaggcaa gaagtgaacc ggctgcatac ccgattcaat tctcggcttt   61800

atctgcacag ttattccgat gccgtctgct gcaaatgggt ggttgcgtta aatggcgaat   61860

gaagagacgc tgcgggacta cctgaagctg gtgacggcgg atctgcacca gacgcgacag   61920

cgtctgcgcg acgtcgaggc gaagaatcag accccatcg cgatcgtcgg catgggctgc   61980

cgctatcccg gcggtgtgac ctcgcccgag gagctgtggc agctcgtcgt ggacggtggg   62040

gacgccattt ccggcttccc cgccgaccgc ggctgggaca tggagacggt ctaccacccg   62100

gatcccgagc accccggcac gagctacgcc aaccagggtg gcttcgtccg ggacttcgcc   62160

cggttcgacc cgtcgctctt cggcatctcg ccgcgcgagg ccctcgccat ggacccgcag   62220

cagcggttgc tcctggagac ctcgtgggag gcgttcgagc gggccgggat cgacccgacg   62280

tcgatgcggg gcaagcaggt cggtgtcttc gtcggcacca gcaaccacga ctacctgtcg   62340

gcgctgctga gttcctcgga gaacgtggag ggctacctcg gcaccggcaa cgcggcgagc   62400

gtcgcctcgg gccggctctc gtacaccttc ggcctcgaag ccccggccgt caccgtcgac   62460

acggcctgct cgtcgtcctc ggtagccctg cacctggccg tgcaggcgct gcgcaacggc   62520

gagtgctcgc tcgccctcgc gggcggtgcc acgctgatgt cggctcccgg cacgttcatc   62580

gactacagca agcagcgcgg actggccacc gacggacgct gcaaggcgtt ctcgcccgac   62640

gccgacggct tcagcctcgc cgagggcgtg ggcatcctgc tggtcgagcg gctctccgac   62700

gcccgccgca agggacatcc cgtcctggcc gtggtccgtg caccgccgt caaccaggac   62760

ggcgccagca acggcctgac cgcgcccaac ggcccgtccc agcagcgcgt catccttcag   62820

gcgctgtcca acgccaggct cacccccgac caggtcgacg cggtcgaggc ccacggcacg   62880

ggcaccggcc tcggtgaccc gatcgaggcg caggcgctca tcgccaccta cggccaggac   62940

cgccccgacg ggcggccgct gtggctgggt tcgctcaaga ccaacatcgg acacgcacag   63000

gccgcggccg gtgtcgcggg cgtcatcaag agcgtcatgg cgatgcgcca cggcgtgctg   63060

ccgcgcaccc tgcacgtgga cgagccgacc cccgaggtcg actggtcggc gggtgacgtc   63120

tccctgctca ccgaagcgcg gccctggccc ctgggcgacc agccgcgccg gatcggcgtc   63180

tcgtcgttcg gcatgagcgg caccaacgcc cacatcatcc tggagagcgc gcaggagtac   63240

gccgacggcc ggcaggccga cgccggtacc gcggggaacg aaccggccac cggccgtacg   63300

aacccgcccg gcgccctccc cgtcgtcctg tccggccgga ccgagcccgc cctgcgcgcc   63360
```

```
caggccgccg cgctgcacgc ccacctcgcg gcccaccccg gcctcggcat cgccgacctc    63420

gccttctccc aggccctcac ccgcgcagcg ctggaccggc gtgcggccgt cgtcgccgac    63480

gaccgcgacg ccctgctggc cgggctcgcg gcactggcgg aaggacgccc cagcgcggac    63540

gtggtcgaag gcagcgccac ggacggaaag ctggcgttcc tcttcaccgg gcaggggagc    63600

cagcggcccg gcatgggccg tgagctgtac gcgacgtatc ccgtcttcgc gcaggctctg    63660

gacgcggtgt gcgagcggct cgaactgccg ctcaaggacg tgctgttcgg gaccgacggc    63720

gccgccggcg ccgcgctcga cgagaccgcg tacacccagc ccgcgctgtt cgcggtcgag    63780

gtggccctct tccggctcgt ggagagctgg ggcctgaagc ccgactacct ggccgggcac    63840

tcgatcggtg agatcgcggc cgcgcacgtg gccggagtgt tctcgctgga ggacgcctgc    63900

accctggtcg aggcgcgtgg ccgtctgatg caggcgctgc cgaccggcgg cgtgatgatc    63960

gcggtcgagg cgtcggagga cgaggtcctg ccgctgctca ccgactgggt gagcatcgcc    64020

gccgtcaacg gccccccggtc ggtcgtcgtc gccggtgatg aggacgctgc ggtcgcgatc    64080

gcggaggcct tcgcagccca gggccgcaag accaagaagc tgacggtcag ccacgccttc    64140

cactcgccgc acatggacgg catgctcgac gccttccgca cggtcgccca gggactctcg    64200

tacgggactc ctcgcatccc ggtcgtctcg aacctcaccg gcgccctcgt caccgacgag    64260

atgggctcgg ccgacttctg ggtccggcac gtccgcgaag ccgtccgctt cctcgacggg    64320

atccgctggc tggagagccg cgggggtcacc acctacatcg aactcggccc cggcggcgtc    64380

ctgtccgccc tcggccagga ctgccagacc gcgaccggcc cccgcgcggc cgccttcctc    64440

cccgcgctgc gcaccggccg ccccgaggcg tcgtcgctga ccgcggccgt ggccggcgcc    64500

catgtccgcg ggctctcccc ggactggacc gtccgcttcg ccggcaccgg cgcacagcgc    64560

gtcgagctgc ccacctacgc cttccagcgc gagctgtact ggccccgcga cccccttcacc    64620

gacccggccg aatccgccca cggcggcgaa ctcggcgcca ccgacgccaa gttctgggag    64680

gtcgtcgaca gcgaggacct cgccgcgctc gccgacaccc tcggggtcgg cggcgacgaa    64740

cccctcagca gcgtgctgcc cgcgctctcc gcctggcacc gccgccaccg cgaccgcgac    64800

accgtggacg gctggcgcta ccgcgtcacc tggaagccgc tgacggacac cacgcccgcg    64860

tcccctccg ggcactggct cctggtcgtc cccaccgagc acgccgacgc cccttgggcc    64920

gtcgccgccg agcgggcact gaccgcacgc ggtgtcaccg tgagcaccgt cgtgctcgac    64980

gcgaccctcg acgaccgggc cgccaccgcc cggcggatcg cgaagccct cgctgcctcc    65040

gccgccaccg actccgcccc ggcgggcgcc gaaacgctcg ccggcgtgtt ctcgctgctc    65100

gccctggagg agcggccgca ccccgcggac ccggcactgt ccgccgggct cgccgccacg    65160

gtcgccctca tccaggcact cggcgacgcg ggagtggaag ccccgctgtg gccgccacc    65220

tgcggcgcgg tctccaccgg ccgcaccgac cggctctcca gcaccgccca ggcgcaggtg    65280
```

```
tggggcctcg gccgcaccgc cgccctcgaa ctgcccgtgc gctggggcgg tctcgtcgac    65340

ctgcccggga cccccgacga gcgggccgcg ggccggctcg ccgacgtcct cggcggactc    65400

ggcggacccg gcgccgagga tcacctcgcc gtacgctcca ccggcgtctt cgtccgcagg    65460

ctggcccgcg ccacccgcga cgagcgcccc accaccgagt gggccaccac cggcacggct    65520

ctcatcaccg gcggcacggg cgcactcggc cgccacgtcg cccgctggct cgcccggacc    65580

ggggcgcagc acctgctcct ggtcagcagg cgcggcccgg aagccgaggg agccgacgcg    65640

ctcgccgccg aactgcgcgc actgggcgcc gaggtcacca tcgccgcctg cgacgtcgcc    65700

gaccgcgacg ccgtcgcggc cctgctcgcc accctcccgg ccgagcaccc gctgaccaac    65760

gtcgtgcacg ccgccggggt gctcgacgac ggcgtcctgg acgcccagac cccgcagcgc    65820

ctcgcggggg tcctgcgccc caaggcccac gcggcgcagg tcctgcacga gctgacccgc    65880

gacctggacc tctccgcctt cgtcctcttc tcgtccgtcg ccgccgtctt cggcgccgcc    65940

ggtcaggcca actacgctgc cgcgaacgcc tccttggagg ccctcgccga gcagcgccgc    66000

gccgacggcc tgcccgccac cgtgctggcc tggggcgcct gggccgaagg cggcatggcc    66060

accgacgaac tcgtcgccga gcgcctgcgg ctggccggac tgcccgccct cgcacccgaa    66120

ctcgccctgt ccgcactgca cagggcgctc accctggacg agaccgcctc gctcgtcgcc    66180

gacatcgact gggagcgcct ggccccggc ctcaccgccg tacgccctg cccgctgatc    66240

gccgacctcc ccgaggccgt gcacgccctc gccggagccg aggcgtccac cgggcccggc    66300

gccgccgccg acacgttcgc gcggcagctg ccgacgcccc cgccggtga acgcgaccag    66360

ctcgccctgg agttcgtacg cacccaggtc gcggccgtac tcggttacgc cggtcccgag    66420

tccgtcgacc cgggcagcgc cttccgggac ctcggcttcg actcgctcac cgcggtggag    66480

atccgcaacc tcctcacctc ccggaccggc ctgcgcctcc cggcgacgct gatcttcgac    66540

taccccaact ccctctccct ggccgccttc ctgcagggag aactgctcgg cgcgcaggcg    66600

accgaccccg cccgccacac ccccgcgggc cccggcaccg ccaccgatga cgaccccatc    66660

gcgatcgtcg cgatgagctg ccgcttcccc ggcggcgtac agagcccgga agacctctgg    66720

cagctgctct ccaccggccg tgacgcgatc tcgggcttcc ccggcgaccg cggctgggac    66780

ctcgacgggc tgtacgaccc cgagtccgcc ggggagaaca ccagttacgt ccgcgagggc    66840

ggcttcctcg ccggtgccac cgagttcgac cccgcgttct tcgggatctc cccgcgcgag    66900

gccctcgcca tggacccgca gcagcgcctg ctgctcgaaa cctcgtggga ggccttcgag    66960

cgcgccggaa tcgaccccgc caccgtgcgc ggcgaacaga tcggcgtctt caccggcacc    67020

aacggccagg actacctcaa cgtcatcctg ccgcacccg acggtgtcga ggggttcctg    67080

ggcacgggca acgcggcgag cgtggtctcc ggccgcgtct cctacgtcct cggcctggag    67140
```

```
ggcccggccg tcacggtcga cacggcctgc tcgtcctcgc tggtcgccct gcactgggcg   67200

atccaggccc tgcgccaggg cgagtgcacc atggccctgg ccggcggcgt gaccgtcatg   67260

tccacgcccg cctccttcat cgacttcagc cgtcagcgcg gcctcgcgga agacggccgt   67320

atcaaggcgt tcgccgcggc cgcggacggt acgggctggg gcgagggcgt cggcatcctc   67380

ctcgtcgaga ggctctccga cgcacagcgc aacggccatc cggtcctggc gatcgtgcgc   67440

ggctcggcca tcaaccagga cggcgccagc aacggcctca cggcgcccaa cggcccgtcc   67500

cagcagcgcg tcatccgcca ggccctcgcc agcggcggac tgacgacgat ggacgtcgac   67560

gccgtcgagg cccacggcac gggtacgaag ctcggcgacc cgatcgaggc gcaggcactc   67620

ctcgccacct acgggcagga ccggccggaa ggccgtccgc tgctcctcgg ctcgatcaag   67680

tcgaacctcg ggcacacgca ggccgccgcc ggtgtcgccg gtgtcatgaa gatggtcctc   67740

gccatgcagc acggtgtgct gccgcagacc ctgcacgtcg acgagccgac cccgcacgtg   67800

gactggtcgg cgggcgacgt cgccctgctg gccgatgccg tggcgtggcc cgagaccggg   67860

cgtccgcgcc gggcgggcgt ctcgtcgttc ggcatcagcg gcaccaacgc ccacaccatc   67920

atcgaacagg ccccggcagc cgtggcgccc gtcccgcccg tcgccaccac gcccgcacgg   67980

gccgacggac cgcagccgtg gctcctctcg gcgaagaccc gcgacgcact ccacgaccag   68040

gcgcgccgac tgcacgccca cgcggagctg aacccggaac tgagccccgc cgacctcgga   68100

ctctccctgg cggccggccg ttcggcgttc gagcggcgcg cggccgtgat cgccgcagac   68160

cgtgacgggc tgctggccgg cctcgcggcc ctggcggacg gcggcgcggc ggcaggactg   68220

gtggagggct caccggtcgc cggaaagctg gcgttcctgt tcaccgggca ggggagtcag   68280

cggctcggga tgggccgtga gctgtacgac acgtaccccg tcttcgcgga cgcgctcgac   68340

gcggtctgcg cgcatgtgga cgcgcacctc gaagtcccgc tgaaggacgt cctgttcggg   68400

gcggatacgg gtctgctgga ccagacggct tacacgcagc ccgcgttgtt cgcggttgag   68460

gtggcgttgt tccggctggt ggagagctgg ggtctgaggc ccgacttcct ggccggtcat   68520

tcgatcggtg agatcgcggc cgcgcatgtg gcgggcgtct tctcgcttca ggacgccagc   68580

gaactggtcg tcgcccgtgg gcggttgatg caggcgctgc cgaccggtgg cgtgatgatc   68640

gccgtccagg cgtcggagga cgaagtcctg ccgctgctga ccgaccgggt gagcattgcc   68700

gcgatcaacg gccctcagtc ggtcgtcatc gcgggtgacg aggccgacgc ggtcgcgatc   68760

gcggagtcgt tcacggggcg caagtccaag cgcctcacgg tcagccacgc gttccattcg   68820

ccgcacatgg acggcatgct ggaagacttc cgggccgtgg cggagggcct ctcgtacgag   68880

gctccgcgca tccccgtcgt ctcgaacctc accggcgctc tgatctcgga cgagatgggc   68940

tcggccgagt tctgggtccg gcacgtccgt gaggccgtcc gcttcctcga cggcatccgc   69000

acgctggaag ccgcaggcgt caccaagtac gtcgaactcg gccccgacgg cgtcctgtca   69060
```

```
gccatggccc aggactgcgt gagcggcgag ggctccgtct tcatccccgt actccgcaag   69120

gcgcgccccg agcccgagag cgtcaccacc gccctcacca cggcccacgt ccacggcatc   69180

cccgtcgact ggcaggcgtt cttcgccggg accggcgccc ggcgcgtcga cctccccacc   69240

tacgccttcc agcgccagcg ctactggccc gccgtctcct ccctctacct cggcgacgtc   69300

gaggcgatcg ggctcgacga caccgcgcac ccgctgctca gtgcgggtgt cgccctgccc   69360

gagtccgacg gcatggtgtt cgccgggcgg ctcgcgctct ccacccacgc ctggctcgcc   69420

gaccacgcca tcctcggcag cgtcctgctg cccggtacgg ccttcgtcga gctggccacc   69480

cgcgccggcg accaggtcgg ctgcgattac ctggaagagc tgaccctcga agcgcccctc   69540

gtcctgcccg agcacggcgg cgtccagctg cgcgtgtggg tcggcgccgc cgacgagtcc   69600

ggccgacggc cgttcgccct gcactcccgg gccgaaggcc tgccggtcga ggagccgtgg   69660

acgcggcacg ccggcggtgt actcgccgaa ggcgggcggc ccccggccga cttcgacctg   69720

acggcctggc ccccgccggg cgccgtcgaa gtggaccttg acgggcgcta cgaccagctc   69780

gacggcatcg gcttcgccta tggccccacc ttccgtggcc tgcgtacggc ctggcagctc   69840

gacggcgaga tctacgccga ggtcaggctg cccgagggag ccgagggcga ggcgggccgg   69900

ttcggcctgc acccggccct gctcgacgcg gcactgcacg ccatcgggct gggcggcctc   69960

ggcgccgacg acggccaggg gaggctcccc ttcgcctgga gcggagtatc gctgcacgcg   70020

ggcggggctg ccgcactgcg cgtccacctc gctccggcgg gcgccgaggg cgtccgcctg   70080

gagatcgcgg acgcctcggg cgcaccggtc gcggccgtcg agtcgctcgg gctgcgcccg   70140

gtgacggccg agcagctccg tgccgctcgt gccacctacc acgagtccgt gttccgtcag   70200

cagtggaccg agctgccggg tctcggcgct ccggccgcga cccccgccgt ccggtacgcg   70260

ttcctcggcg gcgacagcgg cgacagcggc gacagcggtg acaccgcagc cgccgaccgt   70320

caccaggacc tggcggcgct cgccgccgcg atcgacgccg gaaggcccgt accggacgag   70380

gtggtcgtcg aactcgccgc cgcgccctgg gccgtgtcgg cgtcggccgt gcacagtgcc   70440

gcgcacgatg cgctggcact catccagacc tggctcgcgg acgaccggtt cgccgccgca   70500

cgcctggtgt cctcaccccg cggcgcggtg ccgcggacg cgggcgacga cgtgaccgat   70560

ctcgccgccg ccaccgtgtg gggcctgctg cggtccgcgc agacggagaa ccccggcagg   70620

atcgccctcg tcgacaccga cggccacgac cggagcgagc aggccctgcg ggcggcgctc   70680

acctccgacg aggagcggtt cgcgctgcgc gccggagcgg tcctcgtgcc ccggctcgcc   70740

cgggtcgaga tccagcagga cgactccgcc cggacaccgg ccctcacgcc cggcggcacg   70800

gtactgatca ccggagccac cggagcgctg ggcggtctct tcgcccggca cctcgccgcc   70860

gaacacggcg tggagcggct gctcctcgtc ggcaggcgcg gggccgacgc ccccggcgcg   70920
```

```
gccgaactcg tcgccgaact cgccgagtcg ggcaccctcg ccacctgggc ggcgtgcgac   70980

gtggccgacc gggacgcgct cgcggcactg ctcgcggaca ttcccgccga gcacccgctg   71040

accgccgtcg tccacacggc cggagtcctc gacgacggcg tcatctcctc gctgacgccc   71100

gagcggctct ccgccgtgct gcggcccaag gtggacgcgg cctggaacct gcacgagctg   71160

acccggggcc tcgacctcgc cgccttcgtg ctcttctcct ccacctccgg cctcttcggc   71220

ggccccggac agggcaacta cgccgccgcc aactccttcc tggacgccct cgcccagcac   71280

cgccgcgctc acgggctccc cgcgacctcg acggcctggg gcctgtggtc cgtggccgac   71340

ggcatggcgg gcgccctgga cgcggccgac gtcaaccgca tgcggcgggc cggactgccg   71400

ccgctgaccg ccgccgacgg cctcggcctg ttcgacacgg cggtctccct cgacgaggcc   71460

tccctggccc tgatgcgggt ggacaccgaa gtcctgcgca cccaggccgg ggccggtacc   71520

atcgcgccgc tgctgcgcgg tctcgtacgg ggcgtggccc gccggtcggt cgacgtgtcg   71580

gccggtgccg ggggcgccga atcggagctg cgcggcaggc tggcggcgct caccgccgcc   71640

gagcaggacc gggcgctgct ggacctggtg cgtacgcagg tcgcggcggt cctcggacac   71700

gccggacccg cggccgtgga gtcgggacgg gccttcaagg aactcggttt cgactcgctc   71760

accgcggtgg agctgcgcaa ccggctgaac gccgccaccg cgctgcgcct gcccgcgacg   71820

ctgatcttcg actatccgga cccgaccgtt ctcgcccggt acctgcgcgg cgagctgatc   71880

ggtgacgaca ccacggacgc cgtggccgag ccgctcacgg ccgtggccga cgacgagccc   71940

atcgccatcg tcgccatgag ctgccgctac cccggtgacg tacgcacccc cgaggacctg   72000

tggcagctgc tgacggcggg cgccgacggc atcacccggc tccccgagaa ccggggctgg   72060

gacaccgagg gcctgtacga cccggacccg gagagccagg gcacctcgta cgcccgcgac   72120

ggcggattcc tgcacgacgc ggccgagttc gacgcctcct tcttcgggat ctcgccgcgc   72180

gaggccctcg ccatggaccc gcagcagcgc ctcctcctgg agacgacctg ggaggtcttc   72240

gaacgggccg gcatcgcgcc gtccgcggtg cgcggcagcc ggacgggtgt cttcgcgggt   72300

gtcatgtacc acgactacgg cgcgcgcctg cacgccgtgc ccgacggcgt cgagggctac   72360

ctcggcaccg gcagctccag cagcatcgtg tcgggccggg tcgcctacac cttcggcctg   72420

gagggcccgg cggtcaccgt cgacacggcc tgctcctcgt cgctggtcgc cctgcacctc   72480

gcggcccagg cgctgcgcaa cggcgagtgc tcgctcgctc tcgcgggcgg tgtcaccgtg   72540

atgttcacgc ccggaacctt catcgagttc agccgtcagc gcggcctggc cgccgacgga   72600

cgctgcaagt ccttcgcggc cgccgccgac ggcacgggct ggggcgaggg cgcgggcatg   72660

ctcctgctgg agcggctctc cgacgcgcga cgcaacggcc accaggtcct cgcggtcgtc   72720

cgcggctcgg ccgtcaacca ggacggcgcc agcaacggcc tcaccgcccc gaacggcccc   72780

tcgcagcagc gcgtcatccg gcaggccctc gccaacgccg gtgtcgccgc cggacacgtc   72840
```

```
gacgccgtcg aggcacacgg caccggcacc accctcggtg accccatcga ggcgcaggcc    72900

ctgctcgcga cctacggcca ggagcacacc gacgaccggc cgctgctcct cggctcggtg    72960

aagtccaacc tcggtcacac acaggccgct cgggcgtcg ccggtgtcat caagatggtc    73020

atgtcgatgc ggcacggtgt gctgccgaag accctgcacg tcgacgagcc gaccccgcac    73080

gtggactggt cggcgggcgc ggtctcgctc ctcaccgagc agaccccgtg gcccgagacc    73140

ggccgtccgc gccgcgcggg cgtctcctcc ttcggcatca gcggcaccaa cgcgcacgcc    73200

atcatcgagc aggccccgga gccggacccg gcccgggcga aggcgacggc gcggcccgcg    73260

ccggacgccg cggcgccgtc gtccgtgccc ctgatcgtgt ccgcccgcgg cgaggacgcg    73320

ctgcgcgccc aggcccgcag gctccacgcc cacgtccacg ccgaccccgg cctgcgcgcc    73380

gtcgacctcg gcctctccct ggcgaccacc cgctcggccc tggagcagcg cgcggcgctg    73440

gtggccggcg accgcgcgga actgctgcgc ggcctggacg ccctggcccg cggcgaggac    73500

accgcggggc tggtgcgcgg caccgcccgc gagggccagg tggcgttcct gttcaccggt    73560

cagggcagcc agcggccggg gatgggacgc gagctgtacg acgcgcatcc cgtcttcgcg    73620

gacgcgctcg acgagatctg cggcgaactg gaccggcacc tcgaagtacc gctcaagggc    73680

gtgctgttcg cgaccgaggg cgatctgatc caccagaccg cgtacacgca gcccgcgctg    73740

ttcgccgtgg aggtggccct gttccggctc ctggagagcc ggggcgtgca gcccgacttc    73800

ctggccggtc actcgatcgg tgagatcgcc gcagcccatg tggcgggcgt cttctcgctc    73860

caggacgcca gtgaactggt cgccgcccgt gggcggttga tgcaggcgct gccgaccggt    73920

ggcgtgatga tcgccgtcca ggcatcggag gacgaggtcc tgccgctgct gacggaccgg    73980

gtgagcatcg ccgcgatcaa cggcccccag tcggtcgtga tcgcgggcga cgaggccgac    74040

gcggtggcca tcgccgagtc cttcacggac cgcaagtcca agcggctcac ggtcagtcac    74100

gccttccact cgccgcacat ggacggcatg ctcgccgact tccgcaaggt cgccgagggc    74160

ctcgtctacg agaacccgcg catcccggtc gtctcgaacc tcacggggg cctggtcacc    74220

gacgagatgg gttcggccga cttctgggtc cggcacgtcc gcgaggccgt ccgcttcctc    74280

gacggcatcc gcgccctgga agccgcgggc gtcaccacac acatcgagct gggccccgac    74340

ggcgtgctct gcgccatggc ccaggaatgc gtgagcggcg aggacaccgt cttcgtcccc    74400

gtactgcgcc ccggccgccc cgaggccgag accgtcacca ccgccctcgc ccgcgtccac    74460

gtccagggcg tacccgtgga ctggcaggcg tacttctccg gcaccggcgc ccagcgcgtc    74520

gacctgccca cctacgcctt ccagcgcaag cgctactggc tcgacgtcgg cgtctccgtc    74580

gaggacgtgc tggcggccgg tctcgatgcg gccgaccacc ccctgctggg cgccaccgtc    74640

tccctgcccg gatccgacgg gctggtcctc accggacgcc tcgcgctgtc cacgcacccc    74700
```

```
tggctgagcg accacaccgt catggacacc gtcctgctgc ccggcacggc cttcgtcgaa   74760

ctcgccctgc gggccggtga actggtcggc tgcggcgccg tcgaagagct ggcgctcgaa   74820

gccccgctca ccctcgccga ccagggcgcc gtccagttcc agctggccgt ggacgcgccg   74880

gacggcgccg ggcgccggac cctgaccctg cactcccgcc gcgcgggtgc cccggccgaa   74940

gagccgtgga cacggcacgc caccggcgtt ctcacgcccg aagcgtccgc cgtgcccgcg   75000

caccccttcg acctgaccgc atggccgccg gccgacgcgg agcccgtgcc caccgacgcc   75060

ttctaccccg gcgcggccgc ggccggcctc ggctacggac cggtcttcca ggggctgcgg   75120

gccgcctggc ggcgcggcga cgaactgttc gccgaggtcg cactcgacga ggagcacgag   75180

gccgacgccg ccgcctacgg gctgcacccc gccctgctcg acgcggccct gcacgccatc   75240

ggcctcggag cgcccggcgc gcccgccgac gccccggccg aaggagcccg gctgcccttc   75300

gcctggaccg gcgtacgcct gtacgcggcc ggcgcggcgg gcatccgcgt ccggctgacc   75360

gccgccgcat ccggcggcat cgccctggac gtggccgact ccaccggagc gccggtggcc   75420

tccgtcgagt ccctgatcct gcgccccgtc tccgcggagc agctcggcgg ggaccgcacg   75480

gcccaccacg agtcgctctt cggcgtcgag tggaccaggc tgtccctccc caccggtgcg   75540

atcccctccg gcgaacgctg ggccgtactc ggcgaggacg agccggacct ccgggtcggc   75600

ggcgaacgcc tcgacgtgta cagcggtctc acggcgctgc gcgaggaaat cgccgcgggc   75660

acctcggcgc cggacgtcgt cgtcgtaccc ctgtcctccg ccgcgtccgg tggcggacgt   75720

gcggggaccg cccgggccgc cgcgcaccac gcgctggccc tggtcaagga gtggctggcc   75780

gacgaacggc tcgacggcgc acggctcgtg ctgctgaccc ggggcgcggt ggccgccgta   75840

cccgacgagc acgtgaccga tctgacccac gccccggtgt ggggcctcgt acggtccgcg   75900

cagtcggaga accccggccg gttcgtgctc gccgacaccg acggcgccga cgcctccttc   75960

ggggcgctgg ccgccgcgct cgccaccgac gagccgcagc tcgccctgcg gtccggcgag   76020

gcacacgcct tccggctgcg ccgcatcgcc cgtaccgcga gcgatccggc cggtgaaacc   76080

ggcacggggcg acggccccac ccgtgccgac gacgccggga ggatcgccgc cgacggcacg   76140

gtcctggtca ccggcgcgag cggcaccctc ggcgggctct cgcccgcca cctggccacc   76200

acgcacggcg cacggcacct gctgctgctg agccgtcgcg gggaccgggc ccccggggcc   76260

ggggaactga cccgtgagct gaccgaagcg ggcgtggacg tgacctgggc ggcgtgcgac   76320

gcggccgacc gggacgcgct cgccgccgta ctcgccgcga tcccggccga ccggccgctg   76380

acggcggtcg tccacaccgc cggtgtgctc gacgacggca tcatcgactc cctcacaccc   76440

gaacgcctcg acaccgtgct gcggcccaag gtcgacgcgg cctggaacct gcacgagctg   76500

accgagggcc acgaactctc cgccttcgtg ctcttctcct cggtcgccgg ctgcttcggc   76560

gccgcgggcc agggcaacta cgcggcggcc aacacctcc tggacgccct cgcccagcac   76620
```

```
cgcaaggccc ggggcctcac cgccagttcc ctcgcctggg gcctgtggga gacgacggac    76680

ggcatggccg gcgcgctcga cgaagccgac ctgacccgca tggcccgctc cggtgtggcc    76740

gcgctcgccc ccgacgaggg cctggccctc ttcgacacct cccgcaccct ggacgacgcg    76800

gtcctcgtcc ccatgcggat cgaactgggc gcgctgcgcg cccaggccgc ggacggcacc    76860

ctgccgccgc tgctgcgcgg actggtgcgc actcccgcgc gccgggccgc cggctccacg    76920

gcacgcgccg gaacgcgccc cggcaccgac ccggcgggca ccctcgaaga gcgcctcgcc    76980

ggactgtcgg ccgccgaacg cgaccgggcc ctcatggagc tggtccgcac acaggtggcc    77040

gcggtcctgg gctacgcggg ccccgacgac gtcgacgccg cacggggctt cctcgacctg    77100

ggcttcgact cgctcacggc cgtcgacctg cgcaaccgcc tcacggcgag cgccggactc    77160

cggctgcccg tcacgctcat cttcgactac ccgtctccga ccgcgctcgc cgcgtacctc    77220

gccgaacgcc tcggccaggg cgacccgtcc cgccggcccg tccacgcgga actcgacaag    77280

ctcgaatcga tcctctcgac ggtcggcccc gacgacgtcg aacgcgcggg catcaccgcc    77340

cggctgcgag accttctggc gaagtggaat gaaacgcaca gtgcacagga cagcgccgca    77400

gacgagcggg aaatccagtc cgcgacggcc gacgagatct cgatctcct cgacgacgaa    77460

ctcgggctgt cctgaccggc tcctgcccgg cgggcggccg gccggtgcgg agcaccggct    77520

cccggccgcc cgcccgtccg gcacccacct tccgatccac cggctccgcg cgagctttcc    77580

gactctgacc acggggatgg cgtaaatggt gaacgaggag aagtacctcg attacctcaa    77640

gcgggcgact accgacctcc gcgaggcacg acgacggctg cgcgaggtgg aggaacggga    77700

gcaggagccg atcgccgtcg tggcgatgag ctgccgctac cccgggggga tcgacacccc    77760

cgagaagctg tgggacctcg tcgcccacgg ccgggacgcc gtctccgcct accccacgga    77820

ccgcggctgg gacgccgaag tcctcttcga ccccgacccc gagaccggga tcgaggcgta    77880

cgaacaggtc ggcggcttcc tgcacgacgc ggccgacttc gaccccgcgt tcttcgggat    77940

ctcgccgcgc gaagccctcg ccatggaccc ccagcagcgg ctgctgctgg aaacctcctg    78000

ggaggcgttc gagcgggccg gaatcgaccc ggcgaccctg cgcggcagcc gtacgggcgt    78060

cttcgccggc ctgatgtacc acgactacgc cgcccggctg ttcagcgtgc ccgaggagat    78120

cgagggcttc ctcggcaacg gcagctccgg cagcatcgcc tcgggccgga tcgcctacac    78180

cctcggcctc gaaggccccg ccgtcaccgt cgacacggcc tgctcctcct cactggtcgc    78240

cgtgcacctc gcggcccagg cactgcgcaa cggcgagtgc acgctcgccc tcgccggtgg    78300

tgtcaccgtc atgtcgaccc ccggcacctt caccgagttc agccgccagc gcggcctggc    78360

ggccgacggc cgctgcaagt ccttcgcggc cgcggcggac ggtacgggct ggggcgaagg    78420

cgccggcatg ctcgtcctgg aacggctctc cgaagcccgc aggaacggcc accccgtcct    78480
```

```
ggcactcgtg cgcggttcgg ccgtcaacca ggacggcgcc agcagcggtc tgacggcccc   78540

caacgggccg tcccagcagc gcgtcatccg ccaggcactc gccggtgcgc ggctgtcggc   78600

cacccaggtc gacgcggtcg aggcccacgg caccggcacc accctcggcg acccgatcga   78660

agcgcaggcc ctgctcgcca cctacggcca ggaccgtccc gacggccgcc cgctgtggct   78720

gggctccatc aaatcgaaca tgggtcacac ccaggccgcc gccggtatcg cgggcattat   78780

caagatggtc atggcgatgc gccacggcat cctccccaag accctgcacg tcgacgagcc   78840

gaccccgaac gtcgactggt ccgagggcgc ggtctccctg ctcaccgagt ccgtgccgtg   78900

gcccgagacc ggcgcgcccc gccgcgcggg agtctcgtcg ttcggcatca gcggcaccaa   78960

cgcccacacc atcctcgaac aggccccgga cgccgtcgag gccgcacccg ggaccgagcc   79020

ccccgcggcg gccgcaccgc ccgtgccccc gctctggacc ctctccgcca agagcccggc   79080

cgcgctgcgc gcccaggccg ggaaactgca cgcccacctg accgcacacc ccggcctgcg   79140

ccccggggac atcgcccact cgctcgccgt cggacgcacc gacttcgagc accgcgccgt   79200

cctcacctcc gccgacgggc ccgtgggcct cgtccgtgcg ctggaagccc tcgcggactc   79260

ggctcccgag gacacggcac ccgccgacag ggcaccgggg gtcacccggg ccgcccggt   79320

cgccgggaag ctggcgttcc tgttcaccgg gcaggggagc cagcggctgg ggatgggccg   79380

cgagctgtac gagacgtatc ccgtcttcgc gcaggctttg gacgcggtgt gtgagcggct   79440

gaatctcgaa gtgccgctga gggatgtcct gttcgggggcg gatgcgggtc tgctggacca   79500

gacggtctac acgcagaccg cgttgttcgc ggtcgaggtg gcgttgttcc ggctggtgga   79560

gagctggggt ctgaagcccg acttcctggc gggtcattcg atcggtgaga tcgcggccgc   79620

gcatgtggcg ggggtgttct cgctggagga tgcgtgcgcg ctggtgtcgg cgcgtggccg   79680

cttgatgggt gcgctgccgg gtggcggcgt gatgatcgcc gtccaggcgt cggaggacga   79740

ggtcctgccg ctgctcaccg accgcgtgag cattgccgcg atcaacggtc cgcagtcggt   79800

cgtgatcgcg ggcgacgagg ccgacgcggt ggcgatcgcc gagtccttcg cggaccgcaa   79860

gtccaagcgg ctcacggtca gtcacgcctt ccattcgccg cacatggacg ccatgctgga   79920

ggacttccgg gccgtggcgg agggcctgtc gtacgaggcc ccgcgcatcc ccgtcgtctc   79980

caacctcacc ggcgccctcg tctccgacga gatgggctcg ccgacttct ggtccgcca   80040

cgtccgcgag accgtccgct tcctcgacgg catccgcgcc ctcaccgagc gcaacgtcgt   80100

ccacttcgtc gaactcggcc cggacgccgt gctgtcggcc atggcccagg actgcccctc   80160

cgccgacacc gcggccttcg tgcccgtact ccgcaagggc cgttcggaga ccggttcgct   80220

gaccgacgcc ctcgcgcggc tccatgtggg cggggtggcc gtcgactggg acgcgtacta   80280

ctccggtacg gacgtccagc gcgtcgacct gcccacctac gccttccagc gcgcgcacta   80340

ctggctcgac gcaggccggc ccctcggcga cgtctcctcg gccgggctcg gtgcggccgg   80400
```

```
ccacccgctg ctcggggccg ccgtggccct cgccgacctc gacggtttcc tctacaccgg   80460

ccgtctctcg ctcgacaccc acccctggct cgccgaccac gccgtcatgg gttcggccgt   80520

actgccgggc accgccttcg tcgaactggc catccgcgcc ggtgaccagg tcggctgcga   80580

cctgctcgaa gaactcaccc tgcacgcacc gctcgtactg cccccggccg gaggtgtgca   80640

ggtccagttg tgggtcggcg caccggacgc caccggccgc cgcaccctgg gtgtgcactc   80700

ccgccccgag cccgcaccgg acgccgtcgg cccggacgcc gacgcggcgg agccgtggac   80760

ccggcacgcc gacggtgtgc tcgccacggg tgccccgcag ccgtccttcg cccccgacgt   80820

ctggccgccg gccggtgcca ggcccctgcc cgtcgacgag ctgtacgccg ggctcgccga   80880

ggcgggcctc gaatacggcc ccgccttcca gggcgtccgc gcggcctggg cgagcgacga   80940

cgcggcctac gtcgagatcg cggccgccga cggacagtgg gccgatgccc cgctgttcgg   81000

actgcatccc gcgctcctcg actcggcgct gcacgccatc ggtctggccg ggctcgtcga   81060

ggacaccggc cgcggccggc tgcccttctc ctggtccggg gtgtccctgt acgccgtggg   81120

cgcctcggtg ctgcgcgtac ggctggccaa ggccggaccg gacgcggtgt ccctggccct   81180

cgccgacggc gccggacagc ccgtgggcga catcgcctcg ctcaccctgc gccctgtctc   81240

ggccgagcag ctggacaccg ggcggggcgg tcaccatgac gcgctgttcc aggtggactg   81300

gaccccgctg aacctgcccc gtgctgtcga cagccgctgg gccgtgctcg gcgagcccgt   81360

ccccaccgac gagccggggcg acggcgtggc gcgccacgcg gacgcggagg cgctgagcgc   81420

ggccctcgac gcgggtgctc cggtgccgga tgccgtactc gtacgccacc ccgccctgcc   81480

cgaacccacc cccgaggcgg tccaccaggc cgcgcaccgg accctcggcc tgctgcggca   81540

ctggctcggc gacgaccggc tcgccgacag ccgcctcgtc ctgctcacgc acggcgcggt   81600

cgccgcggga gacgcggacc aggtacccga cccggtgcac gccgtggtct gggggctggt   81660

ccgctccgca cagtccgagc acccgggccg gttcctgctg atcgacagcg attccggtat   81720

cgacacactc tcctggccga cgttcggtgc cgttctcgcc tccgaggagc cgcaggtcgc   81780

cctgcgcggc ggcgtggccc acgcacccag gctggccaag gttcccgcca ccgctaccgc   81840

cgctgccgtc gtcgagacgt cgtcgtacga ccctgacggc accgtcctcg tcaccggggc   81900

cagcggcacg ctcggcggac tcgtcgcccg tcacctcgtg accgggcgcg gcgtacggcg   81960

tctgctgctg ctgagccgtc ggggcgccga tgcccccggt gccggtgaac tggccgctga   82020

gctgaccggg ttgggtgccg aggtgtcgtg ggcggcgtgt gacgcgggtg accgcgacgc   82080

gctcgcggcc gtactggccg ccgttcccgc agcgcacccg ctcaccgcgg tcgtccacac   82140

ggccggtgtc ctcgacgacg gcgtgatcgg ttcgctcacc ccggagcgcc tcgacacggt   82200

ccttcgcccg aaggccgacg ccgctctcca cctgcacgaa ctgacccgcg acctgcccct   82260
```

```
gaccgccttc gtcctcttct cctccgcggc cggggtcttc ggcgcaccgg gtcagggcaa    82320

ctacgccgcc gccaactcct tcctggacgc cctcgcccag taccggcgtg cccacgggct    82380

ccccggccgg tcgctggcct ggggcctctg ggaggacgcc gaaggcatgg cgggcgccct    82440

cgaccgcgcc gacctcgacc ggatgaagcg cggcggagtc cacggactca ccgcctccga    82500

gggcctcgcg ctcctcgacc tcgccgacgc cctcggcgcg gaccgtgacg accagggcca    82560

ggatcaggag acggccggac gggcgctgct cgtgccgatg cggctgaccc ttcccgccgt    82620

cgcccccggc gccgaagtcg ccccgctgtt ccggggattg gtccgcaccc ccgcgagacg    82680

cgtcgcggcc ggagccacca cgggagccac caccggaacc gggcccgacc tctccgctct    82740

cgaacggcgg ctcctcggcc tcgacgcgcc ggagcgggag cggctgctcc tcgacctcgt    82800

ccgcggccat gtcgccgacg tgctcggcca cggctccccg gacgccatcg accccgaaca    82860

ggccttcagc gagctgggct cgactccct gacggcggtg gaactgcgca accgcctggg    82920

cgcggccatc ggccggcggc tgcccgccac gctgatcttc gaccacccgg cctcgctcac    82980

cctcgcccgt cacctctccg gtgaactcgc cgggtcccag gccgcgttgg cgccagccgg    83040

gcccgcgccc accgtgaccg acgacgaccc gatcgccatc gtggcgatga ctgccgcta    83100

ccccggcggc gtgaccaccc ccgaggagct gtggcagctc ctcgcggggcg cggggacgc    83160

gatatccggc ttccccgccg accgcggctg ggacgtcgag tcgctgtacg accccgatcc    83220

cgaccacccg ggcacctcgt acacccgcca cggcggcttc ctgcgcgacg ccgccgcgtt    83280

cgatccgacg ttcttcggga tcagcccgcg cgaggccgtc gggacggacc cgcagcagcg    83340

gctcctcctg gagaccacct gggaggcgtt cgaacgggcc gggatcgacc cggccaccgt    83400

gcgcggcagc cggaccggtg tgttcgcggg cgtcatgtac cacgactacg cggccctgct    83460

ggagcgctcg aaggacggag cggacggctc cctcggctcg gcagcaccg gcagcatcgc    83520

ctcgggccgg gtctcgtaca ccttcggtct cgaaggcccc gccgtcacga tcgacaccgc    83580

ctgctcgtcg tcgctcgtgg ccctgcacat ggccatccag cgcgctgcgca ccggcgagtg    83640

cgacatggcg ctggccggcg gtgtcaccgt catggcgacc cccggcacgt tcatcggctt    83700

cagccgtcag cgcggcctgt ccgccgacgg ccgctgccgc gccttctcgg ccgacgccga    83760

cggtacgggc tggggcgagg gcgtcggcat gctcctcgtg gaacgcctgt ccgacgcccg    83820

ccgcaacggg catccggtcc tggccgtggt ccgtggctcg gcgatcaacc aggacggcgc    83880

gagcaacggc ctcaccgccc ccaacggccc ctcgcagcag cgcgtgatcc gcgcggccct    83940

cgcgagcgcg ggcctgtcgg ccgccgaggt cgacgcggtc gaggcgcacg gcaccggtac    84000

gacgctcggc gatccgatcg aggcgcaggc gctcctggcc acctacggcc gggagcacac    84060

cgaggacagc ccgctgtggc tcggctcgat caagtccaac atgggtcaca cgcaggcggc    84120

cgccggtgtc gcgggcgtca tcaagatggt cctcgccatc cagcacggcg tgctgccgcg    84180
```

```
caccctgcac gcggaccggc cctcgcccca cgtggactgg tcgcagggcg ccgtctcgct   84240

gctcaccgag tccgtcccgt ggccggagac gggccgtccg cgccgcgcgg gcgtgtcgtc   84300

gttcggcatc agcggcacca acgcgcacac gatcatcgag caggcgccgg aggaggccac   84360

ggtggccccg gccgacgcgg tggccgcgcc gagcgcgctg cccctgcagc tcgcgggccg   84420

cagcgccgag gcgctctccg cccaggcccg tgcgctgagc gcacacctga ccgcacaccc   84480

cgacgtcccc ctcgcagacc tcgcctactc cctggccacg agccgtgcca ccttcgacca   84540

ccgggcggtc ctggtcgcga cggagggcac aacggccgcc acggccgtca cggcgctcga   84600

cgccctcgcc gaccggcgca cggcaccggg cctggtgcgg ggcacggcca gcaagggcgg   84660

tcgcacggcg ttcctgttca cggggcaggg gagccagcgg ctggggatgg ggcgtgagct   84720

gtacgaggcg catcccgtct cgcgcgggc tctcgacgcg gtgtgtgatc gcctggaact   84780

gccgctgaag gatgtgctgt cggtactga cgcgggtctg ctgaacgaga ccgtgtacac   84840

gcagccgggt ctcttcgccg tcgaggtggc gctgttccgt ctgctggaga ctggggtgt   84900

gaagcccgac ttcctggccg ggcactcgat cggtgagatc gccgcagccc atgtggccgg   84960

ggtgctctcc ctcgatgacg tgtgcgctct ggtggaggcg cgtgggcggt tgatgggtgc   85020

gctgccgggc ggtggcgtga tgatcgccgt ccaggcgtct gaggctgagg tcctgccgct   85080

gctgaccgac cgggtgagca ttgccgcgat caacggcccc cggtcggtcg tcatcgcggg   85140

cgacgaggcc gacgcggtcg cgatcgtgga gtccttcacg accgcaagt cgaagcggct   85200

cacggtcagt cacgccttcc actcgccgca catggacggc atgctcgacg ccttccgtga   85260

aatcgcggag ggtctgtcgt acgaggctcc gcgcatcccg gtcgtctcca acctcaccgg   85320

ggccctggtc tcggatgaga tgggttcggc ggacttctgg gtgcggcacg tccgtgaggc   85380

cgttcgtttc ctggatggca tccacgccct ggaggccgcg gcgtgacga cgtacgtcga   85440

actcggcccc gacggagtcc tgtcggcgat ggctcaggag tgcgtgaccg gcgaggactc   85500

cgtcttcgtg ccggtcctgc gctcgggtcg tcccgaggcc gagagcgtca ccacggccct   85560

cgcccaggcg catgtccgcg ggatcgccgt cgactggcag gcgtacttcg ccgggaccag   85620

tgcccagcgc gtcgacctgc ccacctaccg cttccagcgc gagcactact ggcccgagac   85680

gggcatcccc ctgcccggcg acaccgctgg gctcgggctc ccgccgcgcgg gtcatccgct   85740

gctgggtgcg gccgtgacac tcgcggacgc cgacggatgc gtcctcaccg gtcggctctc   85800

cctgcggacg catccctggc tcgcggacca cgccgtcatg gggtccgtac tgctcccggg   85860

aacggctctc gtcgaactgg ccctgcatgc gggcgagcgc gtcggaaccc gtgccctgga   85920

cgagctgacg cttcaggccc cgctgatcct gccgaacgag ggcgcggttc agctgcaagt   85980

cgtggtcggt gcgccgatg ccgcgggcca ccgcacggtg ccgtgtact cccgcccgga   86040
```

```
cgccgacggc gaagcgtggg tccggcacgc cgacggactg ctggtggacg aggtccgggg  86100

cgccgccgcc gacctcggcg tctggccccc ggccggtgcg accgccgttc cggtggacga  86160

cgcctacgcg atcttggaga cctcgggggct cgcgtacggc cccctgttcc aggggctgcg  86220

ggcggcctgg cggcgagcag gagagctgtt cgcggaactg ccctgccca cggaggcgca  86280

ggcggacgcc gccgcgttcg ggctgcaccc tgcgctgctg gactcggcgc tgcacaccct  86340

ggcgctgggt gatctgctgt ccggcgcgga cgcggaggaa acgcccggcg ccgcacggct  86400

gccgttcgcc tggcgtggtg tccgcctcca cgcggccggt gccccggcgg tacgggtccg  86460

gctggccgag gccggtcagg gcgcggtgtc gctggaactg gccgactccg cgggtgcccc  86520

cgtcgcctcg gtggattccc tggtactgcg ggcgatgtcg cccgagcagc tcggcgcggc  86580

gagcgccggc cgccaggagt cgttgttcca gatcgactgg gtggagccgg cggccgaccg  86640

gacggcggct gcgaccgatg tcgaacgggc cctggtgggc ccggagctgc ggggtctgga  86700

cgccacgccg tacgccgacc tggccgcgct ggcggccgcg gactccgacg tgcccgaact  86760

cgtgttcatc accacgcgag cggagtcgga gccggagggc ctgccgggga cggtgcacgt  86820

ccgggccgtc gacgcgctca cccacgtacg ggcatggctg gccgaggaac gcttcgcgtc  86880

cgcccggctg gtgttcgtca cccgcggtgc catgaccgtg ggttcggacg aggccgtccg  86940

cgatctcgcg ggtgccgcgg tgtggggtct ggtccgctcc gccggtaccg agcaccccgg  87000

ccggttcgct ctcgtcgatc tcgacgacga cgacgtgctg cccgagcaga ccgtcctgac  87060

ggccctggcc gcaggggaat cggaactggt cgtacgcgag ggatccctcc ttgtgccgcg  87120

cctcgcgcgt gctgctgtcg ttgagggttc cggtcgtgaa ctggacgtcg acggcacggt  87180

gttggtgacg ggtgcgagtg gcaccttggg tggtttgttc gcccgtcatt tggtggttga  87240

gcgtggtgtg cggcgcctgc tgttggtgag tcgtcgtggt ggggctgcgg agggtgctgc  87300

tgaactgggc gccgaactca cggagctggg tgctgatgtg cggtgggcgg cgtgtgatgt  87360

ggccgaccgt gaggcgcttg agtcggtcct ggccgggatt cccgccgagt atccgttgtc  87420

gggtgtggtg cataccgctg gtgtgctgga cgacggtgtg gtgtcgtccc tgaccgctga  87480

gcgcgtgtcg gcggtgctgc gtccgaaggt ggacgcggca tggaacctgc atgagctgac  87540

ccgtggcctg gatctttctc tcttcgtgtt gttctcgtcg ctgccggtg tgttcggtgg  87600

tgccggtcag gcgaactatg cggcggcgaa tgtgttcctg gacgctctgg cccagcaccg  87660

cagggcccag ggtctggccg cgacctccct tgcgtggggt ctgtgggctg agccgggtgg  87720

tatggcgggc gcgctggacg ctgatgatgt gtcgcgtctg gccgtggtg gtgtcagcgg  87780

gctgtccgcg ggggagggtg tggcgttgtt cgacgcggca tccgcgtccg aacaggcctt  87840

gttcgttccc gtgaagctgg acctggccgc cctgcgcgcc caggcgggta gcgggatgct  87900

gccgccgctg ctcagcggtc ttgtccgtac ccccacccgc cgcgccgcgg gcaccgccaa  87960
```

```
cgctgcggta tccgccccgg gggaccgcct cgccggattg tccgccgctg aacaggtggc   88020

gcacgtactg gagttggtcc gtactcaggt tgccgcggtg ctggggtacg cctccccgga   88080

ggcggtcgag aaggacagct cgttccgcga gctgggcttc gactcgctga ccgccgtcga   88140

gctgcgcaac ctgctcggcg cggcgacggg gctgcgcctg cccgccacgc tcgtcttcga   88200

ctacccgacc tcagcggtcc tggccgacca cctgcggtcg gagctggtcg gaacggcgcc   88260

cgtgacatcg gctccggtcg ttctcgcggc ccgggacgat gacgagccca tcgcgatcgt   88320

gggcctcggc tgccgctacc ccggcggcgt ggagagcccg gacgacctct ggcggctcgt   88380

cctggaaggc cgggatgcca tcacggagtt cccggaggac cggggctggg acgtggacgc   88440

gctgttcgac gccgaccccg accagcaggg tacgagttat gcccgcgagg gcggcttcgt   88500

ccgcgacgcg ggccacttcg acccggcgtt cttcgggatc tcgccgcgcg aggccgtggc   88560

catggacccg cagcagcgac tcctcctcga aacctcgtgg gaggcgttcg aacgggcggg   88620

catcgacccg gcggccctgc gcggcagccg gaccggcgtc ttcgcggggtg tgatgtacca   88680

cgactacgct tcccggctca cggccctccc cgagggcgtc gagggcttcc tcggcacggg   88740

caacgcggcg agcgtcatct ccggacggct gtcgtacgcc ttcggcctgg aaggcccggc   88800

catcaccgtc gacacggcct gctcgtcctc gctggtcgcc ctgcacctgg cggtgcaggc   88860

gctccgcaac ggcgagtgtt ccctcgctct cgcgggcggt gtcacggtca tggcgacccc   88920

cgctgccttc gtggagttca gtcgccagcg cgggctcgcg ccgacggcc ggtgcaaggc   88980

gttctcggcc ggcgccgacg gcacgggctg gtccgagggc gcgggcgtcc tgctggtgga   89040

gcggctctcc gacgcgcggc gcaacggtca cccggtgctc gcggtggtcc gtgggtcggc   89100

gatcaaccag gacggtgcga gcaacggtct gacggctccg aacggtccct cgcagcagcg   89160

ggtgatccgc caggcgctgg ccagcgcggg cctgtcggcg cggatgtgg acgtcgtgga   89220

ggcgcacggc accggcacca ccctcggcga cccgatcgag gcgcaggcgc tcctcgccac   89280

ctatggccag gagcacacgg acgagcagcc gctgctgctc ggctcgatca agtccaactt   89340

cggccacacg caggccgccg ccggtgtcgc gggcatcatc aagatcgtcc aggcgatgcg   89400

tcacggtgtc gtccccaaga cgctgcacgt ggacgagccc accccgcacg tcgactggtc   89460

ggcgggcgcg gtctcgctcc tcaccgagca ggtggcctgg cccgaaaccg gccgtccccg   89520

ccgcgcggcg atctcttcct tcggcttcag cggcaccaac gcgcacgcca tcatcgagca   89580

ggccccccgac cccgctcccg aggacctgcc cgacgcagga cccgacgtac ggcccgagcc   89640

cgcccggact ccgggcagcc tgccgtggct cctctcggcg aagggcgcgg acgccctgcg   89700

cgaccaggcc gcccggctcc gggcgcatgc catcgggcac cccgagctgt ccctcgccga   89760

catcggctac gccctggcca cgagcaggac cgcgctcgac cggcgggccg ccgtggtcgc   89820
```

```
cggggaccgc gaggagttcc tcgcgggact cgcggcgctc gccgagggtg ccacggcggc    89880

cggcctgacg gagggatcac cggccggtgg caagctcgcc ttcctgttca ccgggcaggg    89940

cagccagcgc ctggccatgg gcagggagct gtactccgcc catcccgtct cgcccgggc     90000

cctggacgcc gtgtgcgacg ggctcgccct ggacgtaccg ctgaagcagg tgctgttcgg    90060

gtccgacgcg gacctgctcg accggaccgc gtacacccag cccgccctct cgccgtcga     90120

agtcgcgctg ttccgcctgg tcgagagctg gggcctgaag cccgacttcc tggccgggca    90180

ctccatcggc gagatcaccg cggcccatgt ggccggggtg ctctccctcg acgacgcctg    90240

cacgctggtc gccgcccgcg gccggctcat gcaggcactg cccaccggcg gcgtgatgat    90300

cgccgttgag gcatcggagg acgaggtcct gccgctgctc accgaccggg tgagcatcgc    90360

cgcgatcaac ggcccccagt cggtcgtgat cgcgggtgac gaggccgacg cggtggcgat    90420

cgcggagtcc ttcaccggtc gcaagtccaa gcggctcacg gtcagccacg ccttccactc    90480

gccgcacatg gacggcatgc tcgacgcctt ccgcgaggtc gccgagggac tgtcgtacgg    90540

gaccccgctc atcccggtcg tctcccacct caccgggacc ctggtcaccg acgagatgcg    90600

gtcgccggac ttctgggtcc ggcacgtccg cgaggcggtc cgcttcctgg acggcatccg    90660

cacgctggag gacgcgggcg tcaccacgta catcgaactc ggccccggcg gcgtcctctc    90720

cgcgatgggt cagtcgtgcg tcacgcgcga cgacgcggcc ttcctccccgg ccctgcgcgc    90780

ggaccgctcc gaagaggaga cgctcacctc ggccgtcgcc cgggcacacc tgcgcgggat    90840

caccgtcgac tgggacgcgt actactccgg caccggcgcc cggcgcgtcg acctgccgac    90900

gtacgccttc cagaggcagc gctactggct ggaggccccc gcccacgccc ccggcggga    90960

cgtgacgtcc gccgggctcg gctccgcggg gcacccgctc ctcggcgcgg ccgtcgaact    91020

gccggactcg gacgggttcc tgttcaccgg gcggctctcc ctgcgcaccc accccctggct    91080

cggcgaccac agggtggcgg gcaccgtcct gctgccgggc gccgcgctgc tggaactcgc    91140

cgtgcgcgcc ggggaccacg cgggctgcga tctgctggag gacctcacgc tggaggctcc    91200

gctcgtactg cccgaggcgg gcggggtaca gctgcggctc gtcgtggccg aacccgacgc    91260

gtcgcgcagg cgggtgttcc acatctactc ccgcccggag gacgcggcct tcgaggagcc    91320

gtggaccggg cacgccggcg gtgtcctggc cgtcgagggc gcgcacccgg ccgaggcgga    91380

gtccgagtgg ccgcccgccg gagccgtccc ctgcccggtg gaggacctct acccgtcgct    91440

cgacgccatc gggctcggat acggtcccgc gttccgcaat ctgctgctgg cctggaagcg    91500

cggcgacgag gtgttcgccg aggtcgctct cggcgaggac cggcggaccg aaggcgccct    91560

ctacgggctc caccggccgc tgctcgacgc cgccctgcac gcggtcggcc tcggggactt    91620

cttccccgac gggcccgagg gcgcgcggct gccgttctcg tgggacggcg tgcggctgca    91680

cgccgtgggc gccgcggcgc tccgggtacg gatggcaccg gccgggcagg acgcggtcac    91740
```

```
gctggccgtc tccgacgaaa cgggccggcc ggtcctcacc gtcgactcgc tcgtcctgcg   91800

tccgctggcc ctcgatggtc cgggcgggct cggcggagcg ggccggggac cgggttcggt   91860

gcgcgacgcg ctgttccagg tcgactggca cgcgctgccg ctgcccgagg cgcagtcacc   91920

ggccgaaggc cgctgggccc tgctcggcgg cgacccgctg aagctggccg ccgcgctgga   91980

gcgcaccggg gtcctggagc cgggcgcgct gttcggcacg gcctccgagg acaccggcgg   92040

gcaccctcgc gacctgtccg ccctggcgga cgcggtcgag ctggccgagg cactcgggga   92100

gcccgcgccc gagaccgtcc tcgtctccct ggcacccgac ctcgccgcca cgggcggcct   92160

cgcgtcggcc gcccaccgcg ccgccgcgga cgcgctggag ctgatccagg cctggctggc   92220

ggacgagcgg ctcgccggtt cacggctggc cctcgtcacg cggggcgccg tcgccacgga   92280

ccccgacgcg gacgtggacg acctcgcgca cgccgcggtg tggggactgg tgcgctccgc   92340

gcaggccgag cacccggcc ggctggttct ggtcgacctc gacgacgagg acgactccta   92400

ccgggccctg cccgccgcgc tcgacaccga tgagacccag ctcgccgtgc gcgacggggc   92460

cgtcctggcc ccgcgtctgg cgcgagcggt catcgccccg gcaacggatg cggcggcccc   92520

ggacgttgcc ccggacccgg agggcaccgt cctcatcacg ggcgccagcg gcaccctcgg   92580

cggcctgctg gcccggcacc tggtgacgga gcacggtgtg cggcatctgc tgctcaccag   92640

ccgcaggggc gccgctgccg aaggcgccac ccaactcgca gacgaactcg tcacgttggg   92700

tgcgcaggtc acctgggcgg cgtgtgacgc ggccgaccgg gacgcgctgg ccgcgctgct   92760

ggagtccgta cccgcggccc atccgctgac ggccgtcgtg cacaccgccg gtgtgctgga   92820

cgacggcacg gtcgagtcgc tgaccgccgg acggatggcg acggtgctgc ggcccaaggt   92880

cgacgccgcg tggaacctgc acgaactgac ccacggactc gacctggccg cattcgtcct   92940

gttctcctcg gcggccggtg tgttcggcaa cgccgggcag gccaactacg cggcgggcaa   93000

caccttcctg gacgccctcg cccagcaccg ccgcgcccag ggcctcacgg ccgtctcact   93060

ggcctggggt ctgtgggacg acgaggcggg catggcagcc accctcgacg agcaggaccg   93120

gcggcgcctg agccggggca gcatgaaccc gctgtcggtg gccgaggggc tcgcgctctt   93180

cgacgccgcg ctgccggggcg gggcatcctc cggcgccgtg cccgagggcg cgcggaccgc   93240

gagcgtactc gtgcccgcgc ggctcgactt ggccgtgctc caggcccaag tgggggatct   93300

cgtaccgccc ttgctgcgcg gcctgctccg tactccggta cggcgcaggg cgagcggcgc   93360

ggcggccgac gcgcccgact cgctggcgca gcggctcgcc caactgccgc cgccgaacg   93420

ggaccgggtg ctgctcgacc tcgtctgcac ccaggtggcc caggtgctgg gccacagcgg   93480

cgcggccgcc atcgaaccgg gaagcgcctt caaggaactc ggcttcgact cgctgaccgc   93540

ggtggagctg cgcaaccggc tcggtgccgt gacggggctg cgcctccccg ccacgctcat   93600
```

```
cttcgactac ccgacccccg aagcgctgag cggacatctg cgctccgcgc tgcccctcga   93660

cgaggacgga ccgtccgtct tcagcgaact cgaccggctg gagagcgcct tgggcgcggc   93720

ggacgcggac agcgtcacgc gttcacggat cacgatgcgc ctccaggccc tgatgaccaa   93780

gtggaacgac gcacaggacg cgaacggcgg cgcccccgac gaggacgccg acgacggcgc   93840

cctcgaaacg gcgaccgacg acgagctgtt cgacctgctc gacaacgagc tcggcgcctc   93900

ctgagaaacc gcgcggcgcg cctcccttcc gggccttccg gcgggggggc gcgccgcccc   93960

gcaccaccgc aacagccacg ggatcccgca cgccgggacc ccgggccacc cagacgaccg   94020

accgtacaac cgcctctctg gcatggagcc cacgcaatgg tgaacgagga caagcttcgc   94080

gactacctca agcgggcgac cgccgatctg cgccaggccc gcaggcggct gcgcgaggtc   94140

gaggacaaga accaggaacc catcgccatc gtcgcgatga ctgccgcta ccccggcggc   94200

gtccgcagcc ccgaggacct gtggcggctc gtggagaacg gcgacgacgc cgtctccggc   94260

ttccccgtcg accgcggctg ggacgtggag gcgctctacg acgccgaccc cgacagctcc   94320

ggatccagct acgtcagcga gggcggcttc ctctacgacg ccgcgagctt cgaccccgcc   94380

cccttcggga tctcgccgcg cgaggccctc gccatggacc cgcagcagcg gctgctcctc   94440

gaagcgtcct gggaggcgtt cgagcgcgcg ggcatcgacc cgtcgtccgt gcgcggcagc   94500

cggacggccg tgttcgccgg tgtgatgtac cacgactaca ccgcgcgcct cgattccgtg   94560

cccgagggcg tcgaaggatt cctcggcacc ggcagctcag gcagcatcgc ctcgggccgg   94620

gtggcctaca cgttcggcct ggagggcccg gcggtcaccg tcgacacggc ctgctcgtcc   94680

tcgctcgtca ccctgcacct ggccgtccag gcgctgcggg ccggcgaatg ctcgatggcg   94740

ctcgcgggcg gtgtcaccgt catggcgacc cccgcgacct tcaccgagtt cagccgccag   94800

cgcggcctcg cgccggacgg gcgctgcaag cccttcgcgg ccgccgcgga cggtacgggc   94860

tggggcgaag gcgtcggcat gctcctcgtc gagcgccttt cggacgctca gcgcaacgga   94920

catccgatcc tcgcggtggt ccgcggtcg gcgatcaacc aggacggtgc gagcaacggc   94980

ctgacggctc cgaacggtcc gtcgcagcag cgcgtcatcc accaggcgct caccaacgca   95040

cggctgtcgg ccgcggatgt ggacgtcgtc gaggcgcacg gtacggggac gaccctcggc   95100

gacccgatcg aggcgcaggc cctgctcgcc acctacggcc aggaccgccc ggccggacgc   95160

ccgctgctgc tcggctccat caagtccaac atcggccaca cccaggccgc cgcgggtgtc   95220

gcgagcatca tcaagatggt cgaggcgatg cgtcacggag tggtccccaa gaccctccac   95280

ctcgacgagc cgactccgca cgtggactgg gaggcgggcg ccgtctccct gatcggcgag   95340

aagatcgcct ggccggagac cggtgaactc cgtcgtgcgg gtgtgtcgtc gttcgggttc   95400

agcgggacga acgcgcatgt gatcgtcgag caggctccgg tggtcgagga ggtggcgggg   95460

gatccggccg gtgaggtcga gggttcggaa ctcgcggtgg tgccgtgggt gttgtcgggc   95520
```

```
aagagtgcgg gggcgttgcg ggcgcaggcg gagcggttgt cggggtggct cgccggtgct    95580

tcggctgcgg gtgtggcgtc ggttgacgtg ggctggtcgt tggcgtcgtc gcgggccggg    95640

ctggaacacc gggctgtggt gctgggcgat cacgcggccg gtgtgggggc ggtggcgtcg    95700

ggtgtgatgg ccgcgggtgt ggtgacgggg tcggttgtcg gcgggaagac cgcgttcgtg    95760

ttcccggggc agggctcgca gtgggtgggt atggcggtgg ggttgctgga ttcctcgccg    95820

gtgttcgctg cgcgggtgga tgagtgtgcg aaggcgttgg agccgttcac tgactggtcg    95880

ttggtggatg tgctgcgggg tgtggagggt cgccgtcgt tggagcgggt ggatgtggtc    95940

cagcctgctc tgttcgcggt gatggtgtcg ttggcggagg tgtggcgggc tgctggtgtg    96000

cgtcctggtg cggtgatcgg tcattcgcag ggtgagatcg ctgcggcgtg tgtggcgggg    96060

atcttgtcgc ttgaggacgc cgcgcgagtg gttgcgttgc gcagtcaggc gatcggccgg    96120

gtcctggcag gtctcggcgg gatggtgtcg gtgccgctgc ccgcgaaggc agtacgagag    96180

ctgatcgctc cgtgggggtga gggccggatc tcggtggccg cggtgaacgg ccgtcctcg    96240

gtggtcgttt cgggtgaggc cgccgccctg gacgagatgc tggcctcgtg cgagtcggag    96300

ggtgtgcggg cgaagcggat cgcggtggat tacgcgtcgc attcggctca ggtggagttg    96360

ctgcgggaag agcttgctga gctgctggct ccgattgttc cgcgcgctgc tgaggtgccg    96420

ttcttgtcga cggtgacggg tgagtgggtg cgaggcccgg agctggatgc tggttactgg    96480

ttccagaatc tgcgccggac ggtggagttg gaagaggcga cgcggacgtt gctggagcag    96540

ggcttcggtg tgttcgtcga gtcgagcccg cacccggtgt tgagcgtggg catgcaggag    96600

acggtcgagg acgcgggccg ggaggcggct gttctgggtt cgctgcgtcg tggtgagggg    96660

ggtctggagc gtttctggct gtcgctgggt gaggcctggg tccgtggcgt ggctgtcgac    96720

tggcatgccg tgttcgcggg tacgggtgcc cggcgggtgg acctgcccac ctacgccttc    96780

cagcaggagc actactggct cgaaagcggc accgccgagg acgtcacggc caccgcccac    96840

cccgtcgacg ccgtcgaagc ccgcttctgg gaggccgtcg agcgccagga cgtggcggcg    96900

ctcaccgccg agctggacgt ggacgagaac gagaacctca ccgcgctgct gcccgcgctg    96960

tcgtcgtggc gtcggcagag ccgtgagcgg tccgccgtgg acggctggcg ctaccgggtg    97020

acctggaagc ccgcgccgga gcccacgacg gcccgcctct ccggcacctg gcttgttgcc    97080

gtcgccgagg gcgcgccggg tgatgagtgg acgtccgctg tcctgcgtac gctcgccgaa    97140

cacggcgccg acgtacggca gatcacggtc gcccggaccg aggacacccg ggccggtctc    97200

gccgagcgga tacgtgacgt actcgcggac ggtcccgcgg tgtcgggagt cttgtccctg    97260

ctgaccccgg cggggggccga cgagccgttc caggtctccg cgcccggcgg tgtgatcacc    97320

accctgtccc tcgtccaggc gctcggcgac gccgaggtgg ccgcacccct gtggtgcgtc    97380
```

```
acgcgcggcg  ccgtcgccac  cggccgttcc  gagcaggtgg  ccgaccccgc  gcaggctccg   97440

gtctgggggcc  tgggccgggt  gaccgcgctg  gagcacggcg  agcgctgggg  agggctgatc   97500

gacctgcccg  gcacggacgc  cgtggacgac  cgggcactcg  cccggctcgc  gggcgtcctc   97560

gccggtgacg  ccgccgagga  ccaggtggcg  gtgcgcgcct  ccggcctctt  cgtacgacgg   97620

ctcgtacgcg  tccgtctcgc  cgagacgccc  gtcgtacggg  agtggcgtcc  gcagggcacc   97680

accctggtca  cgggcggtac  gggcgcgctg  ggcgcgcacg  tggcccgctg  gctcgctgag   97740

aacggcgccg  agcacctgct  gctcaccagc  cgccggggcc  ccgacgcgcc  cggagccgcc   97800

gcactccgcg  acgaactcac  cgccctcggc  gcccaggtca  ccatcgcggc  ctgcgatgtg   97860

agcgaccggg  acgccgtcgc  ggccctcatc  gccgcggttc  cgccgacca   gccctcacc    97920

gccgtcgtgc  acacggcggc  cgtcctcgat  gacggggtca  tcgaggcgct  cacgcccgag   97980

cagatcgagc  gcgtcctgcg  ggtgaaggtc  gacgcgacgc  tgcacctgca  cgaactgacc   98040

cgcgagctcg  acctgtcggc  gttcgtgttc  ttctcgtcct  tcgccgccac  cttcggcgcc   98100

cccggccagg  gcaactacgc  gccgggcaac  gcgttcctgg  acgccttcgc  cgagtaccgc   98160

cgggcatccg  gactgcccgc  cacctccatc  gcctggggcc  cttggggcga  cggggggcatg   98220

gccgagggcg  cggtcggtga  ccggatgcgc  cgccacgggg  tcatcgagat  gtcgcccgag   98280

cgtgccgtcg  ccgcactcca  gcacgccctg  gaccgcgacg  agacgaccct  gaccgtcgcc   98340

gacatggagt  ggaagcgctt  cgtcctcgcc  ttcacctccg  gccgcgccag  gccgctgctg   98400

cacgacctgc  ccgaggcgcg  ggaggtcatg  gacgccacgc  gcacggaggc  ggcggaggac   98460

accggcagcg  ccgccgcgct  ggcccagcag  ctgaccggcc  ggcccgaggc  cgaacaggag   98520

cgactgctcc  tcgaactggt  ccgcaccgcc  gtcgccgccg  tcctcggcta  cgcgggcccc   98580

gacgcggtcg  aggcgggccg  ggccttcaag  gagctgggct  cgactccct   cacctccgtc   98640

gaactgcgca  accgcctgaa  cgcggccagc  ggcctcaagc  tgccgcccac  cctcgtcttc   98700

gaccacccga  cgcccaccgt  cctcgcccgg  cacctgcggg  ccgagttctt  cggccagggc   98760

gccgcggccg  ccgtgcccgt  gccgatggcc  gcggtctccg  acgacgagcc  gatcgccatc   98820

gtcgcgatga  gctgccgctt  ccccggcggg  gtccgcaacc  ccgaggagct  gtggcagctg   98880

ctcacctccg  agggtgacgg  gctgtcccag  ttcccctgg   accgcggctg  ggacgtcgac   98940

gcgctgtacg  accccaaccc  cgacgcgcaa  ggcacctcgt  acacgcggga  gggcggcttc   99000

ctgtccgacg  ccgcggcctt  cgactcctcg  ttcttcggga  tctcgccgcg  cgaggccctc   99060

gccatggacc  cgcagcagcg  gctgctcctc  gaaacctcgt  gggaggcgtt  cgagcgggcg   99120

ggcatcgacc  cgcagaccct  gcgcggcagc  cagtccggtg  tgttcgtcgg  caccaacggc   99180

tctgactact  ccaacctcgt  acgggcgggg  gcggacggcc  tggaggggca  cctggccacc   99240

ggcaacgcgg  gcagtgtcgt  ctccggccgg  ctctcctaca  ccttcggtct  cgaaggcccg   99300
```

```
gccgtcaccg tcgacaccgc ctgctcggcc tccctcgtcg ccctccacct cgccgtgcag   99360

gccctgcgca gcggtgaatg ctcgctcgcc ctggccggtg gcgtgacggt gatgtccacg   99420

ccgggcacct tcatcgagtt cagccgtcag cgcggactct ccaccgacgg ccgctgcaag   99480

gcgttctcct cggacgccga cggattcagc cccgcggagg gcgtcggcgt gctcctcgtc   99540

gagcgccttt cggacgctcg gcgcaacggg catccgatcc tcgcggtggt ccgtgggtcg   99600

gcgatcaacc aggacggtgc gagcaacggt ctgacggctc cgaacggtcc gtcgcagcag   99660

cgcgtcatcc ggcaggccct cgccaacgca cggctgtcgg ccgcggatgt ggacgtcgtc   99720

gaggcgcacg gtacgggtac gacgctgggt gacccgatcg aggcgcaggc cctgctcgcc   99780

acctacggcc aggaccgccc ggccggccgg ccgctgctgc tcggctccat caagtccaac   99840

atcggccacg cccaggcggc ggccggtgtc gcgggcgtca tgaagatggt gctcgccatg   99900

cagcacggag tgctgccgca gagcctgcac atcgccgagc ccacgccgca cgtcgactgg   99960

agcgcgggcg aggtcgccct gctcaccgag gagcgggcct ggcccgagac cggccgcccc   100020

tggcgggcgg gcgtctcgtc gttcggcttc agcggcacca acgcccacgc catcatcgag   100080

caggctccgg ccgaagcggg atccgacgac gaccgggaga cccctgagcc gtcggcccaa   100140

cccctactgg tcgcgcccac ccgggacgac tccgcgtccg cccgggacga ctccgcgtcc   100200

gccccggacg gctccgtatc cggcccggac gactccgtgt ccgaccgtcc cggcgtgctg   100260

ccctggaccc tgacggccaa gaccgagaag gcgctgcaag gccaggccga acgcctgctg   100320

acccagctca ccacccgctc tgacctgcga cttgtcgatg tcggccactc cctggcgacg   100380

acccgtaccg cgctcgacca gcgcgccgtc ctcatcggac gggaccgccc cgactacctc   100440

ggagccctga ccgcactcgc ggcggggggac acctcccccc tgctggtgca gggggcggtc   100500

gtcggggggga agacggcgtt cgtgttcccc ggacagggggt cgcaatgggt aggcatggcg   100560

gtggcgctgt tggacgcttc acccgtgttc gctgcccgag tggatgagtg tgcgaaggcc   100620

cttgagccct tcaccgactg gtcgctgcgc gatgtactgc gcggcgtcac aggcgcgccg   100680

tcgttggacc gcgtggatgt ggtccagcct gctctgtttg cggtgatggt gtcgttggcg   100740

gaggtgtggc gggccgctgg tgtgcgtcct gatgcggtga tcggtcactc gcagggcgag   100800

atcgctgccg cgtgtgtggc gggcatcttg tcgcttgagg acgcggcgcg agtggtcgcg   100860

ttgcgcagtc aggcgatcgg ccgggtcctg gcgggcctgg gcgggatggt gtccgtggca   100920

ctgccggcga aggctgtgcg ggagctgatc gctccgtggg gcgaggaccg gatctcggtg   100980

gccgcggtga cgggccttc ctccgtggtc gtttccggtg agaccgccgc cctggacgag   101040

ctgctggcct cgtgcgagtc ggacggcgtc cgggcgaagc ggatcgcggt ggattacgcg   101100

tcgcattcgg ctcaggtgga gttgctgcgt gaggagcttg ctgagctgct ggctccgatt   101160
```

```
gttccgcggg ctgccgaggt gccgttcctg tcgacggtga cgggtgagtg ggtgcgcggt 101220

ccggagctgg atggcgggta ctggttccag aacctgcgtc ggacggtgga gttggaagag 101280

gcgacgcgga cgttgctgga gcagggcttc ggtgtgttcg tcgagtcgag cccgcacccc 101340

gttctgacga tgggtgtgca ggagaccgtc gaggacgcgg gccgtgacgc ggctgttctg 101400

ggctcgctgc gtcgtggtga gggggggtctg gagcgtttct ggctgtcgct gggtgaggcc 101460

tgggtccgtg gcgtgggtgt ggactggagt gccgtgttcg cgggcacggg tgcccggcgg 101520

gtggatctgc ccacttacgc cttccagtcg cagcggttct ggccggaggc cgcgcccatc 101580

gaggctgtgg cggtgtcggc ggagagtgcg atcgatgcgc ggttctggga ggccgtcgag 101640

cgcgaggatc tcgaagcgct gaccgctgag ctcgacatcg agggcgacca gccgctgacc 101700

gcgctgctgc ccgcgctgtc gtcgtggcgt cggcagagcc gtgagcactc gacggtggac 101760

ggctggcgct accgggtcac ctggaagccg ctggccgagg ccaagacctc tcgcctctcc 101820

ggtacttggc tggtcgtcgt tcccgagaac ggcccggccg acgagtggac gggggccgtg 101880

ctgcgcgtgc tcgccgaccg cggcgcggag gtccgtactg tgaccgtccc ggccgacggg 101940

gccgatcgtg accggctcgc cgccacgctg aaggccgaga cggacggggc cgctccggcc 102000

ggagtgctgt ccctcctcgc ccttgccgtc gaaagcgctg aactccgtac gcacaccggg 102060

ctcctcgcca ccgccgcgct cgtccaggcg cttggtgacg ccgatgtggc cgcacccctg 102120

tggtgcgtca cgcgtggcgc tgtctccgtc gcccgtacgg agcggctcca ggacccggcg 102180

caggcgctcg tgtcgggctt cggacgcacg gtcgccctgg agtacccgga ccgttggggc 102240

ggtctcgtcg acctgccgga gcaggccgac ggccgtacgc tcgaacgtct tgcgggtgtg 102300

ctggccggtg acggttccga ggaccaggtg gcgctgcgcg cctcgggtct cttcggccgg 102360

cgtctggtcc acgcacccct cgccgacacc gccgcggtac gggagtggcg tccgcagggc 102420

acgaccctgg tcaccggtgg tacgggtgcg ctgggcgcgc acgtggcccg ctggctcgct 102480

gagaacggtg ccgagcactt gctgctcacc agccgccggg gcccggacgc gcccggtgcc 102540

gccgaactcc gcgacgaact cacggccctc ggcgcccagg tcaccatcgc cacctgcgac 102600

atggccgacc gggacgccgt cgcggccctc atcgccgccg ttcccgccga ccagcccctc 102660

accgcggtga tgcacacggc cggtgtcctc gacgacggcg tgatcgacgc gttgactccg 102720

gagcggttcg gacggtgct cgcccccaag gcggacgcgg ccctcaccct ccatgagctg 102780

acccgcgagc tgggcctctc ggcgttcgtc ctcttctccg gtgtcgcggg cacgctcggc 102840

gacgcgggac agggcaacta cgccgccgca aactcctact tggacgccct cgccgagcag 102900

cgtcacgccg acggcctcgc cgccacctcg gtggctgggg tcgctgggg cgacagcggg 102960

ctcgccgcgg gcggtgcgat cggtgagcgg ctcgaccgcg gcggggtgcc cgccatggca 103020

ccccgctcgg cgatccgcgc gctgcagctg gccctcgacc acgcggaggc ggccgtcgcc 103080
```

```
gtcgccgaca tccagtggga gcggttcgcg cccggctaca cggcggtgcg gcccagcccg 103140

ttcctcggtg acctgccgga ggtgcggcag ctcgccgcgt ccgctccggc ggccggtgaa 103200

gcgggcgggg actccccggc cgaggcgctg cgccgacggc tcgccgtcat gccgcaggcc 103260

gaacaggccc tggccgtcct cgaactggtc cgctcccacg cggccaccgc gctgggccac 103320

cccacgaccg acgaggtggg cgcgggccgc gcgttcaagg agctcggatt cgactccctg 103380

atcgcgctgg aactgcgcaa ccggctcaac gcagccaccg ggctgaggct cccggccacg 103440

ctcgtattcg accacccgac cccgacgatc ctggccgagt cctccgggc cgagatcacc 103500

caggacggca gtgccggggc cgccccgggc atcacggaac tcgaaaagct ggagtccgcg 103560

ctgtccgttc tcgacccgga cagtgaaacg cgtaccgata tcgcactgcg cctgcaggca 103620

cttctcgcga aatggggtga accgcacatc gaatcaagtg gcgaggccgt gaccgagaaa 103680

ctccaggagg ccacgcccga cgaactcttc gaattcatcg agaaagagtt cggtatttag 103740

cacagcggac agcaggcagt agcagcgcaa gggtttgtga cgagaagcat gggtgaggtt 103800

ccaatggcag atcaggacaa gatcctcggt tacctgaagc gggtgacggc cgatctgcac 103860

cagacgcgcc agcgccttcg tgaggtcgag gcccaggagc cggagccgat cgcgatcgtc 103920

ggcatgagct gcaggttccc cggcggcatc gagtcgccgg agggcctgtg ggacctggtg 103980

gccggtgggc gggacgcgat caccgatttc cccaccgacc gtggctggga catcgagtcg 104040

ctgtacgacg ccgaccccga ccagcagggc acctcgtaca cccgtgaggg cggattcctc 104100

gacggcgtcg ggaagttcga cgcgtccttc ttcgggatca gcccgcgcga aaccctcggc 104160

atggacccgc agcagcgcct gctcctcgaa acgtcctggg aagccttcga aagagccgga 104220

atcgacgcgg ctaccctgcg cggcagcaag gccggtgtct tcataggcac caacggccag 104280

gactatccgg agctgctgcg cgaagtcccc aagggtgtcg agggatatct cctcaccgga 104340

aacgcggcca gcgtcgtctc cggccgcatt tcctacacct tcggcctcga aggcccggcc 104400

gtcaccgtcg acaccgcctg ctcggcctcg ctcgtcgccc tgcacctcgc cgtccaggcg 104460

ctgcgcaacg acgagtgctc gctggcgctg gcgggcggtg tcaccgtgat gtcgagcccg 104520

cgcgcgttcg tacagttcag ccgccagcgc gggctcgcgc cgacggacg ctgcaagccg 104580

ttcgccgacg gggccgacgg caccggctgg ggcgagggcg tcggcatgct gctcgtcgag 104640

cggctctccg acgcccgcag gaacggtcat cccgtcctcg ccctcgtgcg cggctcggcg 104700

atcaaccagg acggcgcgag caacggcctg accgcgccca acggcccgtc ccagcagcgg 104760

gtgatccggc aggcgctcac gaacgccggg ctcaccccc g cgcaggtcga cgtcgtcgag 104820

gcgcacggca ccggtacgac cctcggcgac ccgatcgagg cgcaggccct gctcgccacg 104880

tacggccaga accgccccga ggggcgcccg ctgtggctgg gttccgtcaa gtcgaacatc 104940
```

```
gggcacacgc aggccgccgc cggtgtcgcg ggcatcatca agatggtcct cgccatgcag 105000

cacggcgtgc tgcccgagtc gctccacatc gaccagccgt ccggcaacgt cgactgggcc 105060

gccggtgacg tcaagctgct caccgaggcc gtgccgtggc cgcagaccgg ccagccgcgc 105120

cgcgccggcg tctcctcctt cggcgtcagc ggcaccaacg cgcacaccgt catcgagcag 105180

gccccgcccg ccgacgacgc gccggagacc ggcgcggaca ccgcacccac cgccgaggcg 105240

ccggaggcgg cctccgcgga cgcttccgag gccgggacgc cgaccggtgc caccggcccg 105300

gtgccggtgc tcgtctcggg ccagagcgac gccgcactgc gcgcccaggc cgagcgcctc 105360

gccgcccacc tgcgcgccca ccccggactc ggggccgaca ccggaacccct gaccgacctc 105420

ggtttctcgc tcgccaccag ccgctcctcg ctcgaccgca gggccgtcct gttcggcgac 105480

cgggacagcc tgctcgccga cctcagcgcc ctcgccgagg gcgagcagcc cgccggcccg 105540

gtcctcggcg cggtgggcga gggcaagacc gccttcctct tcaccggcca gggcagccag 105600

cgcctgggca tgggacgcga gctgtacgcc acgcatcccg gcttcgcccg cgccctcgac 105660

gaggtccgcg cggaactgga ccagcacctc gaacgccccc tgttcgacgt cctgttcgcc 105720

gccgaaggca cccccgaggc ggacctgctc gacgagaccg cctacaccca gagcgccctg 105780

ttcgccgtcg aggtcgccct gttccggcag ctcgaacagt ggggcgtcgg cgccgacttc 105840

ctcatcggcc actccatcgg cgaactcgcc gccgcccacg tctccggcgt gttcaccctc 105900

gccgacgcgg ccaagctcgt cgccgcccgc ggccgcctca tgcaggcgct gcccgccgac 105960

ggcgcgatga tcgccgtcga ggccaccgag gacgaggtcg caccgctgct caccggccgg 106020

gtgagcatcg ccgccgtcaa cggccccccgc tccgtggtcg tctcgggcga cgaggacgcc 106080

gccacggcgc tcgccgagac cctgcgcgca cggggccgca ggacgaagcg gctcacggtc 106140

agccacgcct tccactcgcc gctgatggac ggcatgctcg acgcgttccg tgaggtcgcc 106200

gagagcgtcg cctacgcgcc gcccgtcatc ccgatcgtct ccaacctgac cggcgcctcc 106260

gtcaccgcgg aggagatctg cgccgccgac tactgggtgc gccacgtccg cgaggccgtc 106320

cgcttcctcg acggagtccg caagctctcc gcgcagggcg tcaccacctt cgtcgaggtg 106380

ggaccgggcg gggtcctcac cgccctggcg caggagtgcg tcaccggcca ggacgccgtc 106440

ttcgtgcccg tcctgcgcgg tgaccgcccc gaggcggccg ccttcgcgac ggccgtcgcc 106500

caggcccatg tccacggtgt ggccgtcgac tggtccgccg tcttcgccgg cgcgggagcc 106560

acccgcatcg acctgccgac gtacgccttc cagcgcgagc tgtactggcc cgagcagccc 106620

accgcctggg cgggcgacgt caccgccgcc gggatcggcg ccgccgacca cccgctgctg 106680

ggcgcggcca tcgccctggc cgacggcgac gggcacctgt tcaccgggcg gctctcgctg 106740

gccacccacc cctggctcgc cgaccacacg gtgatggaca ccgtgctgct gcccggcacc 106800

gccttcgtcg aactcgcccT ccaggcgggc gaccacaccg ctgcgacct gctggacgaa 106860
```

```
ctcaccctgg aagcaccgct ggtgctgccc ccgcacggcg gggtgcagat ccagctcgcc 106920

gtgggcgcgc ccgacgccga gggccgccgc tcgctgacac tgcactcccg gcccgaggac 106980

gccgccgacg acacctgggg agagggcgcc tggacgcgcc acgccaccgg cttcctcgcc 107040

accgccgccc agggcgcccg cgagcccctc gccgacctca ccagctggcc gccgaagaac 107100

gccacgaagg tcgacgtaga aggcctgtac gcgtacctca ccgagtccgg cttcgcctac 107160

ggtccggtct tccagggcct gaccggcgcc tggcagcgcg cgacgaggt cttcgccgag 107220

gtccgcctgc cggagcaggc gcacgccgag gccgccctgt tcggtctgca tcccgcgctg 107280

ctggacgccg cgctgcacgc cgtcggcatc ggctccctcc tggaggacac cgaacacggc 107340

aggctgccgt tctcctggag cggagtctcc ctgcgggcgg tcggcgcccg tgccctgcgc 107400

gtccggctcg cccccgcagg caacgacacc gtgtcggtga ccctcgccga cgagaccgga 107460

gcgcccgtcg ccgccgtcga cgcgctgctg ctgcggcccg tctccccgga ccaggtgcac 107520

gccgcccgca ccgccttcca cgactcgctg ttccgcgtgg agtggaccgg tacgcccctc 107580

ccggccgcca ccaccgtcgc cgcgggccag tgggcgctgc tgggcgagcc ccgtacggag 107640

ttcaccgccg cgctgcccac cgccgccacc cacgccgacc tcgccgccct cggcgcggcg 107700

ctggacgcgg gcggcccggt ccgcgcggcc gtcatcgtcc cgttctccgc gtccggcgcc 107760

ccctcggcga ctcccgtcga cgccgcgctg cccaccgccg tcgccgacgc cctgcaccgc 107820

accctggagc tcgcccaggc gtggctcgcc gacgaccggt tcgccggctc ccggctcgtg 107880

ttcgtcaccc cgcgacgccgt cgccaccacc gccggatccg atgtcgccga cctggcccac 107940

gccccgctgt ggggtctgct gcgctccgcg cagtccgagc accccgaccg gttcgtcctg 108000

ctggacctgg acggacgcga ggactccctg cgggccctgc cgccgcgct cgccacggcc 108060

gagccgcagc tcgccctgcg cgcgggcaag gccctcgtgc ccgggctcgc ccgggtcgcc 108120

gccgccccg gccaggaggc gcccgcgctc gaccccgacg gcaccgccct ggtcaccggc 108180

gccaccggca ccctcggcgg cctggtcgcc cgccacctcg tcgccgcgca cggcgtccgc 108240

cacctgctgc tgaccagccg gcgcggcgag gccgccgccg gcgccgcga actcgccgcc 108300

ggactgcggg aactgggcgc cgaggtcacc atcgcggcct gtgacgccgc cgaccgcgac 108360

gcgctcgccg cgctcatcgg gtccgtaccg gccgaacacc gctcaccgc cgtcgtccac 108420

accgccggag tcctcgacga cggcgtcctc gaagcgctca cccccgagcg catcgacgcc 108480

gtcctgcccg ccaaggtcga cgcggccgtg cacctgcacg agctgacccg cgagctggac 108540

ctcgcggcct tcgtcctgtt ctccgccgcc gccggcaccc tcggcggccc cggacaggcc 108600

aactacgccg ccgccaacac cttcctcgac gcgctcgccc accggcgccg cgccgaagga 108660

ctgcccgcca ccgccctcgc ctggggggcctg tgggccgaac gcagcggcat gaccggcgac 108720
```

```
ctcgccgacg ccgacctgga gcggatctcc cgcgccggag tcgccgccct gtcgtccgcc 108780

gagggcctgg cgctgctgga caccgcccgc gccgtgggcg accccaccgc cgtccccatg 108840

cacctcgacc tggcgtccct cgccacgcc gacgcgagca tggtccccgc gctgctgcgc 108900

ggcctggtcc gcgcgcccgc ccgcaggtcc gtcgagtccc cgggcgccgc cccggccggc 108960

ggcctcgccg agcgcctgct gcccctgacc gccgccgagc gcgaccggct gctcctggac 109020

accgtccggg tccaggtcgc cgccgtcctc ggctacccg gccccgaggc cgtcgacccg 109080

ggccgtgcct tcaaggaact cggcttcgac tcgctgaccg ccgtagagct gcgcaaccgc 109140

ctcggctccg ccaccggcgt acggctgccc gccaccctcg tcttcgacta ccccacccg 109200

aacgcgctct ccgcgttcct gcggaccgaa ctcctcggcg acgccgcgga ctcggccccg 109260

gtcgcggccg tcaccgcccg tgacgacgag cccatcgcca tcgtcggcat gagctgccgc 109320

taccccggcg gggtcaccac ccccgaggag ctgtggcagc tcgtcgccgg ctccgtcgac 109380

gcgatctcgc ccttccccac ggaccgcggc tggaacctcg acgcgctgta cgacgccgac 109440

cccggccggg ccgggacctc gtacacccgg gagggcggct tcctgcacga cgccgccgac 109500

ttcgacccgg acgtcttcgg catcaacccg cgcgaagccc tcgccatgga cccgcaccag 109560

cggctcctcc tggagacgtc ctgggaggcg ttcgagcagg ccgggatcgc ccctcgtcc 109620

atgcgcggca gccgcaccgg cgtgttcgcc ggcgtcatgt accacgacta cctgacccgg 109680

ctccccggccg tgcccgaggg cctggaggc tacctcggca ccggcaccgc gggcagcgtc 109740

gcctccggcc gcatctcgta caccttcggc ctcgaaggcc ccgccgtcac cgtcgacacg 109800

gcctgctcct cctcgctggt cgccctgcac ctcgcggccc aggccctgcg caacggcgaa 109860

tgcgacatgg ccctcgcggg cggtgtcacc gtcatgtcca ccccggacac cttcatcgac 109920

ttcagccgcc agcgcggcct ctccggcaac ggccgctgca gtccttctc cgccgacgcc 109980

gacggaaccg gctgggccga gggcgcgggc atgatcctcg tcgagcggct ctccgacgcc 110040

cgccgcaacg gccaccaggt cctggcggtc gtccgcggca ccgccgtcaa ccaggacggc 110100

gccagcaacg gcctgaccgc cccgaacggc ccctcccagc agcgcgtcat ccgccaggcc 110160

ctcgccaacg cgggcctgac caccgccgag gtcgacgtcg tcgaggcgca cggcaccggc 110220

accaccctcg gcgaccccat cgaggcgcag gccctcctcg ccacctacgg ccaggaccgc 110280

ccggccgggc agccgctgcg gctcggctcc atcaagtcca acatcggcca cacccaggcc 110340

gcggcgggcg cggcgggcat catcaagatg atcctcgcca tgcgccacgg cgtcatgccg 110400

ccgtcgctgc acatcggcga gccgtccccg cacatcgact ggaccgcggg cgcggtctcg 110460

ctgctcaccg aggccgccga gtggccccgac gcgggccgcc ccgccgcgc gggcatctcc 110520

tccttcggcg tcagcggcac caacgcccac gtcatcatcg agcagccgcc cgtcgaggaa 110580

cccgccaccg cgaccgagac cggctccggc accggcctgc ccgccggcac gccctgccg 110640
```

```
ttcgccctct ccggccggac ccccgccgcg ctgcgcgccc aggccgcccg gctgatcggc 110700

cacctcgcgc cgcggcccga ggccgccccc gccgatgtgg cgctctcgct ggccaccacc 110760

cgtaccgccc tggaccgcag ggccgccgtc atcgcgcacg accgcaccga gctcctcgcc 110820

gggctcaccg ccctggccga gggccacgac agcgcccggc tggtccagca caccgccgcc 110880

gacggccgca ccgcgatcct gttcaccgga cagggcagcc agcgccccgg catgggacgc 110940

gagctgtacg agacgtaccc cgccttcgcc gaggcgctgg acgcggtctg cgccgagctg 111000

gacccgcacc tcgaacagcc cctcaaggag gtcctgttca ccgccgacgg cgacctgctg 111060

aaccggaccg gccgcaccca gcccgccctg ttcgcgctgg agaccgccct gtaccggctc 111120

gtcgaatcgt ggggcgtgcg ccccgacttc gtcgccgggc actccatcgg cgagatcacc 111180

gccgcgcacg tcgcgggcgt cctctccctg cccgacgcgg ccaccctggt cgccgcccgc 111240

ggccgcctca tgcaggaact gccccgagggc ggcgcgatga tcgcgctcac cgccaccgag 111300

gacgaggtcc tgccgctgct ggccggccac gaggaccgca tcggcatcgc cgccgtcaac 111360

tcagcctcct ccgtggtcat ttccggcgag gagggcctcg cgctggagat cgccgccgag 111420

ttcgagcggc gcggtcggcg caccaagcgg ctcaccgtca gccacgcctt ccactcgccg 111480

ctgatggacg gcatgctcga cgccttccgc gaggtcgccg agtccctgac ctaccgggcg 111540

cccgccatcc cggtcgtcac gctcctcacg ggaacggtcg ccggggacga actgcgcacc 111600

gccgagcact gggtctccca cgtccgcgag gcggtccgct tcctcgacgg catccgcacc 111660

ctggacgccg agcacgtcac cacctacctc gaactcggcc cgcagggcgt gctgtccggc 111720

ctcggccgcg actgcctcac cgaccccgcc gacccggccg acaccgccgt cttcgtaccg 111780

gcgctgcgcc gcgaccgcgg cgaggccgaa gccctgaccg ccgcgatcgc cgcggcccac 111840

acccgcggtg tgccgctcga ctggtccgcg tacttcgcgg gcaccggcgc ccgccgcgtc 111900

gaactgccca cctacgcctt ccagcgcgag cggttctggc tcgaagcccc ggccggctac 111960

atcggcgacg tcgaatcggc gggcatgggc gcggcccacc acccgctgct cggcgccgcc 112020

gtcgccctcg ccgacggcga aggattcctg ttcaccggcc ggctctcgct cgacacccac 112080

ccctggctcg ccgaccacgc cgtcatgggc aacgtcctgc tgccgggcac cgccttcgtc 112140

gaactcgcca tccgcgcggg cgaccaggcc ggctgcgacc tcctcgaaga actcaccctc 112200

gaagcaccgc tgatcctcgc cccgcaggcc gcggcacgcc tccagatcgt ggtcggagcc 112260

cccgacgggt ccggccgccg caccctggac gtgtactcca gcgacccgga cgcccccgcc 112320

gacgagccgt ggacccgcca cgccggcggc atcctcgcca ccggggcaca ggcaccgcc 112380

ttcgacctga ccgcgtggcc cccgccgggc gccgaagccg tcggcgtcga cggcctctac 112440

gaacacctcg gccggggcgg cttcgcctac ggtcccgtct tccaggggct gcgcgccgcc 112500
```

```
tggctcctcg gcgacgacgt gtacgccgag gtcgccctgc ccgacgaccg gcaggccgag 112560

gccgcccggt tcggcctgca cccggcgctc ctcgacgcgg ccctgcacgc caccttcgtc 112620

cagccgtccc ccgacgggga ccagcagggc cggctgccgt tctcctggcg cgatgtgtcc 112680

ctgcacgccg tcggtgcgtc cgcgctgcgc gtccgcctca cccccgacgg ccgggacacc 112740

ctctccctcc agctcgctga caccaccggc gctcccgtcg ccgccgtcgg ccacctgacg 112800

ctgcggcccg tctccgccga ccagctcggc agcgcacgct ccgcacacca cgagtccctg 112860

ttccggatcg actgggccac cgtgccgctg ccgtccgacg cccccgccgc cacggacgag 112920

tgggccgtca tagccgcgga cggaggcacg gacggcggta cggacggagg cacggacggc 112980

ggcatccccg ccgccctccc cgggcgcgtg cacaccggcc tggacgccct cggcgcggca 113040

gtcgacgcgg gcgccccggt gcccgcccac gtcctggtgc accacacccc cgcggccacc 113100

accgccgacg ccgtccacgc ggccacccac gaggcgctcc gcctcgtccg ggcctggctc 113160

gccgacgacc ggttcgccgc gtcccgcctg gtcttcgtca cccgcggcgc gatcgccacg 113220

cagagcgact gggacctcac cgacctgacc cacgcccccg tgtggggact ggtgcgcacc 113280

gcccagtccg agaaccccga ccggttcgtc ctcgccgacc tcgacgccga cccggcctcg 113340

acggacgccc tcgccgcagc cctcgccacc ggcgagccgc agctcgcggt ccgccgtggc 113400

accgtccacg ccccccgcct cgcccgcgtc ccgccgcca cccc gctgac cccgcccccg 113460

ggcgagtccg cctggcgcat ggacatcgag gacaagggaa cgctcgacca cctcaccctc 113520

gtccccagcc cggagtccgc cgcgcccctg gagcccggcc aggtccgcgt cgccgtccgc 113580

gccgcgggcc tcaacttccg cgatgtgctc aacgccctcg gcatgtaccc cggcgacccg 113640

ggcctcatgg gcagcgaagg cgccggcatc gtcgtggaga cgggccccgg tgtcaccggc 113700

ctcgcacccg gcgaccgcgt catgggcatg ctgcccggct cgttcggccc gctcgcggtc 113760

gtcgaccgcc gcatgatcgc ccccatgccc gagggctgga ccttcgccga ggccgcgtcc 113820

gtacccatcg tcttcatgac ggcgtactac gccctccacg acctcgccgg actgcagggc 113880

ggcgagtccc tcctcgtgca cgccgccgcc ggtggcgtcg gcatggccgc cgtccagctc 113940

gcccgccact ggggcgccga cgtctacgcg acggccagcc ccgccaagtg ggacaccctg 114000

cgcggactcg gcctcggcga cgaccggatc gcctcgtccc gcaccctcga cttcgaggag 114060

accttccgca cggccaccgg gggacgcggc gtcgacgtcg tactcgactc gctggcccgg 114120

gagttcgtcg acgcctccct gcggctcctg ccgcgcggcg gacgcttcgt cgaaatgggc 114180

aagaccgacg tccgctcccc gcaggacgtc gccgacgccc acccgggcgt cagctaccag 114240

gcgttcgacc tgaccgaggc cggcctcgac cgcatccagg agatgctcac cgagctgctc 114300

accctcttcc gctccggcgc cctgcgcccc gtaccggtct ccgcatggga cctgcggcag 114360

gcccccgagg cgttccgcta cctcagccag gcacgccacg tcggcaagat cgtgctcacc 114420
```

```
ctgccgggcg agtggaactc gcagggcacc gtcctcatca ccggcggcac cggcaccctc 114480

ggcgcggtgg tcgcccggca cgccgtcacc acccgcggcg cccgccgcct gctgctcacc 114540

agtcggcgcg gcgaggccgc cgccggcgcc gccgaactcg ccgccgaact gcgggaactg 114600

ggcgccgagg tcacgatcgc ggcctgcgac gccgccgacc gcgacgcgct cgccgcgctc 114660

atcgaatcca taccgtcaga gcacccgctg acggccgtca tccacaccgc cggagtcctc 114720

gacgacggcg tcgtcgactc gctgaccccc gagcgcctgt ccacggtcct cgcgcccgaag 114780

gtggacgccg cctggaacct gcacgagctg acccgtcacc tcgacctggc cgacttcgtc 114840

ctgttctcct ccgccgccgg caccttcggc ggcgccggac aggccaacta cgcggccgcg 114900

aacgtcttcc tggacgccct cgcccgccac cggcacgccc acggcctcgc cgccacctcc 114960

ctggcctggg gcctgtgggc cgaggccagc ggcatgaccg gcgaactcga caccgccgac 115020

aaggaccgga tgacgcgctc cggcgtcctc ggcctctcct ccgaagaggg cgtggcgctg 115080

ctcgacaccg cacggctcac cggcgacgcc ctcctcgtcc ccatgcacct cgacctggcg 115140

ccgctgcgcc ggaccgacgc cagcatggtc cccgccctgc tgcgcggcct ggtccgcgcc 115200

cccgcccgca gggccgtcgg agccaccgcc gccggcgccg gaaccccgct ggtggagcgg 115260

ctcgtacggc tccccgagaa cgagcgcgac ccgctcctgc tcgacctcgt acgccagcag 115320

gtggccgccg tactcggcca cgccacccccc gacgccgtcg aacccacccg cgcgttcaag 115380

gacctcggct tcgactcgct gaccgccgtg gagttccgca accggctcgg cgcgaccgcc 115440

ggcatccggc tgcccgccac gctcgtcttc gactacccca cccccacggt cctggccggc 115500

tacctcaagg acgaactcct cggctccgag gccgcggccg ccctcccgaa gctcgccgcc 115560

accgccgtcg agggcgacga ccccatcgcc atcgtcgcca tgagctgccg cttccccggt 115620

gacgtccgca ctcccgagga cctgtgggag ctgctcgccg agggccgcga cggcatctcc 115680

gacctcccgg acgaccgcgg ctgggacacc gaggcgctgt acgaccccga ccccgacagc 115740

cccggcacct cctatgccag ggagggcgga ttcttctacg acgcccacca cttcgacccg 115800

gcgttcttcg ggatcaaccc cgcgcgaggcc ctcgccatgg acccgcagca gcgcctgctg 115860

ctggagacgt cctgggaggc gttcgagcgg gccgggatcg acccgacggg cctgcgcggc 115920

aagcaggtcg gcgtcttcgt cggccagatg cacaacgact acgtgtcccg gctgaacacc 115980

gtccccgaag gcgtcgaggg ctacctcggc accggcggct ccagcagcat cgcctccggc 116040

cgcgtctcct acaccttcga cttcgaaggc cccgccgtca ccgtcgacac ggcctgctcc 116100

tcgtcgctgg tcgccctgca cctcgcggcc caggccctgc gcaacggcga gtgcacgctg 116160

gccctcgcgg cggcgtcac catcatcacc accccccgacg tcttcaccga gttcagccgc 116220

cagcgcgggcc tcgccagcga cggccgctgc aagccgttcg ccgaggccgc cgacggcacg 116280
```

```
gcgtgggggag agggcgtcgg catgctgctc gtcgagcggc tctcggacgc ccgccgcaac 116340

ggccaccagg tcctggcggt cgtccgcggc accgccgtca accaggacgg cgccagcaac 116400

ggcctgaccg ccccgaacgg cccttcccag cagcgcgtca tccgccaggc cctcgccaac 116460

gcgggcctga ccgccgccga ggtggacgcg gtcgaggcac acggcacggg cacccggctc 116520

ggcgacccga tcgaggcgca ggcgctgctc gcgacctacg gtcaggaccg ccccgagggc 116580

agccccctgt ggctgggctc catcaagtcc aacttcggtc acacgcaggc cgccgccggt 116640

gtcgccggga tcatcaagat ggtccaggcg atgcaccacg gggtgctgcc gaagaccctg 116700

cacgtcgacg cgccgtcccc gcacgtggac tggtcggcgg gcgcggtctc gctcctcacc 116760

gagcagatgg cctggcccga aaccggccgc ccgcgccgcg cgggtgtgtc gtcgttcggc 116820

atgagcggta cgaacgccca cgccatcatc gaactcgccc cggacgccgc caccccgagt 116880

gccgcccggc cggagccggc cccggccgcc ctcccgtgga acctctcggc ccgcaccccg 116940

gacgccctgc gcgcccaggg cgagcggctg ctgtcccacc tggagaccca ctgtgagacc 117000

cacccggaga cggtgctcgc cgacatcggc cactcgctga cgaccggccg tgccctcttc 117060

gagcaccgcg cgacggtggt ggcgggcgac cgcgacggct tccgcgccgg actggccgca 117120

ctcgccgaag gccggacggc ggcgggcctg atccagggct cgtcctcgac cggcggtcgc 117180

acggcgttcc tgttcacggg gcaggggagc cagcggctgg ggatggggcg cgagctgtac 117240

gaggcgtatc ccgttttcgc gcgggctctg gacgaggtgt gtgcccgtct ggaactgcct 117300

ctgcctctga aggatgtgct gttcggtact gacacgggtc tgctgaacga gaccgcgtac 117360

acccagccgg cgctgttcgc cgtcgaggtg gcgctgttcc ggctggtgga gagctggggc 117420

ctgaagccgg acttcctggc gggtcattcg attggtgaga tcgctgctgc gcatgtggcg 117480

ggggtgctct cgctggagga tgcctgtgct ctggtgtcgg ctcgcgggcg gttgatgggt 117540

gcgctgcctg gtggtggcgt gatgatcgcg gtgcaggcgt cggagggcga ggtcctgccg 117600

ctgctgaccg accgggtgag tatcgccgcg atcaacggtc cgcagtcggt cgtgatcgcg 117660

ggtgacgagg ccgacgcggt cgcgatcgtg gagtccttct cggaccgcaa gtccaagcgg 117720

ctcacggtga gccacgcgtt ccactcgccg cacatggacg gcatgttgga cgacttccgg 117780

gccgtggcgg aaggcctgtc ctacggggcc ccgcgcatcc cggtcgtttc gaacctcacc 117840

ggggccctgg tctcggatga gatgggttcg gcggacttct gggtccggca cgtccgtgag 117900

gccgttcgct tcctggatgg catccgcgcc ctggaggccg cgggcgtcac gacatacatc 117960

gagctgggcc ccgacggcat cctgtcggcg atggcccagg agtgcatcac cggcgagggt 118020

gcggccttcg cgcccgtcct gcgggcggga cgcgacgagg ccgagacggt gctctccgcg 118080

ctcgcggcgg ctcacgtccg cggcgttccc gtcgactggc aggccttcta cgccccggcc 118140

ggagcacagc gcgtgcccct gccgacgtac gccttccagc gctccgtcta ctggctggac 118200
```

```
gcgggccggg cacagggtga catcgcctcc gctggactcg gcgcgacgga ccatccgctg 118260

ctcagcgccg cggtcgaact gcccgactcg dacggtttcc tcttcaccgg ccgcctgtcg 118320

ctggccaccc acccgtggct cgccgaccac gcggtcctgg gctccgtact ccttccgggt 118380

acggctttcg tcgaactcgc gctgcgggcc ggtgaccagg tcggctgcga cctgatcgac 118440

gaactcactc tcgaagcacc gctggtgctg cccccgcacg gaggcgtcca gctgcggctc 118500

gccgtcgcgg ccgccgacgc gacgggtcgg cgcaccctgg cgttccactc ccggagcgag 118560

gacgcggacg ccgggacgcc gtggacccgt cacgcctccg gtgtactcgc ggtcggggcc 118620

gagcggactc cgcagagcct caccgagtgg ccgccgaccg gggccgaatc cgtaccggtg 118680

gacgggctgt acgagggcct ggccgaatcc ggcttcggat acggtccggt cttccagggc 118740

ctgcgtgccg cctggcggcg cgacggcgag tactacgccg aggtcgccct gcccgagggc 118800

acggaggacg aggccggacg cttcggcctc cacccggccc tgctcgacgc ggcgctgcac 118860

gcgctgggtc tgggcagcac ggacaccgaa ggcggcgaag acggctgcc gttctcctgg 118920

tccggtgtgc acctgcacgc cgtcggtgcc tccgcgctgc gcgtacgtct caccacgtcc 118980

cgaagcggtg aggtggcgct gaccatcgcc gacgcggccg gagagccggt cgcgaccgtg 119040

gccggcctcg cgctgcgggc cgtgagccgc gagcagctga gcacggcacg ggacctcacg 119100

cgtgacgcgc tgttccgggt ggactggact gcgttgcctg cgggcggtgc cgtggggtcg 119160

ctggacgact ggatgttgtt gggtgcgggt tcgcaggtgt atgcggatct ggcggggctg 119220

ggtgtggctg ttgcggaggg tggtgggatt ccggcggcgt tggtggtgcc ggtttcggag 119280

cctgatgcgg agtctgctgc gggtggtgtg gcgggtacgg tgcacgcggc tgttgagcgt 119340

gcgctgtctc tggtgcagga gtggttgtcg gacgagcggt cgcggatgc gcgtctggtg 119400

ttcctgacgc ggggtgcggt ggctgcgcgg gccggggaca cggttccggg gctggtgcag 119460

gccgctgtgt ggggtctggt gcgctcggcg cagtcggaga tccgggtcg tttcgctctg 119520

atcgatgtcg acggcgacgg cgacggtgac ggtgaagtgg acggggacgt gctgtcggcc 119580

gcgctcgcca ccggtgagcc tgagctggcg gtccgtgaag gggctttgct cgtgccgcgc 119640

cttgcccgcg ccgctgtcgt tgagggtgcc ggtcgtgaac tggatgtcga cggcaccgtg 119700

ttggtcacgg gtgcgagcgg caccctgggt ggcttgttcg cccgtcatct ggtggttgag 119760

cgtggtgtgc ggcggctgct gttggtcagt cgtcgtggcg aggctgcgga aggtgctgct 119820

gaactgggcg ccgaactcac ggagctgggt gctgatgtgc ggtgggcggc gtgtgatgtg 119880

gccgaccgcg atgcgcttga ggctgtcctg ccgggattc ctgctgagta tccgttgtcg 119940

ggtgtggtgc atacggctgg tgtgctggac gacggtgtgg tgtcgtccct gacccgggag 120000

cgcctctcgg cggtgctgcg tccgaaggtg gatgcggcat ggaatctgca tgagctgacc 120060
```

```
cgcggtttgg atctgtcgct gttcgtgttg ttctcttcgg ctgccggagt gttcggcggt 120120

gcgggtcagg cgaactatgc ggcggcgaat gtgttcctgg acgctctggc ccagcaccgc 120180

agggcccagg gcctggccgc gacctccctt gcctggggtc tgtgggccgg tgtgggcggc 120240

atgggcggtg agctgacgga atccgaccgc gagcgcatca accgcggcgg catcaccgct 120300

cttgagcccg agaccggtct cgccctcttc gacgcggcac agcgcaccac cgacgcactg 120360

ctcgtccccc tcccgctcga cctggccgcc ctgcgcgtcc aggccggcag cggaatgctt 120420

ccggacctgc tgcgcggcct ggtccgcgta ccggtgcgcc gggcggcggg gcagggaagc 120480

gcggccgggg gcgggtcggt actccgtacc cgactggctg cgatgcccgc cgatgagcgg 120540

gacgcggccc tgctggacct ggtccgggcc gaggtggcgg ccgtactcgg ccacgcgtcg 120600

accgacgagg taccggccga ccgggcgttc aaggagctcg gcttcgactc gctgacctcg 120660

gtcgagctgc gcaaccgcct cggcgccacc acgggtgaac ggctctccgc caccctcgtc 120720

ttcgactacc cgaccccgca cgcgctcgcc gagttcctgc gcaccgaggt gctgggcctg 120780

gacgagccga cggatacggc cacgaccgcc cccacgcacc tcgggacatc gctcgacgac 120840

gacccgatcg cgatcgtcgg catgagctgc cggtaccccg gcggggtcga dacccccgag 120900

gacctctggc gcctggtggt gggtggcggc gacgccatct cggagttccc gcagggacgc 120960

ggctgggacc ttgagtcgct ctacgacccg gacccggacg gcaagggcac cagctacacc 121020

cggtcgggtg gcttcctgca cgacgcgggc cggttcgacc cggcgttctt cgggatctcg 121080

ccgcgcgagg ccgtggcgat ggacccgcag cagcggctgc tcctcgaaac ctcgtgggag 121140

gcgttcgagc gggccgggat cgacccggcc tcgatgcgcg gcagccggac cggtgtcttc 121200

gcgggcatca tgtaccacga ctacgcgacc cggatcacct ccgttccgga cggggtcgag 121260

ggctacctcg gcaccggaaa ctccggcagc atcgcctccg gccgcgtctc gtacgccttc 121320

ggcctggagg gcccggcggt caccgtcgac acggcctgct cgtcctcgct cgtcgccctg 121380

cactgggcga tccaggcgct gcgcaacggc gagtgcacga tggcgctggc cggcggtgtc 121440

accgtcatgt cgacgccggg caccttcacc gagttcagcc gccagcgcgg cctggccgcc 121500

gacggccgca tcaagtcctt cgcggccgcg ccgacggca ccagctgggc cgaaggcgcg 121560

ggcatgctgc tcgtagagcg gctgtcggag gcgcgggcca agggccaccc ggtcctggcg 121620

atcgtgcggg gctcggcgat caaccaggac ggtgcgagca acggcctgac cgctccgaac 121680

ggtccctcgc agcagcgggt gatccgccag gccctcgcgg gggcccggct gaccagtgac 121740

cagatcgacg tggtggaggc gcacggcacg gcaccaccc tcggcgaccc gatcgaggcg 121800

caggcgctcc tggccacgta cggccgcgag cgcgaggcgg accagccgct gtggctgggc 121860

tcgatcaagt ccaacatggg tcacacgcag gcggccgccg gtgtcgcggg catcatcaag 121920

atgatcatgg ccatccggca cggtgtgctg ccgaagaccc tgcacgtcga cgagccgact 121980
```

```
ccgcatgtgg actgggaggc cggtgcggtc tcgctcctca ccgagtccgt cccgtggccg 122040

gagacgggcc gtccgcgccg cgccggtgtg tcgtcgttcg gtatcagcgg caccaacgcg 122100

cacacgatca tcgagcaggc gccggaggag ttcgtcccgg tccgtgtgac cgagtcgcag 122160

acgccgggcg cgggttcgcg agtgctgccg ttcgtgttgt ccgcgaagtc ggcgggggcg 122220

ttgcgtggtc aggcggtgcg tctgaaggcg catgtggagg cttcgccgga ggtgtctgga 122280

gccggggccg ttgatgtggc gtattcgctg gcgacgcggc gtgcggtctt cgaccaccgt 122340

gcggtggtgg tggccggtga ccgcgaggag ttgctgcgtt ctctggctgc tgtggagtcg 122400

gagggcgcgg cggctggtgt gacccgtggg gccgtgggtg cggaaagct tgccttcctg 122460

ttcacgggcc aggggagcca gcggctcggg atgggccgtg agctgtacga gacgtatccc 122520

gtcttcgcgc gggctctgga cgcggcgtgt gctcgtcttg aactgccgct gaaggatgcg 122580

ctgttcggca ccgatgcggg tctgctgggc gagacggcgt acacccagcc ggctctcttc 122640

gcggtcgagg tggcgttgtt ccgactgctg gagagctggg gtgtgaggcc ggacttcctg 122700

gcgggtcatt cgatcggtga gatcgcggcc gcccatgtgg ccggggtgct ctccctcgat 122760

gacgcctgcg cactggtcga ggcgcgtggt cgtctgatgc aggcgctgcc gaccggtggc 122820

gtgatgatcg ccgtccaggc gtctgaggct gaagtcctgc cgctgctgac cgaccgcgtg 122880

agtatcgccg cgatcaacgg tccgcagtcg gtcgtgatcg cgggtgacga ggccgacgcg 122940

gtggcgatcg tggagtcctt ctcgggccgc aagtccaagc ggctcacggt cagtcacgcg 123000

ttccactcgc cgcacatgga cggcatgctg gctggcttcc gcaaggtggc ggagagcctg 123060

tcgtacgagg ctccgcgcat cccggtcgtc tcgaacctca ccggggccct ggtcaccgac 123120

gagatggggtt cggccgactt ctgggtgcgg cacgtccgcg aggccgtccg cttcctggac 123180

ggtatccgca ccctggaagc cgcaggcgtc gcgacgtacg tcgaactcgg ccccgatggc 123240

gtcctgtcgg cgatggccca ggactgcgtc accggcgagg gtgcggcctt cgcgcccgcc 123300

ctccgcaagg gccgccccga gaccgagacg atcaccacgg ccctcgccct tgcccacgcc 123360

cacggcacgt ccgtcgactg ggagacgtac ttcgccggga ccggcgccca gggcgtcgag 123420

ctgccgacct acgccttcca gcgtgactgg tactggctga actcggccgt ggtgcaggcc 123480

ggtccgggcg acgcgagcgg attcgggctc ggcgcgaccg atcacccct gctcgacgcg 123540

accatcgaac tgcccgactc ggacggcttc ctgttcacca gcaggctgtc cctcgacacg 123600

cagccgtggc tcgcggacca cgccgtcctg gggtcggtcc tcctcccggg cacggccttc 123660

gtggaaatcg ccgtacgggc aggtgaccag gtcggttgcg acgtactgga agagctgacg 123720

ctggaggcac cgctggtggt gcccgagcgg ggcggtgtgc agctgcggct caccgtcgcc 123780

gccgccgacg agtcgggacg gcgaggtctg tcgctgtact cccgcgacga ggacgctccc 123840
```

gccgacgagc cgtggacgcg ccacgccagc ggcgtgctcg ccaccggcgc ggcggccccc 123900

gacttcgacc tcgccgcctg gcccccggcc ggagccgaac cggtcgacat cgacggcctg 123960

tacgagggcc tggccgcggc cgggttcgac tacggtccgg ccttccaggg cctgcgcacg 124020

gcatggctgc acggcgacgc ggtgtacgcc gaggtgagcc tggacgagga gtccgcggaa 124080

tcggcggaat ggttcgggct gcacccggcc ctcctggacg cgacgctgca cgcggcgggt 124140

ctcggcggtc tcgtggagag caccggccag ggacggcttc cgttcgcctg gagcaatgtg 124200

tccctgcacg cggccggcgc gtccgcggta cgggtccggc tggccccggc cggccgtgac 124260

gcggtgtctc tgcagctcgc cgacgcggcg ggcgcaccgg tcgcctcggt cgaatcgctg 124320

gtgctgcggg cggtctcgcc cgaccagatc ggcgcggcgc gcggcggccg tcacgagtcg 124380

ctcttcgaga tcgactgggc cgccctcccg ctcgccccgg tgtccgctgc cgaacagcgc 124440

ccctgggcgc tgctggcgga cgacgggtcc ggccacgcgg gactcgaagc cgtgggtgtc 124500

cgtcacgagg cccacaccgg actcgcggcg ctcgccgaca ccggacgggc gatccccgag 124560

gtcgtgtgcg tcccgctcgc tgcggcgaac tcccaggacc tggcgggtgc gggtgcggtg 124620

cacgcggctg tggagcgtgc gctgggtctg gtgcaggagt ggttgtcgga cgagcggttc 124680

gcggatgcgc gtctggtgtt cctgacgcgc ggtgcggtgt ccgcggtgcc gggcgaggac 124740

gtgaccgatc tggtccacgc tccggtgtgg ggtctggtgc gttccgcgca gtccgagaac 124800

ccgggccgct tcgtcctggc cgacaccgac ggcaccgacg cctcctaccg tgccctgacg 124860

gccgcgctcg cctcgggcga gccggagttc acggtgcggg gcggcgcggt acgggtgccc 124920

aggctgacgc gctccactgc tgtcgctgtg gaggctgtgc ccgaactcgg ttcggacggc 124980

acggtgttgg tgacgggtgc gagtggcacg ttgggtggtt tgttcgcccg ccatttggtg 125040

gttgagcgtg gtgtgcggcg cctgctgttg gtgagtcgtc gtggtggggc tgcggagggt 125100

gctgctgaac tgggcgccga actcacggag ctgggtgctg atgtgcggtg ggcggcgtgt 125160

gatgtggccg accgtgatgc gcttgagtcc gtcctggccg ggattcctgc tgagtatccg 125220

ttgtcgggtg tggtgcatac ggctggtgtg ctggacgacg gtgtggtgtc gtccctgacc 125280

ccggagcgcc tctcggcggt gctgcgtccg aaggtggatg cggcatggaa cctgcacgag 125340

ctgacccgcg gtttggatct gtcgttcttc ctgttgttct cgtcggctgc cggtgtgttc 125400

ggtggtgccg gtcaggcgaa ctatgcggcg gcgaatgtgt cctggacgc tctggcccag 125460

caccgcaggg cccagggcct ggccgcgacc tcccttgcgt ggggtctgtg ggctgagccg 125520

gggggcatgg cgggcgcgct ggacgctgat gatgtgtcgc gtctgggccg tggcggtgtc 125580

agcgggctct ccgcgcagga gggtgtggcg ttgttcgacg cggcgtccgc ctccgaacag 125640

gccctgttcg ttcccgtgaa gctggacctg ccgccctgc gcgcccaggc gggtagcggc 125700

atgcttccgc cgctgctcag cggtctcgtc cgtaccccca cccgccgcgc cgcgggcacc 125760

```
ggcggcaccg gagacaccgg cacggacggt gggaccgcgc tgcgggagcg cctggccggg 125820

ctcgcaccgg ccgcgcggga cgaagcgctg ctggagctcg tctgcacgta cgtcgcggcg 125880

gtgctcggct tcgccgggcc cgaggcggtc gatccggcgc ggtcgttcag cgaggtcggc 125940

ttcgactcgc tgaccgccgt cgagctgcgc aacaggctcg gcgccgcgac cggcgtacgc 126000

ctccccgcca ccctcgtctt cgactacccg acaccggacg cgctggtgga gtacctgcgc 126060

gacgaactct ggcaggacgg cgccgcggcg gtaccccgc tgctcgccga actcgaccgg 126120

ctggagaaga cgctcgtggc gtccgtgccc gacgacgacg ccgcacccg catcaccgag 126180

cggctgcagg ccctgctggc cgcctggagc gaggccggcg aatcaacgga caccgccgac 126240

gccgatgtgg ccgaggcgct tgagaccgcg accgacgatg acctcttcga cttcatcggc 126300

aaggagttcg ggatctcgtg atgcgaaggc ccggctccgc cctttccgac ggctctgtct 126360

ttctggcttc tgtacgaggg atgcacgcat gaatgaggaa aaactccggt acttcctgaa 126420

gcgggtgacg gccgatctcc acgagacgcg ccggcgtctt caggaggtcg agtcggagga 126480

gcaggagccg atcgcgatcg tcgggatgag ctgccgctac ccgggagacg tcgagtcgcc 126540

cgaggacctg tggcggctgg tgtccgagga gaccgacgcc atctcccctt tccccaccga 126600

ccggggctgg gacatggggc ggctcttcga cgcggacccc gacgggcggg gcacgagcta 126660

tgtgcaggaa ggcggcttcc tgcactccgc caaccggttc gacccggcgt tcttcgggat 126720

ctcgccgcgc gaggccgtgg cgatggaccc gcagcagcgg ctgctcctcg aaacctcgtg 126780

ggaggcgttc gagcgggccg ggatcgaccc gacctcgctg cgcggcagcc ggaccggcgt 126840

cttcgcgggc gtcatgtacc acgactacgc ctcgcggctg cgtgccgtcc cggaggaggt 126900

cgagggttac ctcggcaccg gcggctccag cagcatcgcc tccggccggg tctcgtacac 126960

cttcggcctg gagggcccgg cgctcaccgt cgacacggcc tgctcgtcct ccctcgtcac 127020

gctgcacctg gccatgcagg cgctccgcaa gggcgagtgc tcgctcgccc tcgcgggcgg 127080

tgtcaccgtg atggcgacac cgggcacctt cacggagttc agccgccagc gcggtctgtc 127140

cttcgacggc cgctgcaagt ccttcgcgga ctccgcggac ggcaccggct gggccgaggg 127200

cgcgggcatg ctcctcgtgg agcggctctc ggacgcccgt aagaacggcc atacggtact 127260

cgccgtggtc cggggctcgg ccgtcaacca ggacggtgcc agcaacggcc tgaccgcccc 127320

gaacggcccc tcccagcagc gggtcatccg gcaggccctg ccgacgcccc gcctcacggc 127380

ggccgacgtc gacgtcgtgg aggcacacgg caccggcacc accctcggtg acccgatcga 127440

ggcgcaggcc ctgctcgcca cgtacggccg ggaacacacc gaggacagcc cgctgtggct 127500

cggctcggtc aagtcgaacc tcggtcacac ccaggcggcc gcgggcgtcg ccggcatcat 127560

caagatggtc atggcgatcc gccacggccg gatccccaag acgctgcatg tcgacgagcc 127620
```

```
gtcgaccaac gtcgactggt cggcgggcgc cgtctcgctg ctgcgggagt ccgtggagtg 127680

gccggagacc ggccgcccgc gccgcgcggc gatctcttcc ttcggcatca gcggcactaa 127740

tgcgcacacg atcatcgagc aggctccgct gccggaggcc gagaccgaaa ccgagccgac 127800

cggcgacgag acggacggct ctgagagcac ggcgggggca gaggggacag aggggacaga 127860

gggcgccggg gtgcggcccg tgtccgtgcc tcccgtcctt ccgtggcccg tctcggcccg 127920

tacggaggag gccctgcacg cccaggcgga acgcctgctg gcccacgtgc ggaccaaccc 127980

ggaccaggcc ccggtgggcg tcgctctctc cctggccaca gggcgcgccg cgctggaaca 128040

ccgcgccgtt gtcgtcgcca ccgaccggga aaccgccctc gccgacctcg ccgcactggc 128100

gtccggcgag acctcggcgc gcgtcgtgct cggcgagccg ggagcgcggg gcaagaccgc 128160

gttcctgttc acggggcagg ggagtcagcg gctggggatg gggcgcgagc tgtacgagga 128220

gtatcccgtc ttcgcggatg cgctggacgc ggtgtgtgcc cgtcttgaac tgcctctgaa 128280

ggatgtgttg ttcggggcgg atgcgcgtct gctggacgag accgcttata cgcaaccggc 128340

gctcttcgcc gttgaggtgg cgttgttccg gttggtggag agctggggtc tgaagcccga 128400

cttcctggcc gggcattcga tcggcgagat cgccgccgcg cacgtcgcgg gggtgttctc 128460

gctggaggat gcttgcgcgc tggtgtcggc tcgtggccgg ttgatgggtg ccctgcctgc 128520

gggtggcgtg atgatcgcgg tgcaggcgtc ggaggacgag gttctgccgc tgctgacggc 128580

ccgggtgagc attgccgcga tcaatggtcc gcagtcggtg gtgatcgcgg gtgacgaggc 128640

cgacgcggtc gcgatcgtgg agtccttcac ggggcgtaag tcgaagcggc ttacggtcag 128700

tcacgcgttc cattcgccgc acatggacgg gatgttggaa gacttccggg tcgtggcgga 128760

ggggctgtcg tacgaggctc cgcgcatccc cgtcgtttcg aacctcaccg gggccctggt 128820

ctcggatgag atgggttcgg cggacttctg ggtccggcac gtccgtgagg ccgttcgctt 128880

cctggatggc atccgggccc tggaggccgc gggcgtcacg acgtacgtcg aactcggccc 128940

cgacggtgtc ctgtcggcga tggcccaggc atgcgtgacc ggcgagaact ccgtcttcgt 129000

gccggtcctg cgctcgggtc gctccgaggc ggagagcgtc accacggccc ttgcccaggc 129060

gcatgtccgc gggatcgccg tggactggca ggcctacttc gccggtaccg gtgccgagcg 129120

cgtcgacctg cccacctacg ccttccagcg cgaccactac tggctcgacg ccggaacgct 129180

cggcggagac gtgaccacgg cgggccttcg atccgccgat caccctctgc tcggcgcctc 129240

tgtggctctg gcggatgcgg agggccttct cctcaccggc cggctctcgc tcgacaccca 129300

cccgtggctc gccgaccacg ctgtggcggg gacggtcctg ctgcccggta cggcgttcgt 129360

cgaactcgcg ctgcgggccg gtgaccaggt cggctgcgac ctgatcgacg aactcaccct 129420

cgcggcgccg ctggtgctgc ccgagcaggg tggagtcgaa ctccagatca ccgtcgcggc 129480

ccccgacgaa tcgggccgcc ggtccgtcgc cttccactcg cgcgccgaca gcgccgcgga 129540
```

```
cgacgaggcg tgggtccggc acgcgaccgc agtactggcc gagggcgcgg acaccccggt 129600

gttcgacttc ggcgtctggc cgccgaccgg ggctgaatcc gtaccggtgg acgggctcta 129660

cgaggggctc gcgcactccg gattcggcta cggtcccgtg ttccaggggc tgcgtgccgc 129720

ctggcgccag ggcgaggacg tgttcgccga agtgagcctc ggggacgggg tcgagcccgg 129780

agcagcgcac ttcaccgtgc acccggccct gctcgactcc gccctgcacg ccatcaacct 129840

cggcaccctc gtcgaggaca ccggccaggg gcgactgccg ttcgcatgga gcggggtcgc 129900

ggttcacgcc gtggggcgg acaccctgcg cgtacggctc tcccgggccg gtcaggacgc 129960

ggtggccctg gagatcgcgg acgcggacgg cgcgcccgtc gcttccgtac gcagcctggc 130020

cctgcgcgcc ttctcacccg accagctgac cgggccggac ggcgccggtc acggcgacgc 130080

gctgttccgg gtggactggg cggcgttgcc tgcgggcggt gcggtcgggt cgctggacga 130140

ctggatgttg ttgggtgctg gttcgcaggt gtatgcggat ctggcggggt tgggtgtggc 130200

tgttgcggag ggtggtggga ttccggcggc gttggtggtg ccggtttcgg agcctgatgc 130260

ggagtctgct gcgggtggtg tggcgggtgc ggtgcatgcg gctgttgagc gtgcgctggg 130320

tctggtgcag gagtggttgt cggatgagcg gttcgcggat gcgcgtctgg tgttcttgac 130380

gcggggtgcg gcggctgcgc gggccgggga cacggttccc gggctggtgc aggcggccgt 130440

gcggggtctg gtgcgctcgg cgcagtcgga gaacccgggc cgtttcgctc tgatcgatgt 130500

cgacggcgat ggtgaagtgg atgcggaggt gctgtcggcc gcgcttgcta cgggtgagcc 130560

cgagctggca gtccgtgaag cggctttgct cgtgccgcgc cttgcccgtg ccgctgtcgc 130620

ggtggagcct gcgcccgaac tcggttcgga tggcacggtg ttggtgacgg gtgcgagtgg 130680

cacgttgggt ggtttgttcg cccggcattt ggtggttgag cgtggtgtgc ggcggctgct 130740

gttggtcagt cgtcgtggtg aggctgcgga aggtgctgct gaactgggcg ccgaactgac 130800

tgggttgggt gctgatgtgc ggtgggcggc gtgtgatgtg gccgaccgtg aggcgcttga 130860

gtcggtcctg gccgggattc ctgccgagta tccgttgtcg ggtgtggtgc ataccgctgg 130920

tgtgctcgat acggtgtgg tgtcgtcgct gactgccgag cgtgtgtcgg cggtactgcg 130980

tccgaaggtg gacgcggcgt ggaacctgca cgagctgacc cgtggcctgg atctctcgct 131040

cttcgtgttg ttctcgtcgg ctgccggtgt gttcggtggt gccggtcagg cgaactatgc 131100

ggcggcgaat gtgtttctgg acgctctggc ccagcaccgc agggcccagg gtctggccgc 131160

gacctctctt gcgtggggtc tgtgggatga gccgggggggc atggcgggcg cgctggacgc 131220

tgatgatgtg tcgcgtctgg gccgtggtgg tgtcagcgga ctctccgcgg gggagggtgt 131280

ggcgttgttc gacgctgcgt ccgcgtccga acaggccttg ttcgttccgg tgaagctgga 131340

cctggccgcc ctgcgtgccc aggcgggcag tgggatgttg ccgccgctgc tcagcggtct 131400
```

```
tgtccgtacc cccacccgcc gcgccgcccg gggcggttcg gccgcggggg gaacgttcgc 131460

ccggaagctg gccggcctcg cggtggacca gcggtccgca gccgtgatgg agctcgtgcg 131520

tgctcaggtc gcagccgtgc tcggccttgc cgggcccgaa gcggtagacc cggcacggtc 131580

gttcagcgag gtcggcttcg actcgctgac cgccgtcgag ctgcgcaaca ggctcggcgc 131640

cgcgaccggt gtacgcctcc ccgccaccct cgtcttcgac tacccgacct ccctcgccct 131700

cgccgacttc ctgggtggcg aactgctcgg cggtcaggaa gcggcagcag ccccgacggc 131760

cttcacggcc cgggacgacg agccgatcgc gatcgtggcg atgtcttgcc gtttccccgg 131820

cggcgtgcgg tcgcccgagg atctgtgggg gctggtcctg gacggccggg atgccatctc 131880

ggacatgccg gacgaccgcg gctgggacgt cgagggactc ttcgaccccg accccgaccg 131940

cccgggcacc agctacagca gggcgggcgg gttcctgcac gacgcccacc acttcgaccc 132000

gacgttcttc gggatctcgc cgcgcgaggc cctcgccacc gacccccagc agcggctgct 132060

cctcgaaacc tcgtgggagg cgttcgagcg ggccgggatc gatccggcca ccgtacgcgg 132120

cagccggacc ggcgtcttcg cgggcgtcat gtacaacgac tacggcaccc tcctgcaccg 132180

cgccccggag ggcctcgaag gctatatggg cacctccagc tcgggcagcg tcgcctcggg 132240

ccgggtctcg tacaccttcg gtctggaggg cccggcggtc accgtcgaca cggcctgctc 132300

gtcctcgctc gtcaccctgc acctcgccgt gcaggccctg cgcaacggcg agtgcgacct 132360

cgcgctggcc ggcggtgtca cggtgatggc cacgcccggt acgttcgtcg cgttcagccg 132420

tcagcgcggc ctcgcgagtg acggccgctg caagccgttc gccgcggccg ccgacggtac 132480

ggcgtggggc gagggcgtcg gcatgctgct cgtcgagcgc ctgtcggacg ctcgggccaa 132540

gggccacccg gtgctcgcgg tggtccgtgg ctcggcgatc aaccaggacg gtgccagcaa 132600

tggcctgacg gctccgaacg gtccctcgca gcagcgggtg atccgccagg cgctggccag 132660

tgccggtctg tcggcggcgg atgtggacgt agtggaggcg cacggcaccg gcaccaccct 132720

gggcgacccg atcgaggcgc aggcactcct cgccacctac ggtcaggagc acacggacga 132780

cagcccgctg tggctggggt ccatcaagtc caacttcggt cacacgcagg ccgctgccgg 132840

tgtcgcgggc atcatcaaga tggtgcaggc gatgcaccac ggggtcgtcc ccaagacgct 132900

gcacgtggac gagccgtccc cgcacgtgga ctggtcggcg ggcgcggtct cgctcctcac 132960

cgagcagatg gcctggcccg aaaccggccg tccccgccgc gcggcgattt cttccttcgg 133020

tatcagcggt accaacgcgc acacgatcat cgagcaggcg ccggaggagt tcgctccggt 133080

ccgtccggtc cgtgtgatcg agccggaggc ggtgggtgcg ggttcgcggg tgctgccgtt 133140

cgtgttgtcc gcgaagtcgg cgggggcgtt cgtggtcag gcggtgcgtc tgaaggcgca 133200

tgtggaggct cgccggagg tgtcgggggc cggggctgct gatgtggcgt attcgctggc 133260

gacgcggcgt gcggtcttcg accaccgtgc ggtggtggtg gccggtgacc gtgaggagct 133320
```

```
gttgcgtgct ctggctgctg tggagtcgga gggcacggcg gctggtgtga cccgtgggac 133380

ggcgggtggc ggaaagcttg ccttcctgtt cacgggccag gggagccagc ggctggggat 133440

ggggcgtgag ctgtacgaga cctatcccgt cttcgcgcgg gctctggacg cggcgtgtgc 133500

tggtctcgaa ctgccgctga aggatgcgct gttcggcgcc gatgcgggtc tgctggacga 133560

gacggcgtac acccagcccg ctctcttcgc ggtcgaggtg gcgttgttcc gactgctgga 133620

gagctggggt gtgaggccgg acttcctggc cgggcactcg atcggtgaga tcgcggccgc 133680

gcatgtggcc ggggtgctgt ccctggacga cgcctgtgcg ctggtcgcgg cccgcggccg 133740

gctcatgcag gcgctgccca ccggcggtgt gatgatcgcc gtccaggcgt cggaggacga 133800

ggtcctgccg ctgctgaccg accgggtgag catcgccgcg atcaacggtc cgcagtcggt 133860

cgtgatcgcg ggcgacgagg ccgacgcggt ggcgatcgtg gagtccttct cgggccgcaa 133920

gtccaagcgg ctcacggtca gtcatgcgtt ccactcgccg cacatggacg gcatgctggc 133980

tggcttccgc aaggtggcgg agagcctgtc gtacgaggct ccgcgcatcc cggtcgtctc 134040

gaacctcacc ggggccctgg tcaccgacga gatggggttcg ccgacttct gggtccggca 134100

cgttcgcgag gcggtccgtt cctggacgg tatccggggcc ctggaggccg cgggcgtgac 134160

ggcgtacgtc gaactcggtc ccgacggtgt tctgtcggcg ttggcccagg agtgcgtcac 134220

cggcgagggt gcggccttcg cgcccgccct ccgcaagggc cgccccgagg ccgagacgat 134280

cacaacggcc ctcgcccttg cccacaacca cggcacgtcc gtcgactggg agacgtactt 134340

ctccgggacc ggcgcccagc gcgtcgacct gcccacctac gccttccagc gcgagcgcta 134400

ctggatcgac gtgcccgtcc actccgtcgg cgacgtggcc tccgccggac tcggtgcggc 134460

ggagcacccg ctgctgggcg cggccgtcga actgcccgac tccgacgggc tgctgctcac 134520

cggtcggctg tcgctcctgt cgcaccccctg gctggccgat cacgccgtcg cgggcaccgt 134580

tctgctcccc gggaccgcct tcgtggagct ggcgctccac gccgggcagc gggtgggcag 134640

tggcctgctc gaagagctga ccctggaggc gccgctggtg cttcccgagc gcggggcgct 134700

ccagctgcgg gtgtccgtgg ccgcgcccga cgaggcgggg cgtcgtgcgc tgcacgtgca 134760

ctcgcgtccc gaggacctgg gcggcgagga ccgtacgggg cacgaggtgc cgtggacgcg 134820

gcacgccggc ggtgtgctcg ccgcgccgga ggcggccggt gccgcgccgg aggagtccgg 134880

cctggacgtc tggccgcccg cggacgccga accgctcgat gccggcgacc tgtacgaccg 134940

gttcgccgag ggcgggttcg cgtacggtcc tgtcttccgc aacctgcgcg ctgcctggcg 135000

gcgcggcgac gagctgttcg ccgaactgct cctgcccgag gggcagctcg cccaggccgg 135060

ccacttcggt gtgcacccgg cgctgctgga cgcgggtctg cacggcctcg cgctcggctc 135120

gttccatgac ggtgcggacg aggacgcccg gatccggctc ccgttctcct tcagcggtgt 135180
```

cgctctgcac tcggtcggcg cgggctcgtt gcgcgtacgg ctcgccccgg ccgggtccgg 135240

cgcggtgtcg ctcgcggcct tcgacgagca gggcgcaccg gtcgtgtcgg tggaatcact 135300

gctgctgcgg gcggtggatc cggcacggct gaaggccgcg gaacagccgg tgttccacga 135360

gtcgctcttc cggctggagt ggccggcgct ggccgcgggc ccgcgtacgg acaacgcccc 135420

cggggacggc ggccggtggg ccgtggtcgg ggccgactcg ctcggccttg aggccgggct 135480

gcgggcggac ggcgtcgccg tcgacgggta cgcggacctg tccgcgctcg ccggagtcgt 135540

ggccgcgggc aagccgcagc cggacacggt gctggtctcg tacgcctcct cgggtcccgg 135600

catcaggacg gcggacgccg ttcggcaggc ggctcacgac gcgctggagc tggtccaggg 135660

ctggctcgcc gaggagtcgc tcgccgggtc acgactggtc gtggtcaccc gcggcgcggt 135720

cgaggcgcgg cccggcgagg gcgtgcccga tctggcgcac gcggcggtgt ggggcctgct 135780

gcggtccgcg cagtccgaga accccgggcg gttcgtactg ctcgacctcg acgcggaaga 135840

cgcggaggtc ctggctccgc tgatggccgc cgctgtggcg agcggggaac cccagctcgc 135900

cgcccgcgag ggcgtcctgc atgccgcgag gctggcacgg gttcccgccg ccccaccgc 135960

ggtggcgggc acggagcgcg cgcccgccct cgaccccgac ggtacggtcc tcatcaccgg 136020

cggcaccgga tcgctcggca gcctgctggc ccgccacctg gtcgtggagc acggcgtacg 136080

gcacctgctg ctgaccagcc ggcgcggtgc cgccgccgag ggcgccccgg aactcgtcgc 136140

cgcactggcc gaactgggcg ccgaggcgac cgtcgccgcg tgtgacgccg ccgaccggga 136200

ggcgctggcc gcgctgctgg ccggcattcc ggccgcgcac cccctcacgg ccgtcgtcca 136260

cacggcgggc cgcgtcgacg acgggctcct ggcgtcgctc agcccggagc ggatcgacac 136320

ggtgctgcgt cccaaggccg acgcggcgct gcatctgcac gagctgaccc gcgggctgga 136380

cctcgccgcg ttcgtcctgt tctcctccgc ggccggaacc ctcggcaacc cggccaggc 136440

caactacgcg gcggccaacg ccttcctgga cgccctggca cagcaccggc gcgcggcggg 136500

gctgcccgcg gtgtcgctgg cctggggggct gtgggagcag cgcagcgcga tgaccggagc 136560

gctgtcggac gcggacgtcc agcggatggc acgcgccgga ctcgcgcccc tctcctcggc 136620

ggagggcctg gccctcttcg acacggcgtg cgccctcgcg ccggtgggcg ccacggagac 136680

cgccaccggc gacggagcgt tcgtcgccat gcggctggac accgcgcccc tgcgggccca 136740

ggcggacgcc ggagcccttc cggcggtctt ccgcgggctg gtgcgcggag gtcctcgcag 136800

ggccgccgca catcaggccg ccgattcggc ggcatccact gccgcgcgaa agctcgcggg 136860

cctgtccggg ctgccgcagg acgagcagga gcgcgtgctg ctcgacctgg tgcgcgccca 136920

ggtggccgcc gtactcgcct atccgtcgcc ggacgcggtg ggggagtcgc aggagttcct 136980

ggagctgggt ctggactcgc tgaccgccgt cgagctgcgc aaccagctga acgcggcgac 137040

cggcctgcgg ctgcccgcca ccctgctctt cgaccacccc actcccgcgc tggtcgccga 137100

```
gcggctgcgc gccgaactcg ccggagcctc cggcccggcg gcggtccggg agggcgcggc 137160

ggacagcggc gcggagggct ccgcgggtgt cttcggggcc atgctccacg aggccggaac 137220

gcagggtgcg tccgggcagt tcatggagct gctcatgcag gcgtcgcggt tccggccgtc 137280

gttcgcctcg gcggccgagc tgcgcaaggc gccgagcctc gtgcggctct cccgcggtga 137340

cacccggccg ggactggtct gtttctcctc gatcctgtcg atctcgggcc cgcaccagta 137400

cgcgcgcttc gcctccgcgt tccggggccg ccgggacgtg cacgcgctcg gtgcccccgg 137460

cttcctgcgg ggcgagcagc tgccctcggc caccgacgcg gtgatcgagg cccaggcgga 137520

ggccgtgctc cggcacgcgg acggtgcgcc gttcgtcctc ctcggccact cctcgggcgg 137580

catgctcgcc cacgcggtgg ccgggaggct ggagagcgag ggggtcttcc cccaggcgct 137640

ggtgatgatc gacatctact cgcacgacga cgacgcgatc atcggcatcc agcccggcct 137700

ctccgagggg atggacgagc ggcaggacac ctacgtaccg gtcgacgaca accggctgct 137760

ggcgatgggc gcgtacttcc ggctgttcgg aggctggaag cccgaggtgg tgaagacgcc 137820

gaccctgctg gtccgggcgg gtgagcggtt cttcgactgg acccggtcca cggacggcga 137880

ctggcgttcg tactgggacc tggaccacac ggccctggac gtgccgggca accacttcac 137940

catgatggag gagcacgctc cgacgaccgc acaggccgtc gaggggtggc tggacacgac 138000

cggctgacac caccggctga cggcgccgga cagcgacatg gccgggcgtc aagcgtcaga 138060

cgtcaggcga cgcgcttctc acgctcgcgg gagcgcttct tcggcagccc caccgtcacg 138120

acctcgaagc tgtccttggt gaggtcgagg cggtggaaga ggttgtcggg cccggtcacg 138180

cacaccgtgc ccacgccgag ccccttgagg gactccacca cgcccggcca gtggacgggc 138240

cggtcgaagg tgtccagcat catcgtgcgc atcccggcgg cgtcccggac gaccccgccg 138300

tcctggtcgt tgaccacggg cagggtgggg tcggccagtt cgtacgcggc gaagacctct 138360

tcctccgcct tgcggcgcag cgccgagaag gccgccgcgt gcacgggcgg gcgcatcgag 138420

tacatggagt agccgccgac cgcgctgatg cccgccttca gcccgtccag ctccttctcc 138480

tgtacggaca ccatgtggaa agcggcgtcc agccgcccgg agatgtcgta ccaggcaccg 138540

cggtcgtcga agccggccag gatctcgtcc agccggtcct gcggggtgcg gacgaagcag 138600

tgcgtgacga cgtcctggta cgcgtcggcg aagtactcct cctcgcagcg gccagctcc 138660

gcggtgagcc ggacgacgtc cgcgaagggc agcgacccga cgaaagcgga ggcggccttc 138720

tggccgaaac tcgggccggc gcagacggtg ggagagatgc cgagcgcgtc caccgcccgg 138780

tcggccatag ccatcgaatt caccaggaag gcgatctgcg aatagaccga gtagtcgtcc 138840

tcggaggtgc ggaaacggtc gaacaccgaa tatccgagcg cctcgtctgc ctccgcgagg 138900

cgccggcgcg cgtaagggtc gagcagcagg aactttccga cctccgcgaa ggacgagggg 138960
```

```
cccataccgg gaaagacgat cgccgtctcg gtcgagggag tctgctcgga gtcgaagccg 139020

gagttgaagc cggagtcgga gccggaacgg gagtcggaac gggaatcaga agtggtcatg 139080

atccgtgaat gcctttgctt ccggggacgg caccggcagg cacctgccgc cgtcacgaac 139140

gtaggaacgg ccccgcaccc ggccggacgc gaatgcgccg agccgggcac gaggccagga 139200

gggacgagag gggggagacg agagaggggga gaccagacgg ggcagcgcgc gctcagtcct 139260

gcgcctcagt cctgcgccct gcggtggaac cccttgatgc cgatcagccc gaagaccacg 139320

atcgccccgc tcagggcgag cagatcgatc cacagcggaa tcgagccggg gccgcccggc 139380

ggcagcagca gggcgcggat cccctcgctg acgtaggtca gcgggttgat ggcgcacagc 139440

acctggaacc agcggatgtc cgccaggctg tgccagggga actgggtgca gccggtgaac 139500

atcagcgggg tcagcgtcac ggcgaagatg acgctgatgt ccgcgcggcg ggccagcgtg 139560

ccgatggtca gacccaccgt gctgcccgcc agcgcgcccg tcagcagcac gcccagcgtg 139620

ggcaggaagc tgtccatcgg ccaggacacg tcgtcgagga tcaggaagcc gacggggatc 139680

atcaccagtg aggcgatgat gccgcgcagc gccccgaaga ccagcttctc gacggccacc 139740

aggctggtgg ggatgggcgc gaggagccgg tcctcgatct ccttggtcca ggagaagtcg 139800

atgaccaggg gcagcgcggt gttctgcagg ctgaccagga agctgttgag cgcgaccacg 139860

cccgggagca ggatctgctg gaacccgccg ccggtgtaac cgagttcgcc gaggaccttg 139920

ccgaagacga acaggatgaa gaacggttcc acgagcacct gggcgaggaa cgggcccagt 139980

tcgcggccgg tgacgaagat gtcccgccac aggatgaaga agaacgtgcg ggtcgcggtg 140040

cgcacgtcgg tgcgcgcggg ccgcagttcg gccgggaagt cggtgaccgg gtcgggtgcg 140100

gtcagggtgg ccgtcatcgc agctcccggc cggtgagctt gatgaagacg tcctccaggg 140160

tcgcggttcc gacgctcacg tccttgatgt cgtgactcgc ttccgtcagg gccgtgatgg 140220

cggtcggcag caccgcgccg gacggcgcgt cgctgtagag gcggagccgt accggcgcgg 140280

gcgcgccgcc ctgctccttg gcgtgttcct ggtgtgccag ctcgacccgc tcgaccgtct 140340

cgatccgctc cagcaggcgt acgacgctct cggcgtcgtg ccccgcgggc tggacggtga 140400

gggtgagggc ggtgctgctc aggctccggg tcagcgcctg cggggtgtcg agggccagca 140460

gtcggccgtg gtcgacgatg ccgacgcggt cgcagagctt ggcggcttcg tccatgtcgt 140520

gcgtggtcag cacggtggtc accccgcgct tgctcagctc ggccacgcgc tcgtggatga 140580

acagccgtgc ctgcggatcg agtccggtgg cgggctcgtc gaggaagagc acgtcggggc 140640

ggtgcatcag ggcccgggcg atcatcacgc gctgggcctg gccgccggag agttcgtcgc 140700

cgcgggcctt gccccggtcg gcgagaccca cccactccag gcactcgtcg gcgagccgtc 140760

cgcgttcgga gcggctcatg ccgtgatagc cggcgtggaa ggtcaggttc tgccggaggg 140820

tcagcgaccg gtcgaggttg ttgcgctgcg gtacgacggc gaaggcccgg cgcgcctggg 140880
```

cggggtgggc cacgacgtcg acgccctgga cgaacgctcg ccccgccgtg ggggccacgc 140940

gggtggtgag gatgccgatg gtcgtcgtct tgcccgcccc gttcgggccg aggaatccga 141000

agacctcgcc cctgcggacc gagaagctca ggtcgtccac cgctggtcgg tcgcggctcc 141060

ggtacttctt gactagtccg tcgaccacga cggcggaatc cacgggtcgt tcagagttca 141120

tttacgcctg cgaatcaagc gggacgcggc gacggcagtc cgggggattc gcacaggaat 141180

gtcgcgtgac cggccgcgcg tcgagcgccg actgaatagg gcataggagt ggtgcggaat 141240

ctttctagcg cgcaggacgg cgcgttgccc caactggcca atcggttagg gggagatgcg 141300

gaatcctagg gggggatagg gggtgaggcg gcgaatcggg gccatttggg ggtgctggtc 141360

ggacaacccc tattcgaaag gatccggggt ggcgagtgtt gcggttccgt cgaatgtcct 141420

catagcatcg gcgcgtgatc gcgccgaatt attcttcgca aaaaagagcg tcggcgggtc 141480

gtgtgtccgc gggctttggg gtggaacccg ggtcgctgcg gtggatggtg atcggcgcga 141540

cgggcatgct cggcggcgaa gtggccgccc agctcacggc ccggggcgcc gacccggtgg 141600

gggtcggcag tgcggatctg gacctcaccg acccgcaggc ggtcgccgcg gccgtggccg 141660

acggcggccc cgatgtcgtc gtcaactgcg ccgcctggac cgccgtggac ctggccgaga 141720

ccgaggagga ggcggccctc gccgtcaacg ggacgggagc gggccacctc gcccgggcct 141780

gcgccgccac cggcagccgg ctcctccacg tctccaccga ctacgtcttc cgaggtgccc 141840

cggccgatgc cggacacccc tatgcggagg acgccgaacc cgaccccgcc accgcgtacg 141900

gacgcaccaa gctcgtcggc gagcgcgccg tcctcgccga actccccgcc accgctgccg 141960

tggtgcgcac gtcctggctg tacggacgcg acaacggcgg cttcgtgcac accatggccc 142020

ggctcgcgcg cgagccggga cgcaccgtgg acgtggtcga cgaccagcac ggacagccga 142080

gctggacccc cgatgtcgcg gcccggatca tcgagctcgc cgccctgccc gccgaccggg 142140

cgcacggcgt cttccatgcc accggcgggg gccgcaccac ctggtacgac ctggcccgcg 142200

aggtgttccg gctgaccggc caggacccgg accgggtccg gcgcatcgac agctccgggc 142260

tgcgacgggc ggcggtccgc ccggcatgga gcgttctggg ccatgaccgc tgggccgcca 142320

cggggctcgc cccgatgcgt cactggcgca cggccctcgc ggacgccctc atgggcgacc 142380

ccgtgggcga ccgacttccc gagagtgtga actcccccgg cccgaaaggc tgttgaaggg 142440

tgaaatccct gtcgatagag ggcgcctggc tctatgagcc gctgctccac gacgatgagc 142500

gcggcacgtt cctggaggtg ttccagagcc aggccttcga gctggccacc ggccgccgcc 142560

tcgaactggc ccaggtcaac tgctccgtgt ccgccgcgg cgtcgtgcgc ggcgtccact 142620

tcgccgactt accgcccggc caggccaagt acgtcacctg cgtacgcggc gcggtgcgcg 142680

atgtgatcgt ggacctgcgc accggctcgc ccacctaccg cgcctgggag gccgtcgaac 142740

```
tcgacgaccg cgaccggcgg gcggtcttcc tctccgaggg cctcggccac gccttccagg 142800

cgatcaccga cgacgccacc gtcgtctacc tgaccacctc gggctacgcc cccggccgtg 142860

agcacggcgt ccacccgctc gacccggagc tgggcatcac ctggcttccc ggcatggaac 142920

cgctgctgtc cccgaaggac gctgtcgccc ccaccctcgc ggtggccgag gcccagggtc 142980

tgctgcccgc gtacgaggac tgcgtacggt acgtgtcctc gctcgccaca ccactcagcg 143040

aggagacccc gtgaaggcac tcgtcctggc ggggggatcc ggcacccgcc tgcgcccccт 143100

gacccacacc tcggcgaagc aactcgtgcc cggtggccaa caaacccatc ctcttctacg 143160

tcctggaagg gatcgccgac gcgggcgtca ccgatgtcgg catcatcgtc ggcgacacgg 143220

ccgacgagat cagggcggcc gtcggcgacg ctcccgctt cggcatcagc gtcacctaca 143280

tcccgcagca ccagccgctc ggcctggccc acgccgtgcg catcgcacgg gactggctcg 143340

gcgaggacga cttcgtgatg tacctgggcg acaacttcct gctcggcggg atcagcgagc 143400

agctggagga gttccgcacc cggcggcccg ccgcgcagat catgctcacc cgggtccccg 143460

atccctccgc cttcggcgtc gtcaccctcg acgaggcggg ccgggtcacc ggcctggagg 143520

agaagccgaa gttccccaag agcgatctcg cgctggtcgg cgtgtacttc ttcaccgccg 143580

ccgtgcacga cgccgtggac gccatccagc cctccgcccg cggcgagctg gagatcaccg 143640

aggccctcca gtggctcctc gacaagggcc tcggcatcgc gtcctccacg gtcaacggct 143700

actggaagga caccggcaac gccaccgaca tgctggaggt caaccgcacg gtgctcgaca 143760

ggctgacccc gtactgcgac ggctccgtcg acggcgagag cgaactggtc ggccgggtcg 143820

tcgtcgagga cggcgcggtg atcacccgct cccggatcgt gggcccccgcc atcatcggcc 143880

gcggcacccg cgtcgagggc tcctacatcg gcccgttcac ctccgtcggg gcggactgcg 143940

tggtcgtcga cagcgagatc gagtactcca tcgtgctggc cggcgcggcc atcgacggcg 144000

tcggccggat cgaggcgtcc atgatcggcc gtcaggcgca ggtcaccccc gcgccccgca 144060

cgccccaggc ccaccgtctg atcctcggcg accacagcaa ggtgcagatc cgttcatgaa 144120

catcctgatc acgggagcgg ccggcttcat cggctcccac ctcgtacgca cgatcctggg 144180

cccggacaaa ccgctcggcg acgacgtccg cgtcaccgtc ctggacgcgc tgacctacgc 144240

gggcaaccgc gcctccctcg ccgccgtcga ggacgaaccg ggcttcacct tcgtgcacgg 144300

cgacatcacc gacgcgctgc tggtggaccg cctggtggcg cccacgacg ccgtggtgca 144360

cctggccgcc gagtcgcacg tcgaccgttc gatctggcgg ccgacgcgt tcgtacgcac 144420

caatgtgctc ggcacccaca ccctgctgga ggccgcgctg cggcacggca ccggcccgtt 144480

cgtgcacgtg tcgaccgacg aggtgtacgg ctcggtcccg gtcggctcgt ccgtcgagag 144540

cgaccgctg acgcccagct cgccctactc cgcgtccaag gcgtccagtg atctgctggc 144600

cctggcctac caccacaccc acggactcga c̲t̲ccggtg acgcgctgct ccaacaacta 144660
```